

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q7. When you rode a motorcycle during the past 12 months, how often did you wear a helmet?

| Overall                   |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                           |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not ride a motorcycle | % | 76.0    | 78.5          | 75.0     | 74.2        | 79.1  | 75.1  | 73.5  | 76.3  | -                | -                | 75.9  | -               | -              |
|                           | N | 1,584   | 519           | 802      | 262         | 420   | 395   | 389   | 377   | 23               | 53               | 1,449 | 36              | 12             |
| Never                     | % | 9.0     | 6.7           | 10.6     | 8.5         | 7.0   | 8.9   | 11.7  | 8.1   | -                | -                | 8.8   | -               | -              |
|                           | N | 187     | 44            | 113      | 30          | 37    | 47    | 62    | 40    | 2                | 9                | 168   | 7               | 1              |
| Rarely                    | % | 1.4     | 1.4           | 1.5      | 1.4         | 1.5   | 1.7   | 1.1   | 1.4   | -                | -                | 1.4   | -               | -              |
|                           | N | 30      | 9             | 16       | 5           | 8     | 9     | 6     | 7     | 0                | 2                | 26    | 2               | 0              |
| Sometimes                 | % | 2.0     | 1.8           | 1.6      | 3.7         | 2.1   | 1.7   | 1.3   | 3.0   | -                | -                | 2.0   | -               | -              |
|                           | N | 42      | 12            | 17       | 13          | 11    | 9     | 7     | 15    | 1                | 0                | 38    | 3               | 0              |
| Most of the time          | % | 2.5     | 2.1           | 2.2      | 4.0         | 2.6   | 2.1   | 2.3   | 3.0   | -                | -                | 2.5   | -               | -              |
|                           | N | 52      | 14            | 24       | 14          | 14    | 11    | 12    | 15    | 0                | 2                | 47    | 2               | 1              |
| Always                    | % | 9.1     | 9.5           | 9.1      | 8.2         | 7.7   | 10.5  | 10.0  | 8.1   | -                | -                | 9.4   | -               | -              |
|                           | N | 189     | 63            | 97       | 29          | 41    | 55    | 53    | 40    | 0                | 6                | 180   | 0               | 2              |
| Total                     | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                           | N | 2,084   | 661           | 1,069    | 353         | 531   | 526   | 529   | 494   | 26               | 72               | 1,908 | 50              | 16             |

Note: There were 14 students who did not provide usable data for Q7.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q7. When you rode a motorcycle during the past 12 months, how often did you wear a helmet?

| Males                     | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                           |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not ride a motorcycle | %   | 68.5      | 70.2          | 67.5     | 68.7        | 70.9  | 65.9  | 68.5  | 69.1  | -                | -                | 68.1  | -               | -              |
|                           | N   | 682       | 221           | 347      | 114         | 190   | 168   | 174   | 150   | 14               | 21               | 617   | 17              | 7              |
| Never                     | %   | 14.6      | 11.1          | 17.3     | 12.7        | 10.8  | 15.3  | 18.1  | 13.8  | -                | -                | 14.5  | -               | -              |
|                           | N   | 145       | 35            | 89       | 21          | 29    | 39    | 46    | 30    | 1                | 7                | 131   | 5               | 1              |
| Rarely                    | %   | 2.5       | 2.5           | 2.7      | 1.8         | 3.0   | 3.1   | 2.0   | 1.8   | -                | -                | 2.4   | -               | -              |
|                           | N   | 25        | 8             | 14       | 3           | 8     | 8     | 5     | 4     | 0                | 2                | 22    | 1               | 0              |
| Sometimes                 | %   | 2.9       | 3.2           | 1.9      | 5.4         | 3.4   | 2.0   | 2.0   | 4.6   | -                | -                | 3.0   | -               | -              |
|                           | N   | 29        | 10            | 10       | 9           | 9     | 5     | 5     | 10    | 0                | 0                | 27    | 2               | 0              |
| Most of the time          | %   | 3.3       | 2.9           | 2.5      | 6.6         | 3.4   | 3.1   | 1.6   | 5.5   | -                | -                | 3.4   | -               | -              |
|                           | N   | 33        | 9             | 13       | 11          | 9     | 8     | 4     | 12    | 0                | 1                | 31    | 1               | 0              |
| Always                    | %   | 8.1       | 10.2          | 8.0      | 4.8         | 8.6   | 10.6  | 7.9   | 5.1   | -                | -                | 8.6   | -               | -              |
|                           | N   | 81        | 32            | 41       | 8           | 23    | 27    | 20    | 11    | 0                | 3                | 78    | 0               | 0              |
| Total                     | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                           | N   | 995       | 315           | 514      | 166         | 268   | 255   | 254   | 217   | 15               | 34               | 906   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q7. When you rode a motorcycle during the past 12 months, how often did you wear a helmet?

| Females                   | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                           |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not ride a motorcycle | %   | 82.8        | 86.1          | 82.0     | 79.0        | 87.5  | 83.8  | 78.2  | 81.9  | -                | -                | 83.0  | -               | -              |
|                           | N   | 899         | 297           | 455      | 147         | 230   | 227   | 215   | 227   | 9                | 32               | 831   | 18              | 5              |
| Never                     | %   | 3.9         | 2.6           | 4.3      | 4.8         | 3.0   | 3.0   | 5.8   | 3.6   | -                | -                | 3.7   | -               | -              |
|                           | N   | 42          | 9             | 24       | 9           | 8     | 8     | 16    | 10    | 1                | 2                | 37    | 2               | 0              |
| Rarely                    | %   | 0.5         | 0.3           | 0.4      | 1.1         | 0.0   | 0.4   | 0.4   | 1.1   | -                | -                | 0.4   | -               | -              |
|                           | N   | 5           | 1             | 2        | 2           | 0     | 1     | 1     | 3     | 0                | 0                | 4     | 1               | 0              |
| Sometimes                 | %   | 1.2         | 0.6           | 1.3      | 2.2         | 0.8   | 1.5   | 0.7   | 1.8   | -                | -                | 1.1   | -               | -              |
|                           | N   | 13          | 2             | 7        | 4           | 2     | 4     | 2     | 5     | 1                | 0                | 11    | 1               | 0              |
| Most of the time          | %   | 1.7         | 1.4           | 2.0      | 1.6         | 1.9   | 1.1   | 2.9   | 1.1   | -                | -                | 1.6   | -               | -              |
|                           | N   | 19          | 5             | 11       | 3           | 5     | 3     | 8     | 3     | 0                | 1                | 16    | 1               | 1              |
| Always                    | %   | 9.9         | 9.0           | 10.1     | 11.3        | 6.8   | 10.3  | 12.0  | 10.5  | -                | -                | 10.2  | -               | -              |
|                           | N   | 108         | 31            | 56       | 21          | 18    | 28    | 33    | 29    | 0                | 3                | 102   | 0               | 2              |
| Total                     | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                           | N   | 1,086       | 345           | 555      | 186         | 263   | 271   | 275   | 277   | 11               | 38               | 1,001 | 23              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?

| Overall                |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not ride a bicycle | % | 24.8    | 15.2          | 28.3     | 32.1        | 13.7  | 23.7  | 33.1  | 29.3  | -                | -                | 24.4  | -               | -              |
|                        | N | 519     | 101           | 303      | 114         | 73    | 125   | 175   | 145   | 8                | 21               | 466   | 17              | 3              |
| Never                  | % | 67.8    | 72.2          | 67.0     | 62.5        | 73.8  | 68.6  | 62.9  | 66.1  | -                | -                | 68.4  | -               | -              |
|                        | N | 1,418   | 480           | 716      | 222         | 394   | 362   | 333   | 327   | 14               | 44               | 1,309 | 32              | 13             |
| Rarely                 | % | 2.9     | 5.4           | 1.7      | 2.0         | 5.8   | 3.2   | 0.9   | 1.6   | -                | -                | 2.9   | -               | -              |
|                        | N | 61      | 36            | 18       | 7           | 31    | 17    | 5     | 8     | 2                | 1                | 56    | 1               | 0              |
| Sometimes              | % | 1.5     | 2.4           | 0.9      | 1.4         | 2.2   | 1.3   | 0.8   | 1.6   | -                | -                | 1.4   | -               | -              |
|                        | N | 31      | 16            | 10       | 5           | 12    | 7     | 4     | 8     | 1                | 3                | 27    | 0               | 0              |
| Most of the time       | % | 1.5     | 2.4           | 1.0      | 1.1         | 2.4   | 1.3   | 1.5   | 0.6   | -                | -                | 1.5   | -               | -              |
|                        | N | 31      | 16            | 11       | 4           | 13    | 7     | 8     | 3     | 0                | 0                | 29    | 1               | 0              |
| Always                 | % | 1.4     | 2.4           | 1.0      | 0.8         | 2.1   | 1.9   | 0.8   | 0.8   | -                | -                | 1.4   | -               | -              |
|                        | N | 30      | 16            | 11       | 3           | 11    | 10    | 4     | 4     | 1                | 3                | 26    | 0               | 0              |
| Total                  | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N | 2,090   | 665           | 1,069    | 355         | 534   | 528   | 529   | 495   | 26               | 72               | 1,913 | 51              | 16             |

Note: There were 8 students who did not provide usable data for Q8.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?

| Males                  | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not ride a bicycle | %   | 24.0      | 12.4          | 28.1     | 33.3        | 12.7  | 19.2  | 36.2  | 29.4  | -                | -                | 23.6  | -               | -              |
|                        | N   | 239       | 39            | 144      | 56          | 34    | 49    | 92    | 64    | 6                | 9                | 214   | 6               | 2              |
| Never                  | %   | 69.7      | 76.5          | 68.2     | 61.3        | 76.9  | 73.7  | 61.0  | 66.1  | -                | -                | 69.8  | -               | -              |
|                        | N   | 694       | 241           | 350      | 103         | 206   | 188   | 155   | 144   | 7                | 24               | 633   | 20              | 6              |
| Rarely                 | %   | 2.4       | 4.8           | 1.4      | 1.2         | 4.9   | 2.4   | 0.8   | 1.4   | -                | -                | 2.5   | -               | -              |
|                        | N   | 24        | 15            | 7        | 2           | 13    | 6     | 2     | 3     | 1                | 0                | 23    | 0               | 0              |
| Sometimes              | %   | 1.2       | 1.9           | 0.6      | 1.8         | 1.5   | 1.2   | 0.4   | 1.8   | -                | -                | 1.2   | -               | -              |
|                        | N   | 12        | 6             | 3        | 3           | 4     | 3     | 1     | 4     | 0                | 1                | 11    | 0               | 0              |
| Most of the time       | %   | 1.6       | 2.5           | 1.0      | 1.8         | 2.2   | 1.6   | 1.6   | 0.9   | -                | -                | 1.8   | -               | -              |
|                        | N   | 16        | 8             | 5        | 3           | 6     | 4     | 4     | 2     | 0                | 0                | 16    | 0               | 0              |
| Always                 | %   | 1.1       | 1.9           | 0.8      | 0.6         | 1.9   | 2.0   | 0.0   | 0.5   | -                | -                | 1.1   | -               | -              |
|                        | N   | 11        | 6             | 4        | 1           | 5     | 5     | 0     | 1     | 1                | 0                | 10    | 0               | 0              |
| Total                  | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N   | 996       | 315           | 513      | 168         | 268   | 255   | 254   | 218   | 15               | 34               | 907   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?

| Females                | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not ride a bicycle | %   | 25.6        | 17.8          | 28.6     | 31.2        | 14.7  | 27.8  | 30.2  | 29.2  | -                | -                | 25.1  | -               | -              |
|                        | N   | 279         | 62            | 159      | 58          | 39    | 76    | 83    | 81    | 2                | 12               | 252   | 11              | 1              |
| Never                  | %   | 66.3        | 68.5          | 65.8     | 63.4        | 70.7  | 63.7  | 64.7  | 66.1  | -                | -                | 67.3  | -               | -              |
|                        | N   | 723         | 239           | 366      | 118         | 188   | 174   | 178   | 183   | 7                | 20               | 676   | 11              | 7              |
| Rarely                 | %   | 3.4         | 6.0           | 2.0      | 2.7         | 6.8   | 4.0   | 1.1   | 1.8   | -                | -                | 3.3   | -               | -              |
|                        | N   | 37          | 21            | 11       | 5           | 18    | 11    | 3     | 5     | 1                | 1                | 33    | 1               | 0              |
| Sometimes              | %   | 1.7         | 2.9           | 1.3      | 1.1         | 3.0   | 1.5   | 1.1   | 1.4   | -                | -                | 1.6   | -               | -              |
|                        | N   | 19          | 10            | 7        | 2           | 8     | 4     | 3     | 4     | 1                | 2                | 16    | 0               | 0              |
| Most of the time       | %   | 1.4         | 2.3           | 1.1      | 0.5         | 2.6   | 1.1   | 1.5   | 0.4   | -                | -                | 1.3   | -               | -              |
|                        | N   | 15          | 8             | 6        | 1           | 7     | 3     | 4     | 1     | 0                | 0                | 13    | 1               | 0              |
| Always                 | %   | 1.6         | 2.6           | 1.3      | 1.1         | 2.3   | 1.8   | 1.5   | 1.1   | -                | -                | 1.5   | -               | -              |
|                        | N   | 18          | 9             | 7        | 2           | 6     | 5     | 4     | 3     | 0                | 3                | 15    | 0               | 0              |
| Total                  | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N   | 1,091       | 349           | 556      | 186         | 266   | 273   | 275   | 277   | 11               | 38               | 1,005 | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q9. How often do you wear a seat belt when riding in a car driven by someone else?

| Overall          | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never            | %   | 6.5     | 3.8           | 8.5      | 5.9         | 3.2   | 8.3   | 8.8   | 5.6   | -                | -               | 6.1   | -               | -              |
|                  | N   | 137     | 25            | 91       | 21          | 17    | 44    | 47    | 28    | 2                | 11              | 118   | 5               | 1              |
| Rarely           | %   | 14.3    | 12.5          | 14.0     | 17.9        | 12.0  | 13.4  | 15.8  | 15.9  | -                | -               | 14.2  | -               | -              |
|                  | N   | 299     | 83            | 151      | 64          | 64    | 71    | 84    | 79    | 4                | 14              | 272   | 4               | 3              |
| Sometimes        | %   | 23.3    | 21.8          | 24.0     | 24.1        | 22.8  | 23.2  | 24.8  | 22.6  | -                | -               | 23.0  | -               | -              |
|                  | N   | 489     | 145           | 258      | 86          | 122   | 123   | 132   | 112   | 6                | 18              | 442   | 18              | 3              |
| Most of the time | %   | 30.2    | 34.4          | 28.7     | 26.9        | 34.3  | 31.1  | 26.8  | 28.8  | -                | -               | 30.5  | -               | -              |
|                  | N   | 634     | 229           | 309      | 96          | 183   | 165   | 143   | 143   | 7                | 20              | 586   | 14              | 5              |
| Always           | %   | 25.7    | 27.5          | 24.7     | 25.2        | 27.7  | 24.1  | 23.8  | 27.0  | -                | -               | 26.1  | -               | -              |
|                  | N   | 539     | 183           | 266      | 90          | 148   | 128   | 127   | 134   | 7                | 9               | 502   | 11              | 4              |
| Total            | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N   | 2,098   | 665           | 1,075    | 357         | 534   | 531   | 533   | 496   | 26               | 72              | 1,920 | 52              | 16             |

Note: There were - students who did not provide usable data for Q9.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q9. How often do you wear a seat belt when riding in a car driven by someone else?

| Males            |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                  |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never            | % | 11.4  | 6.7       | 14.5          | 10.7     | 5.2         | 14.0  | 15.2  | 11.0  | -    | -                | 10.9            | -     | -               |                |
|                  | N | 114   | 21        | 75            | 18       | 14          | 36    | 39    | 24    | 2    | 7                | 99              | 5     | 1               |                |
| Rarely           | % | 17.7  | 14.6      | 17.8          | 23.1     | 13.1        | 18.3  | 18.4  | 22.0  | -    | -                | 17.6            | -     | -               |                |
|                  | N | 177   | 46        | 92            | 39       | 35          | 47    | 47    | 48    | 4    | 8                | 160             | 3     | 1               |                |
| Sometimes        | % | 23.5  | 22.9      | 22.5          | 27.8     | 25.4        | 17.9  | 25.0  | 26.1  | -    | -                | 23.3            | -     | -               |                |
|                  | N | 235   | 72        | 116           | 47       | 68          | 46    | 64    | 57    | 3    | 8                | 212             | 10    | 0               |                |
| Most of the time | % | 26.4  | 32.4      | 25.0          | 19.5     | 34.0        | 28.0  | 22.7  | 19.7  | -    | -                | 26.7            | -     | -               |                |
|                  | N | 264   | 102       | 129           | 33       | 91          | 72    | 58    | 43    | 3    | 8                | 243             | 6     | 3               |                |
| Always           | % | 21.0  | 23.5      | 20.2          | 18.9     | 22.4        | 21.8  | 18.8  | 21.1  | -    | -                | 21.6            | -     | -               |                |
|                  | N | 210   | 74        | 104           | 32       | 60          | 56    | 48    | 46    | 3    | 3                | 197             | 2     | 3               |                |
| Total            | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                  | N | 1,000 | 315       | 516           | 169      | 268         | 257   | 256   | 218   | 15   | 34               | 911             | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q9. How often do you wear a seat belt when riding in a car driven by someone else?

| Females          |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                  |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never            | % | 2.1   | 1.1         | 2.9           | 1.6      | 1.1         | 2.9   | 2.9   | 1.4   | -    | -                | 1.9              | -     | -               |                |
|                  | N | 23    | 4           | 16            | 3        | 3           | 8     | 8     | 4     | 0    | 4                | 19               | 0     | 0               |                |
| Rarely           | % | 11.1  | 10.6        | 10.6          | 13.4     | 10.9        | 8.8   | 13.4  | 11.2  | -    | -                | 11.1             | -     | -               |                |
|                  | N | 121   | 37          | 59            | 25       | 29          | 24    | 37    | 31    | 0    | 6                | 112              | 1     | 2               |                |
| Sometimes        | % | 23.2  | 20.9        | 25.4          | 20.9     | 20.3        | 28.1  | 24.5  | 19.8  | -    | -                | 22.8             | -     | -               |                |
|                  | N | 254   | 73          | 142           | 39       | 54          | 77    | 68    | 55    | 3    | 10               | 230              | 8     | 3               |                |
| Most of the time | % | 33.8  | 36.4        | 32.2          | 33.7     | 34.6        | 33.9  | 30.7  | 36.0  | -    | -                | 34.0             | -     | -               |                |
|                  | N | 370   | 127         | 180           | 63       | 92          | 93    | 85    | 100   | 4    | 12               | 343              | 8     | 2               |                |
| Always           | % | 29.9  | 30.9        | 29.0          | 30.5     | 33.1        | 26.3  | 28.5  | 31.7  | -    | -                | 30.2             | -     | -               |                |
|                  | N | 327   | 108         | 162           | 57       | 88          | 72    | 79    | 88    | 4    | 6                | 304              | 8     | 1               |                |
| Total            | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                  | N | 1,095 | 349         | 559           | 187      | 266         | 274   | 277   | 278   | 11   | 38               | 1,008            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 53.7    | 62.7          | 50.9     | 45.3        | 65.1  | 55.0  | 45.5  | 49.1  | -                | -                | 53.7  | -               | -              |
|                 | N | 1,052   | 397           | 505      | 150         | 332   | 265   | 227   | 228   | 17               | 37               | 960   | 24              | 7              |
| 1 time          | % | 14.0    | 12.5          | 14.6     | 15.1        | 11.4  | 14.7  | 17.0  | 12.9  | -                | -                | 14.0  | -               | -              |
|                 | N | 274     | 79            | 145      | 50          | 58    | 71    | 85    | 60    | 4                | 8                | 251   | 9               | 2              |
| 2 or 3 times    | % | 17.8    | 15.6          | 18.3     | 19.9        | 15.1  | 17.2  | 19.8  | 19.0  | -                | -                | 18.2  | -               | -              |
|                 | N | 348     | 99            | 182      | 66          | 77    | 83    | 99    | 88    | 3                | 7                | 326   | 6               | 5              |
| 4 or 5 times    | % | 6.4     | 4.3           | 6.6      | 9.7         | 4.3   | 5.0   | 6.8   | 9.5   | -                | -                | 6.4   | -               | -              |
|                 | N | 125     | 27            | 66       | 32          | 22    | 24    | 34    | 44    | 0                | 5                | 115   | 5               | 0              |
| 6 or more times | % | 8.1     | 4.9           | 9.6      | 10.0        | 4.1   | 8.1   | 10.8  | 9.5   | -                | -                | 7.7   | -               | -              |
|                 | N | 159     | 31            | 95       | 33          | 21    | 39    | 54    | 44    | 1                | 15               | 137   | 4               | 2              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 1,958   | 633           | 993      | 331         | 510   | 482   | 499   | 464   | 25               | 72               | 1,789 | 48              | 16             |

Note: There were 140 students who did not provide usable data for Q10.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

| Males           |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                 |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 54.9  | 65.4      | 53.0          | 40.8     | 67.1        | 57.5  | 46.9  | 46.5  | -    | -                | 55.1             | -     | -               |                |
|                 | N | 508   | 191       | 253           | 64       | 167         | 134   | 113   | 94    | 9    | 15               | 463              | 11    | 6               |                |
| 1 time          | % | 12.0  | 11.6      | 11.1          | 15.3     | 10.8        | 12.4  | 12.9  | 11.9  | -    | -                | 12.1             | -     | -               |                |
|                 | N | 111   | 34        | 53            | 24       | 27          | 29    | 31    | 24    | 2    | 4                | 102              | 3     | 0               |                |
| 2 or 3 times    | % | 15.7  | 12.0      | 16.1          | 21.0     | 11.2        | 14.2  | 18.7  | 19.3  | -    | -                | 16.1             | -     | -               |                |
|                 | N | 145   | 35        | 77            | 33       | 28          | 33    | 45    | 39    | 2    | 3                | 135              | 4     | 1               |                |
| 4 or 5 times    | % | 6.7   | 4.8       | 7.1           | 8.9      | 5.6         | 4.7   | 7.5   | 9.4   | -    | -                | 6.8              | -     | -               |                |
|                 | N | 62    | 14        | 34            | 14       | 14          | 11    | 18    | 19    | 0    | 2                | 57               | 3     | 0               |                |
| 6 or more times | % | 10.8  | 6.2       | 12.6          | 14.0     | 5.2         | 11.2  | 14.1  | 12.9  | -    | -                | 10.0             | -     | -               |                |
|                 | N | 100   | 18        | 60            | 22       | 13          | 26    | 34    | 26    | 1    | 10               | 84               | 4     | 1               |                |
| Total           | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                 | N | 926   | 292       | 477           | 157      | 249         | 233   | 241   | 202   | 14   | 34               | 841              | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

| Females         |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                 |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 52.8  | 60.6        | 48.8          | 49.4     | 63.2        | 52.6  | 44.2  | 51.1  | -    | -                | 52.5             | -     | -               |                |
|                 | N | 544   | 206         | 252           | 86       | 165         | 131   | 114   | 134   | 8    | 22               | 497              | 13    | 1               |                |
| 1 time          | % | 15.8  | 13.2        | 17.8          | 14.9     | 11.9        | 16.9  | 20.9  | 13.7  | -    | -                | 15.7             | -     | -               |                |
|                 | N | 163   | 45          | 92            | 26       | 31          | 42    | 54    | 36    | 2    | 4                | 149              | 6     | 2               |                |
| 2 or 3 times    | % | 19.6  | 18.8        | 20.3          | 19.0     | 18.8        | 20.1  | 20.9  | 18.7  | -    | -                | 20.2             | -     | -               |                |
|                 | N | 202   | 64          | 105           | 33       | 49          | 50    | 54    | 49    | 1    | 4                | 191              | 2     | 4               |                |
| 4 or 5 times    | % | 6.0   | 3.5         | 6.2           | 10.3     | 3.1         | 5.2   | 6.2   | 9.5   | -    | -                | 6.0              | -     | -               |                |
|                 | N | 62    | 12          | 32            | 18       | 8           | 13    | 16    | 25    | 0    | 3                | 57               | 2     | 0               |                |
| 6 or more times | % | 5.7   | 3.8         | 6.8           | 6.3      | 3.1         | 5.2   | 7.8   | 6.9   | -    | -                | 5.6              | -     | -               |                |
|                 | N | 59    | 13          | 35            | 11       | 8           | 13    | 20    | 18    | 0    | 5                | 53               | 0     | 1               |                |
| Total           | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                 | N | 1,030 | 340         | 516           | 174      | 261         | 249   | 258   | 262   | 11   | 38               | 947              | 23    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 74.1    | 91.5          | 67.7     | 61.1        | 91.4  | 77.7  | 63.6  | 63.4  | -                | -                | 73.8  | -               | -              |
|                 | N | 1,547   | 606           | 724      | 217         | 487   | 407   | 339   | 313   | 21               | 56               | 1,409 | 37              | 13             |
| 1 time          | % | 10.4    | 4.1           | 13.3     | 13.8        | 4.9   | 9.7   | 14.4  | 13.0  | -                | -                | 10.9  | -               | -              |
|                 | N | 218     | 27            | 142      | 49          | 26    | 51    | 77    | 64    | 3                | 3                | 208   | 3               | 1              |
| 2 or 3 times    | % | 9.2     | 3.3           | 10.9     | 15.2        | 3.0   | 7.3   | 12.8  | 14.0  | -                | -                | 9.2   | -               | -              |
|                 | N | 193     | 22            | 116      | 54          | 16    | 38    | 68    | 69    | 1                | 6                | 175   | 9               | 1              |
| 4 or 5 times    | % | 2.7     | 0.2           | 3.9      | 3.9         | 0.4   | 2.1   | 3.8   | 4.9   | -                | -                | 2.8   | -               | -              |
|                 | N | 57      | 1             | 42       | 14          | 2     | 11    | 20    | 24    | 0                | 4                | 53    | 0               | 0              |
| 6 or more times | % | 3.4     | 0.9           | 4.2      | 5.9         | 0.4   | 3.2   | 5.4   | 4.9   | -                | -                | 3.4   | -               | -              |
|                 | N | 72      | 6             | 45       | 21          | 2     | 17    | 29    | 24    | 1                | 3                | 64    | 3               | 1              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 2,087   | 662           | 1,069    | 355         | 533   | 524   | 533   | 494   | 26               | 72               | 1,909 | 52              | 16             |

Note: There were 11 students who did not provide usable data for Q11.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

| Males           |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                 |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times         | % | 71.2      | 89.5          | 64.5     | 57.5        | 89.5  | 74.0  | 59.0  | 59.7  | -  | -                | 71.0            | -     | -               | -              |
|                 | N | 707       | 280           | 331      | 96          | 239   | 188   | 151   | 129   | 13 | 24               | 642             | 16    | 6               | 6              |
| 1 time          | % | 9.3       | 4.8           | 11.1     | 12.0        | 5.2   | 9.1   | 12.1  | 11.1  | -  | -                | 9.5             | -     | -               | -              |
|                 | N | 92        | 15            | 57       | 20          | 14    | 23    | 31    | 24    | 1  | 2                | 86              | 2     | 1               | 1              |
| 2 or 3 times    | % | 10.6      | 4.2           | 12.5     | 16.8        | 4.5   | 9.4   | 13.7  | 15.7  | -  | -                | 10.7            | -     | -               | -              |
|                 | N | 105       | 13            | 64       | 28          | 12    | 24    | 35    | 34    | 0  | 3                | 97              | 5     | 0               | 0              |
| 4 or 5 times    | % | 3.2       | 0.0           | 5.1      | 3.6         | 0.0   | 2.4   | 6.3   | 4.6   | -  | -                | 3.2             | -     | -               | -              |
|                 | N | 32        | 0             | 26       | 6           | 0     | 6     | 16    | 10    | 0  | 3                | 29              | 0     | 0               | 0              |
| 6 or more times | % | 5.7       | 1.6           | 6.8      | 10.2        | 0.7   | 5.1   | 9.0   | 8.8   | -  | -                | 5.5             | -     | -               | -              |
|                 | N | 57        | 5             | 35       | 17          | 2     | 13    | 23    | 19    | 1  | 2                | 50              | 3     | 1               | 1              |
| Total           | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                 | N | 993       | 313           | 513      | 167         | 267   | 254   | 256   | 216   | 15 | 34               | 904             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

| Females         |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                 |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 76.9  | 93.4        | 70.7          | 64.7     | 93.2        | 81.1  | 67.9  | 66.2  | -    | -                | 76.3             | -     | -               |                |
|                 | N | 839   | 325         | 393           | 121      | 248         | 219   | 188   | 184   | 8    | 32               | 766              | 21    | 7               |                |
| 1 time          | % | 11.5  | 3.4         | 15.3          | 15.5     | 4.5         | 10.4  | 16.6  | 14.4  | -    | -                | 12.2             | -     | -               |                |
|                 | N | 126   | 12          | 85            | 29       | 12          | 28    | 46    | 40    | 2    | 1                | 122              | 1     | 0               |                |
| 2 or 3 times    | % | 7.9   | 2.6         | 9.4           | 13.4     | 1.5         | 5.2   | 11.9  | 12.6  | -    | -                | 7.8              | -     | -               |                |
|                 | N | 86    | 9           | 52            | 25       | 4           | 14    | 33    | 35    | 1    | 3                | 78               | 3     | 1               |                |
| 4 or 5 times    | % | 2.3   | 0.3         | 2.9           | 4.3      | 0.8         | 1.9   | 1.4   | 5.0   | -    | -                | 2.4              | -     | -               |                |
|                 | N | 25    | 1           | 16            | 8        | 2           | 5     | 4     | 14    | 0    | 1                | 24               | 0     | 0               |                |
| 6 or more times | % | 1.4   | 0.3         | 1.8           | 2.1      | 0.0         | 1.5   | 2.2   | 1.8   | -    | -                | 1.4              | -     | -               |                |
|                 | N | 15    | 1           | 10            | 4        | 0           | 4     | 6     | 5     | 0    | 1                | 14               | 0     | 0               |                |
| Total           | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                 | N | 1,091 | 348         | 556           | 187      | 266         | 270   | 277   | 278   | 11   | 38               | 1,004            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q12. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

| Overall        |   |         | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| 0 days         | % | 84.9    | 84.8          | 85.4     | 83.7        | 84.6  | 82.5  | 86.0  | 86.7  | -                | -                | 85.1  | -               | -              |  |
|                | N | 1,756   | 557           | 905      | 293         | 444   | 430   | 456   | 423   | 21               | 58               | 1,611 | 41              | 13             |  |
| 1 day          | % | 3.1     | 3.3           | 3.4      | 1.7         | 4.6   | 2.9   | 2.6   | 2.3   | -                | -                | 3.2   | -               | -              |  |
|                | N | 64      | 22            | 36       | 6           | 24    | 15    | 14    | 11    | 1                | 1                | 60    | 1               | 1              |  |
| 2 or 3 days    | % | 3.2     | 3.5           | 2.5      | 4.9         | 3.4   | 3.6   | 2.1   | 3.7   | -                | -                | 3.2   | -               | -              |  |
|                | N | 66      | 23            | 26       | 17          | 18    | 19    | 11    | 18    | 0                | 3                | 60    | 3               | 0              |  |
| 4 or 5 days    | % | 1.1     | 0.9           | 1.0      | 1.4         | 0.8   | 1.2   | 1.3   | 1.0   | -                | -                | 1.2   | -               | -              |  |
|                | N | 22      | 6             | 11       | 5           | 4     | 6     | 7     | 5     | 0                | 0                | 22    | 0               | 0              |  |
| 6 or more days | % | 7.7     | 7.5           | 7.7      | 8.3         | 6.7   | 9.8   | 7.9   | 6.4   | -                | -                | 7.4   | -               | -              |  |
|                | N | 160     | 49            | 82       | 29          | 35    | 51    | 42    | 31    | 3                | 8                | 141   | 6               | 2              |  |
| Total          | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                | N | 2,068   | 657           | 1,060    | 350         | 525   | 521   | 530   | 488   | 25               | 70               | 1,894 | 51              | 16             |  |

Note: There were 30 students who did not provide usable data for Q12.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q12. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

| Males          |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days         | % | 71.6  | 71.1      | 71.7          | 72.2     | 72.7        | 66.1  | 71.9  | 76.2  | -    | -                | 71.6             | -     | -               |                |
|                | N | 696   | 219       | 360           | 117      | 189         | 164   | 182   | 160   | 11   | 22               | 634              | 17    | 6               |                |
| 1 day          | % | 5.5   | 5.5       | 6.4           | 2.5      | 7.3         | 5.2   | 5.1   | 3.8   | -    | -                | 5.8              | -     | -               |                |
|                | N | 53    | 17        | 32            | 4        | 19          | 13    | 13    | 8     | 1    | 1                | 51               | 0     | 0               |                |
| 2 or 3 days    | % | 6.0   | 6.8       | 5.0           | 7.4      | 6.2         | 7.3   | 4.3   | 6.2   | -    | -                | 5.9              | -     | -               |                |
|                | N | 58    | 21        | 25            | 12       | 16          | 18    | 11    | 13    | 0    | 3                | 52               | 3     | 0               |                |
| 4 or 5 days    | % | 2.2   | 1.9       | 2.2           | 2.5      | 1.5         | 2.4   | 2.8   | 1.9   | -    | -                | 2.4              | -     | -               |                |
|                | N | 21    | 6         | 11            | 4        | 4           | 6     | 7     | 4     | 0    | 0                | 21               | 0     | 0               |                |
| 6 or more days | % | 14.8  | 14.6      | 14.7          | 15.4     | 12.3        | 19.0  | 15.8  | 11.9  | -    | -                | 14.4             | -     | -               |                |
|                | N | 144   | 45        | 74            | 25       | 32          | 47    | 40    | 25    | 2    | 7                | 128              | 5     | 2               |                |
| Total          | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                | N | 972   | 308       | 502           | 162      | 260         | 248   | 253   | 210   | 14   | 33               | 886              | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q12. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

| Females        |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days         | % | 96.8  | 97.1        | 97.7          | 93.6     | 96.2        | 97.4  | 98.9  | 94.6  | -    | -                | 97.0             | -     | -               |                |
|                | N | 1,058 | 338         | 545           | 175      | 255         | 266   | 274   | 263   | 10   | 36               | 977              | 23    | 7               |                |
| 1 day          | % | 1.0   | 1.4         | 0.7           | 1.1      | 1.9         | 0.7   | 0.4   | 1.1   | -    | -                | 0.9              | -     | -               |                |
|                | N | 11    | 5           | 4             | 2        | 5           | 2     | 1     | 3     | 0    | 0                | 9                | 1     | 1               |                |
| 2 or 3 days    | % | 0.7   | 0.6         | 0.2           | 2.7      | 0.8         | 0.4   | 0.0   | 1.8   | -    | -                | 0.8              | -     | -               |                |
|                | N | 8     | 2           | 1             | 5        | 2           | 1     | 0     | 5     | 0    | 0                | 8                | 0     | 0               |                |
| 4 or 5 days    | % | 0.1   | 0.0         | 0.0           | 0.5      | 0.0         | 0.0   | 0.0   | 0.4   | -    | -                | 0.1              | -     | -               |                |
|                | N | 1     | 0           | 0             | 1        | 0           | 0     | 0     | 1     | 0    | 0                | 1                | 0     | 0               |                |
| 6 or more days | % | 1.4   | 0.9         | 1.4           | 2.1      | 1.1         | 1.5   | 0.7   | 2.2   | -    | -                | 1.2              | -     | -               |                |
|                | N | 15    | 3           | 8             | 4        | 3           | 4     | 2     | 6     | 1    | 1                | 12               | 1     | 0               |                |
| Total          | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                | N | 1,093 | 348         | 558           | 187      | 265         | 273   | 277   | 278   | 11   | 37               | 1,007            | 25    | 8               |                |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q13. During the past 30 days, on how many days did you carry a gun?

| Overall        |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days         | % | 93.4    | 94.1          | 92.8     | 94.1        | 93.0  | 91.6  | 94.0  | 95.1  | -                | -                | 93.4  | -               | -              |
|                | N | 1,942   | 621           | 988      | 332         | 492   | 480   | 498   | 468   | 24               | 66               | 1,777 | 47              | 16             |
| 1 day          | % | 2.3     | 2.0           | 2.8      | 1.4         | 2.8   | 3.2   | 2.3   | 0.8   | -                | -                | 2.4   | -               | -              |
|                | N | 48      | 13            | 30       | 5           | 15    | 17    | 12    | 4     | 0                | 3                | 45    | 0               | 0              |
| 2 or 3 days    | % | 1.9     | 1.5           | 1.8      | 3.1         | 1.3   | 2.5   | 1.3   | 2.6   | -                | -                | 1.9   | -               | -              |
|                | N | 40      | 10            | 19       | 11          | 7     | 13    | 7     | 13    | 0                | 1                | 36    | 3               | 0              |
| 4 or 5 days    | % | 0.4     | 0.2           | 0.6      | 0.6         | 0.2   | 0.6   | 0.4   | 0.6   | -                | -                | 0.4   | -               | -              |
|                | N | 9       | 1             | 6        | 2           | 1     | 3     | 2     | 3     | 0                | 1                | 8     | 0               | 0              |
| 6 or more days | % | 1.9     | 2.3           | 2.1      | 0.8         | 2.6   | 2.1   | 2.1   | 0.8   | -                | -                | 1.9   | -               | -              |
|                | N | 40      | 15            | 22       | 3           | 14    | 11    | 11    | 4     | 1                | 1                | 36    | 2               | 0              |
| Total          | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                | N | 2,079   | 660           | 1,065    | 353         | 529   | 524   | 530   | 492   | 25               | 72               | 1,902 | 52              | 16             |

Note: There were 19 students who did not provide usable data for Q13.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q13. During the past 30 days, on how many days did you carry a gun?

| Males          |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days         | % | 87.0  | 88.1      | 85.4          | 89.7     | 86.7        | 83.3  | 87.7  | 90.7  | -    | -                | 86.9            | -     | -               |                |
|                | N | 854   | 274       | 432           | 148      | 228         | 209   | 222   | 194   | 13   | 29               | 777             | 21    | 8               |                |
| 1 day          | % | 4.6   | 3.9       | 5.7           | 2.4      | 5.3         | 6.4   | 4.7   | 1.4   | -    | -                | 4.7             | -     | -               |                |
|                | N | 45    | 12        | 29            | 4        | 14          | 16    | 12    | 3     | 0    | 3                | 42              | 0     | 0               |                |
| 2 or 3 days    | % | 3.8   | 2.9       | 3.6           | 6.1      | 2.3         | 5.2   | 2.4   | 5.6   | -    | -                | 3.7             | -     | -               |                |
|                | N | 37    | 9         | 18            | 10       | 6           | 13    | 6     | 12    | 0    | 1                | 33              | 3     | 0               |                |
| 4 or 5 days    | % | 0.8   | 0.3       | 1.2           | 0.6      | 0.4         | 1.2   | 0.8   | 0.9   | -    | -                | 0.8             | -     | -               |                |
|                | N | 8     | 1         | 6             | 1        | 1           | 3     | 2     | 2     | 0    | 1                | 7               | 0     | 0               |                |
| 6 or more days | % | 3.9   | 4.8       | 4.2           | 1.2      | 5.3         | 4.0   | 4.3   | 1.4   | -    | -                | 3.9             | -     | -               |                |
|                | N | 38    | 15        | 21            | 2        | 14          | 10    | 11    | 3     | 1    | 0                | 35              | 2     | 0               |                |
| Total          | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                | N | 982   | 311       | 506           | 165      | 263         | 251   | 253   | 214   | 14   | 34               | 894             | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q13. During the past 30 days, on how many days did you carry a gun?

| Females        | Age         |               |          |             |       | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------|-------------|---------------|----------|-------------|-------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                | All females | 15 or younger | 16 or 17 | 18 or older |       | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days         | %           | 99.2          | 99.4     | 99.5        | 97.9  | 99.2  | 99.3  | 99.6  | 98.6  | -                | -               | 99.2  | -               | -              |
|                | N           | 1,085         | 346      | 556         | 183   | 264   | 271   | 276   | 274   | 11               | 37              | 999   | 25              | 8              |
| 1 day          | %           | 0.3           | 0.3      | 0.2         | 0.5   | 0.4   | 0.4   | 0.0   | 0.4   | -                | -               | 0.3   | -               | -              |
|                | N           | 3             | 1        | 1           | 1     | 1     | 1     | 0     | 1     | 0                | 0               | 3     | 0               | 0              |
| 2 or 3 days    | %           | 0.3           | 0.3      | 0.2         | 0.5   | 0.4   | 0.0   | 0.4   | 0.4   | -                | -               | 0.3   | -               | -              |
|                | N           | 3             | 1        | 1           | 1     | 1     | 0     | 1     | 1     | 0                | 0               | 3     | 0               | 0              |
| 4 or 5 days    | %           | 0.1           | 0.0      | 0.0         | 0.5   | 0.0   | 0.0   | 0.0   | 0.4   | -                | -               | 0.1   | -               | -              |
|                | N           | 1             | 0        | 0           | 1     | 0     | 0     | 0     | 1     | 0                | 0               | 1     | 0               | 0              |
| 6 or more days | %           | 0.2           | 0.0      | 0.2         | 0.5   | 0.0   | 0.4   | 0.0   | 0.4   | -                | -               | 0.1   | -               | -              |
|                | N           | 2             | 0        | 1           | 1     | 0     | 1     | 0     | 1     | 0                | 1               | 1     | 0               | 0              |
| Total          | %           | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                | N           | 1,094         | 348      | 559         | 187   | 266   | 273   | 277   | 278   | 11               | 38              | 1,007 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

| Overall        |   |         | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| 0 days         | % | 94.9    | 94.7          | 95.1     | 94.4        | 95.8  | 93.2  | 95.7  | 94.9  | -                | -                | 95.3  | -               | -              |  |
|                | N | 1,977   | 627           | 1,015    | 334         | 507   | 491   | 509   | 467   | 24               | 62               | 1,820 | 45              | 14             |  |
| 1 day          | % | 1.0     | 1.1           | 0.7      | 1.7         | 0.6   | 1.1   | 0.8   | 1.2   | -                | -                | 1.0   | -               | -              |  |
|                | N | 20      | 7             | 7        | 6           | 3     | 6     | 4     | 6     | 0                | 0                | 19    | 1               | 0              |  |
| 2 or 3 days    | % | 1.0     | 1.4           | 1.1      | 0.0         | 1.5   | 1.1   | 1.1   | 0.2   | -                | -                | 0.7   | -               | -              |  |
|                | N | 21      | 9             | 12       | 0           | 8     | 6     | 6     | 1     | 0                | 4                | 14    | 3               | 0              |  |
| 4 or 5 days    | % | 0.4     | 0.2           | 0.6      | 0.3         | 0.0   | 0.6   | 0.8   | 0.2   | -                | -                | 0.4   | -               | -              |  |
|                | N | 8       | 1             | 6        | 1           | 0     | 3     | 4     | 1     | 0                | 1                | 7     | 0               | 0              |  |
| 6 or more days | % | 2.8     | 2.7           | 2.5      | 3.7         | 2.1   | 4.0   | 1.7   | 3.5   | -                | -                | 2.6   | -               | -              |  |
|                | N | 58      | 18            | 27       | 13          | 11    | 21    | 9     | 17    | 2                | 3                | 49    | 2               | 2              |  |
| Total          | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                | N | 2,084   | 662           | 1,067    | 354         | 529   | 527   | 532   | 492   | 26               | 70               | 1,909 | 51              | 16             |  |

Note: There were 14 students who did not provide usable data for Q14.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

| Males          |   |           | Age           |          |             |  | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------|---|-----------|---------------|----------|-------------|--|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                |   | All males | 15 or younger | 16 or 17 | 18 or older |  | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days         | % | 90.7      | 90.1          | 91.6     | 89.2        |  | 92.8  | 87.4  | 92.2  | 90.2  | -                | -               | 91.4  | -               | -              |
|                | N | 895       | 281           | 466      | 148         |  | 245   | 221   | 235   | 193   | 14               | 26              | 823   | 20              | 6              |
| 1 day          | % | 1.7       | 1.9           | 1.0      | 3.6         |  | 1.1   | 2.4   | 0.8   | 2.8   | -                | -               | 1.8   | -               | -              |
|                | N | 17        | 6             | 5        | 6           |  | 3     | 6     | 2     | 6     | 0                | 0               | 16    | 1               | 0              |
| 2 or 3 days    | % | 1.7       | 2.2           | 2.0      | 0.0         |  | 2.3   | 2.0   | 2.0   | 0.5   | -                | -               | 1.1   | -               | -              |
|                | N | 17        | 7             | 10       | 0           |  | 6     | 5     | 5     | 1     | 0                | 4               | 10    | 3               | 0              |
| 4 or 5 days    | % | 0.7       | 0.3           | 1.2      | 0.0         |  | 0.0   | 1.2   | 1.6   | 0.0   | -                | -               | 0.7   | -               | -              |
|                | N | 7         | 1             | 6        | 0           |  | 0     | 3     | 4     | 0     | 0                | 1               | 6     | 0               | 0              |
| 6 or more days | % | 5.2       | 5.4           | 4.3      | 7.2         |  | 3.8   | 7.1   | 3.5   | 6.5   | -                | -               | 5.0   | -               | -              |
|                | N | 51        | 17            | 22       | 12          |  | 10    | 18    | 9     | 14    | 1                | 2               | 45    | 1               | 2              |
| Total          | % | 100.0     | 100.0         | 100.0    | 100.0       |  | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                | N | 987       | 312           | 509      | 166         |  | 264   | 253   | 255   | 214   | 15               | 33              | 900   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

| Females        | Age         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days         | %           | 98.7          | 99.1     | 98.4        | 98.9  | 98.5  | 98.9  | 98.6  | -                | -               | 98.9  | -               | -              |
|                | N           | 1,080         | 346      | 549         | 185   | 262   | 270   | 274   | 10               | 36              | 997   | 24              | 8              |
| 1 day          | %           | 0.2           | 0.0      | 0.4         | 0.0   | 0.0   | 0.7   | 0.0   | -                | -               | 0.2   | -               | -              |
|                | N           | 2             | 0        | 2           | 0     | 0     | 2     | 0     | 0                | 0               | 2     | 0               | 0              |
| 2 or 3 days    | %           | 0.4           | 0.6      | 0.4         | 0.0   | 0.8   | 0.4   | 0.4   | -                | -               | 0.4   | -               | -              |
|                | N           | 4             | 2        | 2           | 0     | 2     | 1     | 1     | 0                | 0               | 4     | 0               | 0              |
| 4 or 5 days    | %           | 0.1           | 0.0      | 0.0         | 0.5   | 0.0   | 0.0   | 0.4   | -                | -               | 0.1   | -               | -              |
|                | N           | 1             | 0        | 0           | 1     | 0     | 0     | 1     | 0                | 0               | 1     | 0               | 0              |
| 6 or more days | %           | 0.6           | 0.3      | 0.9         | 0.5   | 0.4   | 1.1   | 1.1   | -                | -               | 0.4   | -               | -              |
|                | N           | 7             | 1        | 5           | 1     | 1     | 3     | 3     | 1                | 1               | 4     | 1               | 0              |
| Total          | %           | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                | N           | 1,094         | 349      | 558         | 187   | 265   | 274   | 277   | 11               | 37              | 1,008 | 25              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q15. During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

| Overall        |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days         | % | 98.1    | 98.2          | 97.9     | 98.6        | 98.1  | 97.2  | 98.3  | 99.0  | -                | -                | 98.3  | -               | -              |
|                | N | 2,057   | 652           | 1,052    | 352         | 523   | 516   | 524   | 491   | 24               | 69               | 1,886 | 50              | 16             |
| 1 day          | % | 1.0     | 0.9           | 1.1      | 0.6         | 0.8   | 1.7   | 0.8   | 0.4   | -                | -                | 1.0   | -               | -              |
|                | N | 20      | 6             | 12       | 2           | 4     | 9     | 4     | 2     | 1                | 0                | 19    | 0               | 0              |
| 2 or 3 days    | % | 0.5     | 0.5           | 0.7      | 0.0         | 0.8   | 0.6   | 0.4   | 0.2   | -                | -                | 0.3   | -               | -              |
|                | N | 10      | 3             | 7        | 0           | 4     | 3     | 2     | 1     | 1                | 2                | 6     | 1               | 0              |
| 4 or 5 days    | % | 0.2     | 0.3           | 0.2      | 0.3         | 0.2   | 0.6   | 0.0   | 0.2   | -                | -                | 0.2   | -               | -              |
|                | N | 5       | 2             | 2        | 1           | 1     | 3     | 0     | 1     | 0                | 1                | 4     | 0               | 0              |
| 6 or more days | % | 0.2     | 0.2           | 0.2      | 0.6         | 0.2   | 0.0   | 0.6   | 0.2   | -                | -                | 0.2   | -               | -              |
|                | N | 5       | 1             | 2        | 2           | 1     | 0     | 3     | 1     | 0                | 0                | 4     | 1               | 0              |
| Total          | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                | N | 2,097   | 664           | 1,075    | 357         | 533   | 531   | 533   | 496   | 26               | 72               | 1,919 | 52              | 16             |

Note: There was 1 student who did not provide usable data for Q15.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q15. During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

| Males          |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days         | % | 97.4  | 97.1      | 97.1          | 98.8     | 97.4        | 96.1  | 97.7  | 98.6  | -    | -                | 97.8             | -     | -               |                |
|                | N | 974   | 306       | 501           | 167      | 261         | 247   | 250   | 215   | 13   | 32               | 891              | 24    | 8               |                |
| 1 day          | % | 1.1   | 1.3       | 1.4           | 0.0      | 1.1         | 1.9   | 1.2   | 0.0   | -    | -                | 1.1              | -     | -               |                |
|                | N | 11    | 4         | 7             | 0        | 3           | 5     | 3     | 0     | 1    | 0                | 10               | 0     | 0               |                |
| 2 or 3 days    | % | 0.8   | 0.6       | 1.2           | 0.0      | 0.7         | 1.2   | 0.8   | 0.5   | -    | -                | 0.5              | -     | -               |                |
|                | N | 8     | 2         | 6             | 0        | 2           | 3     | 2     | 1     | 1    | 1                | 5                | 1     | 0               |                |
| 4 or 5 days    | % | 0.4   | 0.6       | 0.2           | 0.6      | 0.4         | 0.8   | 0.0   | 0.5   | -    | -                | 0.3              | -     | -               |                |
|                | N | 4     | 2         | 1             | 1        | 1           | 2     | 0     | 1     | 0    | 1                | 3                | 0     | 0               |                |
| 6 or more days | % | 0.3   | 0.3       | 0.2           | 0.6      | 0.4         | 0.0   | 0.4   | 0.5   | -    | -                | 0.2              | -     | -               |                |
|                | N | 3     | 1         | 1             | 1        | 1           | 0     | 1     | 1     | 0    | 0                | 2                | 1     | 0               |                |
| Total          | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                | N | 1,000 | 315       | 516           | 169      | 268         | 257   | 256   | 218   | 15   | 34               | 911              | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q15. During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

| Females        |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days         | % | 98.8  | 99.4        | 98.6          | 98.4     | 98.9        | 98.2  | 98.9  | 99.3  | -    | -                | 98.8             | -     | -               |                |
|                | N | 1,081 | 346         | 551           | 184      | 262         | 269   | 274   | 276   | 11   | 37               | 995              | 25    | 8               |                |
| 1 day          | % | 0.7   | 0.3         | 0.9           | 1.1      | 0.4         | 1.5   | 0.4   | 0.7   | -    | -                | 0.8              | -     | -               |                |
|                | N | 8     | 1           | 5             | 2        | 1           | 4     | 1     | 2     | 0    | 0                | 8                | 0     | 0               |                |
| 2 or 3 days    | % | 0.2   | 0.3         | 0.2           | 0.0      | 0.8         | 0.0   | 0.0   | 0.0   | -    | -                | 0.1              | -     | -               |                |
|                | N | 2     | 1           | 1             | 0        | 2           | 0     | 0     | 0     | 0    | 1                | 1                | 0     | 0               |                |
| 4 or 5 days    | % | 0.1   | 0.0         | 0.2           | 0.0      | 0.0         | 0.4   | 0.0   | 0.0   | -    | -                | 0.1              | -     | -               |                |
|                | N | 1     | 0           | 1             | 0        | 0           | 1     | 0     | 0     | 0    | 0                | 1                | 0     | 0               |                |
| 6 or more days | % | 0.2   | 0.0         | 0.2           | 0.5      | 0.0         | 0.0   | 0.7   | 0.0   | -    | -                | 0.2              | -     | -               |                |
|                | N | 2     | 0           | 1             | 1        | 0           | 0     | 2     | 0     | 0    | 0                | 2                | 0     | 0               |                |
| Total          | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                | N | 1,094 | 348         | 559           | 187      | 265         | 274   | 277   | 278   | 11   | 38               | 1,007            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q16. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 94.5    | 93.5          | 94.7     | 95.5        | 93.2  | 94.0  | 94.9  | 96.0  | -                | -               | 94.8  | -               | -              |
|                  | N | 1,981   | 621           | 1,018    | 341         | 497   | 499   | 506   | 476   | 23               | 66              | 1,821 | 46              | 13             |
| 1 time           | % | 2.1     | 2.6           | 2.0      | 2.0         | 2.8   | 1.9   | 1.5   | 2.2   | -                | -               | 2.0   | -               | -              |
|                  | N | 45      | 17            | 21       | 7           | 15    | 10    | 8     | 11    | 2                | 1               | 38    | 3               | 1              |
| 2 or 3 times     | % | 1.7     | 1.7           | 1.8      | 1.4         | 1.7   | 2.3   | 1.5   | 1.2   | -                | -               | 1.7   | -               | -              |
|                  | N | 35      | 11            | 19       | 5           | 9     | 12    | 8     | 6     | 0                | 1               | 33    | 0               | 1              |
| 4 or 5 times     | % | 0.7     | 1.1           | 0.7      | 0.0         | 1.1   | 0.6   | 0.9   | 0.2   | -                | -               | 0.7   | -               | -              |
|                  | N | 15      | 7             | 8        | 0           | 6     | 3     | 5     | 1     | 1                | 0               | 13    | 1               | 0              |
| 6 or 7 times     | % | 0.3     | 0.3           | 0.3      | 0.3         | 0.2   | 0.6   | 0.2   | 0.2   | -                | -               | 0.2   | -               | -              |
|                  | N | 6       | 2             | 3        | 1           | 1     | 3     | 1     | 1     | 0                | 0               | 4     | 2               | 0              |
| 8 or 9 times     | % | 0.3     | 0.3           | 0.2      | 0.6         | 0.2   | 0.6   | 0.2   | 0.2   | -                | -               | 0.2   | -               | -              |
|                  | N | 6       | 2             | 2        | 2           | 1     | 3     | 1     | 1     | 0                | 1               | 4     | 0               | 1              |
| 10 or 11 times   | % | 0.1     | 0.2           | 0.1      | 0.0         | 0.2   | 0.0   | 0.2   | 0.0   | -                | -               | 0.1   | -               | -              |
|                  | N | 2       | 1             | 1        | 0           | 1     | 0     | 1     | 0     | 0                | 0               | 2     | 0               | 0              |
| 12 or more times | % | 0.3     | 0.5           | 0.3      | 0.3         | 0.6   | 0.2   | 0.6   | 0.0   | -                | -               | 0.3   | -               | -              |
|                  | N | 7       | 3             | 3        | 1           | 3     | 1     | 3     | 0     | 0                | 2               | 5     | 0               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N | 2,097   | 664           | 1,075    | 357         | 533   | 531   | 533   | 496   | 26               | 71              | 1,920 | 52              | 16             |

Note: There was 1 student who did not provide usable data for Q16.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q16. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

| Males            |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                  |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 91.9  | 91.7      | 91.9          | 92.3     | 91.4        | 92.2  | 91.8  | 92.2  | -    | -                | 92.1            | -     | -               |                |
|                  | N | 918   | 288       | 474           | 156      | 244         | 237   | 235   | 201   | 13   | 30               | 839             | 23    | 7               |                |
| 1 time           | % | 3.2   | 3.5       | 2.9           | 3.6      | 4.1         | 2.3   | 2.3   | 4.1   | -    | -                | 3.3             | -     | -               |                |
|                  | N | 32    | 11        | 15            | 6        | 11          | 6     | 6     | 9     | 1    | 0                | 30              | 1     | 0               |                |
| 2 or 3 times     | % | 2.1   | 1.0       | 2.7           | 2.4      | 1.1         | 2.3   | 2.7   | 2.3   | -    | -                | 2.1             | -     | -               |                |
|                  | N | 21    | 3         | 14            | 4        | 3           | 6     | 7     | 5     | 0    | 1                | 19              | 0     | 1               |                |
| 4 or 5 times     | % | 1.2   | 1.9       | 1.2           | 0.0      | 1.9         | 1.2   | 1.2   | 0.5   | -    | -                | 1.2             | -     | -               |                |
|                  | N | 12    | 6         | 6             | 0        | 5           | 3     | 3     | 1     | 1    | 0                | 11              | 0     | 0               |                |
| 6 or 7 times     | % | 0.4   | 0.3       | 0.4           | 0.6      | 0.0         | 0.8   | 0.4   | 0.5   | -    | -                | 0.2             | -     | -               |                |
|                  | N | 4     | 1         | 2             | 1        | 0           | 2     | 1     | 1     | 0    | 0                | 2               | 2     | 0               |                |
| 8 or 9 times     | % | 0.4   | 0.6       | 0.2           | 0.6      | 0.4         | 0.8   | 0.0   | 0.5   | -    | -                | 0.3             | -     | -               |                |
|                  | N | 4     | 2         | 1             | 1        | 1           | 2     | 0     | 1     | 0    | 1                | 3               | 0     | 0               |                |
| 10 or 11 times   | % | 0.2   | 0.3       | 0.2           | 0.0      | 0.4         | 0.0   | 0.4   | 0.0   | -    | -                | 0.2             | -     | -               |                |
|                  | N | 2     | 1         | 1             | 0        | 1           | 0     | 1     | 0     | 0    | 0                | 2               | 0     | 0               |                |
| 12 or more times | % | 0.6   | 0.6       | 0.6           | 0.6      | 0.7         | 0.4   | 1.2   | 0.0   | -    | -                | 0.5             | -     | -               |                |
|                  | N | 6     | 2         | 3             | 1        | 2           | 1     | 3     | 0     | 0    | 1                | 5               | 0     | 0               |                |
| Total            | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                  | N | 999   | 314       | 516           | 169      | 267         | 257   | 256   | 218   | 15   | 33               | 911             | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q16. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

| Females          |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                  |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| 0 times          | % | 96.9        | 95.4          | 97.3     | 98.4        | 95.1  | 95.6  | 97.8  | 98.9  | -                | -                | 97.4  | -               | -              |  |
|                  | N | 1,061       | 333           | 544      | 184         | 253   | 262   | 271   | 275   | 10               | 36               | 982   | 22              | 6              |  |
| 1 time           | % | 1.1         | 1.4           | 1.1      | 0.5         | 1.5   | 1.5   | 0.7   | 0.7   | -                | -                | 0.7   | -               | -              |  |
|                  | N | 12          | 5             | 6        | 1           | 4     | 4     | 2     | 2     | 1                | 1                | 7     | 2               | 1              |  |
| 2 or 3 times     | % | 1.3         | 2.3           | 0.9      | 0.5         | 2.3   | 2.2   | 0.4   | 0.4   | -                | -                | 1.4   | -               | -              |  |
|                  | N | 14          | 8             | 5        | 1           | 6     | 6     | 1     | 1     | 0                | 0                | 14    | 0               | 0              |  |
| 4 or 5 times     | % | 0.3         | 0.3           | 0.4      | 0.0         | 0.4   | 0.0   | 0.7   | 0.0   | -                | -                | 0.2   | -               | -              |  |
|                  | N | 3           | 1             | 2        | 0           | 1     | 0     | 2     | 0     | 0                | 0                | 2     | 1               | 0              |  |
| 6 or 7 times     | % | 0.2         | 0.3           | 0.2      | 0.0         | 0.4   | 0.4   | 0.0   | 0.0   | -                | -                | 0.2   | -               | -              |  |
|                  | N | 2           | 1             | 1        | 0           | 1     | 1     | 0     | 0     | 0                | 0                | 2     | 0               | 0              |  |
| 8 or 9 times     | % | 0.2         | 0.0           | 0.2      | 0.5         | 0.0   | 0.4   | 0.4   | 0.0   | -                | -                | 0.1   | -               | -              |  |
|                  | N | 2           | 0             | 1        | 1           | 0     | 1     | 1     | 0     | 0                | 0                | 1     | 0               | 1              |  |
| 10 or 11 times   | % | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |  |
|                  | N | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |  |
| 12 or more times | % | 0.1         | 0.3           | 0.0      | 0.0         | 0.4   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |  |
|                  | N | 1           | 1             | 0        | 0           | 1     | 0     | 0     | 0     | 0                | 1                | 0     | 0               | 0              |  |
| Total            | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                  | N | 1,095       | 349           | 559      | 187         | 266   | 274   | 277   | 278   | 11               | 38               | 1,008 | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q17. During the past 12 months, how many times were you in a physical fight?

| Overall          | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 69.7    | 67.3          | 69.7     | 73.7        | 65.1  | 68.0  | 69.7  | 76.2  | -                | -                | 70.5  | -               | -              |
|                  | N   | 1,455   | 447           | 746      | 261         | 347   | 359   | 371   | 375   | 15               | 41               | 1,349 | 32              | 9              |
| 1 time           | %   | 14.1    | 16.3          | 13.6     | 11.6        | 16.5  | 14.4  | 14.1  | 11.2  | -                | -                | 13.8  | -               | -              |
|                  | N   | 295     | 108           | 146      | 41          | 88    | 76    | 75    | 55    | 6                | 12               | 264   | 8               | 3              |
| 2 or 3 times     | %   | 10.7    | 9.9           | 11.2     | 10.5        | 10.7  | 12.1  | 10.7  | 9.1   | -                | -                | 10.4  | -               | -              |
|                  | N   | 223     | 66            | 120      | 37          | 57    | 64    | 57    | 45    | 4                | 11               | 198   | 6               | 3              |
| 4 or 5 times     | %   | 2.2     | 2.4           | 2.1      | 2.0         | 2.8   | 1.3   | 3.4   | 1.2   | -                | -                | 2.0   | -               | -              |
|                  | N   | 46      | 16            | 23       | 7           | 15    | 7     | 18    | 6     | 1                | 4                | 38    | 3               | 0              |
| 6 or 7 times     | %   | 0.9     | 0.6           | 1.1      | 0.6         | 0.8   | 1.1   | 0.8   | 0.8   | -                | -                | 0.9   | -               | -              |
|                  | N   | 18      | 4             | 12       | 2           | 4     | 6     | 4     | 4     | 0                | 1                | 17    | 0               | 0              |
| 8 or 9 times     | %   | 0.6     | 0.9           | 0.6      | 0.3         | 0.9   | 0.9   | 0.4   | 0.2   | -                | -                | 0.6   | -               | -              |
|                  | N   | 13      | 6             | 6        | 1           | 5     | 5     | 2     | 1     | 0                | 1                | 12    | 0               | 0              |
| 10 or 11 times   | %   | 0.2     | 0.2           | 0.2      | 0.3         | 0.0   | 0.2   | 0.2   | 0.4   | -                | -                | 0.2   | -               | -              |
|                  | N   | 4       | 1             | 2        | 1           | 0     | 1     | 1     | 2     | 0                | 0                | 3     | 1               | 0              |
| 12 or more times | %   | 1.7     | 2.4           | 1.4      | 1.1         | 3.2   | 1.9   | 0.8   | 0.8   | -                | -                | 1.7   | -               | -              |
|                  | N   | 35      | 16            | 15       | 4           | 17    | 10    | 4     | 4     | 0                | 1                | 32    | 1               | 1              |
| Total            | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 2,089   | 664           | 1,070    | 354         | 533   | 528   | 532   | 492   | 26               | 71               | 1,913 | 51              | 16             |

Note: There were 9 students who did not provide usable data for Q17.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q17. During the past 12 months, how many times were you in a physical fight?

| Males            |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 58.6      | 60.0          | 57.1     | 60.7        | 57.8  | 57.3  | 57.3  | 62.7  | -  | -                | 59.0            | -     | -               | -              |
|                  | N | 584       | 189           | 293      | 102         | 155   | 146   | 146   | 136   | 9  | 17               | 536             | 13    | 6               | 6              |
| 1 time           | % | 17.5      | 17.8          | 17.2     | 17.9        | 17.5  | 16.9  | 17.6  | 18.0  | -  | -                | 17.5            | -     | -               | -              |
|                  | N | 174       | 56            | 88       | 30          | 47    | 43    | 45    | 39    | 1  | 7                | 159             | 4     | 1               | 1              |
| 2 or 3 times     | % | 15.2      | 12.4          | 16.8     | 15.5        | 13.1  | 17.3  | 16.5  | 13.8  | -  | -                | 14.7            | -     | -               | -              |
|                  | N | 151       | 39            | 86       | 26          | 35    | 44    | 42    | 30    | 4  | 6                | 134             | 5     | 1               | 1              |
| 4 or 5 times     | % | 2.9       | 3.2           | 3.3      | 1.2         | 3.7   | 2.4   | 4.7   | 0.5   | -  | -                | 2.8             | -     | -               | -              |
|                  | N | 29        | 10            | 17       | 2           | 10    | 6     | 12    | 1     | 1  | 2                | 25              | 1     | 0               | 0              |
| 6 or 7 times     | % | 1.6       | 1.3           | 1.9      | 1.2         | 1.5   | 1.6   | 1.6   | 1.8   | -  | -                | 1.7             | -     | -               | -              |
|                  | N | 16        | 4             | 10       | 2           | 4     | 4     | 4     | 4     | 0  | 1                | 15              | 0     | 0               | 0              |
| 8 or 9 times     | % | 0.9       | 1.0           | 1.0      | 0.6         | 0.7   | 1.6   | 0.8   | 0.5   | -  | -                | 1.0             | -     | -               | -              |
|                  | N | 9         | 3             | 5        | 1           | 2     | 4     | 2     | 1     | 0  | 0                | 9               | 0     | 0               | 0              |
| 10 or 11 times   | % | 0.4       | 0.3           | 0.4      | 0.6         | 0.0   | 0.4   | 0.4   | 0.9   | -  | -                | 0.3             | -     | -               | -              |
|                  | N | 4         | 1             | 2        | 1           | 0     | 1     | 1     | 2     | 0  | 0                | 3               | 1     | 0               | 0              |
| 12 or more times | % | 2.9       | 4.1           | 2.3      | 2.4         | 5.6   | 2.7   | 1.2   | 1.8   | -  | -                | 3.1             | -     | -               | -              |
|                  | N | 29        | 13            | 12       | 4           | 15    | 7     | 3     | 4     | 0  | 0                | 28              | 1     | 0               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                  | N | 996       | 315           | 513      | 168         | 268   | 255   | 255   | 217   | 15 | 33               | 909             | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q17. During the past 12 months, how many times were you in a physical fight?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 79.7        | 74.1          | 81.3     | 85.4        | 72.5  | 78.0  | 81.2  | 86.9  | -                | -                | 81.1  | -               | -              |
|                  | N   | 869         | 258           | 453      | 158         | 192   | 213   | 225   | 239   | 6                | 24               | 813   | 18              | 3              |
| 1 time           | %   | 11.0        | 14.7          | 10.4     | 5.9         | 15.5  | 12.1  | 10.8  | 5.8   | -                | -                | 10.4  | -               | -              |
|                  | N   | 120         | 51            | 58       | 11          | 41    | 33    | 30    | 16    | 5                | 5                | 104   | 4               | 2              |
| 2 or 3 times     | %   | 6.6         | 7.8           | 6.1      | 5.9         | 8.3   | 7.3   | 5.4   | 5.5   | -                | -                | 6.4   | -               | -              |
|                  | N   | 72          | 27            | 34       | 11          | 22    | 20    | 15    | 15    | 0                | 5                | 64    | 1               | 2              |
| 4 or 5 times     | %   | 1.6         | 1.7           | 1.1      | 2.7         | 1.9   | 0.4   | 2.2   | 1.8   | -                | -                | 1.3   | -               | -              |
|                  | N   | 17          | 6             | 6        | 5           | 5     | 1     | 6     | 5     | 0                | 2                | 13    | 2               | 0              |
| 6 or 7 times     | %   | 0.2         | 0.0           | 0.4      | 0.0         | 0.0   | 0.7   | 0.0   | 0.0   | -                | -                | 0.2   | -               | -              |
|                  | N   | 2           | 0             | 2        | 0           | 0     | 2     | 0     | 0     | 0                | 0                | 2     | 0               | 0              |
| 8 or 9 times     | %   | 0.4         | 0.9           | 0.2      | 0.0         | 1.1   | 0.4   | 0.0   | 0.0   | -                | -                | 0.3   | -               | -              |
|                  | N   | 4           | 3             | 1        | 0           | 3     | 1     | 0     | 0     | 0                | 1                | 3     | 0               | 0              |
| 10 or 11 times   | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 12 or more times | %   | 0.6         | 0.9           | 0.5      | 0.0         | 0.8   | 1.1   | 0.4   | 0.0   | -                | -                | 0.4   | -               | -              |
|                  | N   | 6           | 3             | 3        | 0           | 2     | 3     | 1     | 0     | 0                | 1                | 4     | 0               | 1              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 1,090       | 348           | 557      | 185         | 265   | 273   | 277   | 275   | 11               | 38               | 1,003 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q18. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

| Overall         | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | %   | 97.6    | 97.9          | 97.7     | 96.9        | 98.1  | 97.2  | 97.4  | 97.8  | -                | -                | 97.7  | -               | -              |
|                 | N   | 2,045   | 651           | 1,048    | 345         | 524   | 514   | 519   | 484   | 25               | 67               | 1,874 | 51              | 16             |
| 1 time          | %   | 2.0     | 1.5           | 2.1      | 2.8         | 1.5   | 2.1   | 2.4   | 2.0   | -                | -                | 1.9   | -               | -              |
|                 | N   | 42      | 10            | 22       | 10          | 8     | 11    | 13    | 10    | 1                | 4                | 36    | 1               | 0              |
| 2 or 3 times    | %   | 0.3     | 0.5           | 0.3      | 0.3         | 0.4   | 0.6   | 0.2   | 0.2   | -                | -                | 0.4   | -               | -              |
|                 | N   | 7       | 3             | 3        | 1           | 2     | 3     | 1     | 1     | 0                | 0                | 7     | 0               | 0              |
| 4 or 5 times    | %   | 0.0     | 0.2           | 0.0      | 0.0         | 0.0   | 0.2   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                 | N   | 1       | 1             | 0        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |
| 6 or more times | %   | 0.0     | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                 | N   | 0       | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| Total           | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N   | 2,095   | 665           | 1,073    | 356         | 534   | 529   | 533   | 495   | 26               | 71               | 1,918 | 52              | 16             |

Note: There were 3 students who did not provide usable data for Q18.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q18. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

| Males           |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                 |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times         | % | 96.2  | 96.8      | 96.5          | 94.1     | 97.0        | 96.5  | 95.7  | 95.4  | -    | -                | 96.3            | -     | -               |                |
|                 | N | 961   | 305       | 497           | 159      | 260         | 247   | 245   | 208   | 14   | 31               | 877             | 25    | 8               |                |
| 1 time          | % | 3.1   | 1.9       | 3.1           | 5.3      | 2.2         | 2.3   | 3.9   | 4.1   | -    | -                | 3.0             | -     | -               |                |
|                 | N | 31    | 6         | 16            | 9        | 6           | 6     | 10    | 9     | 1    | 2                | 27              | 1     | 0               |                |
| 2 or 3 times    | % | 0.6   | 1.0       | 0.4           | 0.6      | 0.7         | 0.8   | 0.4   | 0.5   | -    | -                | 0.7             | -     | -               |                |
|                 | N | 6     | 3         | 2             | 1        | 2           | 2     | 1     | 1     | 0    | 0                | 6               | 0     | 0               |                |
| 4 or 5 times    | % | 0.1   | 0.3       | 0.0           | 0.0      | 0.0         | 0.4   | 0.0   | 0.0   | -    | -                | 0.1             | -     | -               |                |
|                 | N | 1     | 1         | 0             | 0        | 0           | 1     | 0     | 0     | 0    | 0                | 1               | 0     | 0               |                |
| 6 or more times | % | 0.0   | 0.0       | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | -    | -                | 0.0             | -     | -               |                |
|                 | N | 0     | 0         | 0             | 0        | 0           | 0     | 0     | 0     | 0    | 0                | 0               | 0     | 0               |                |
| Total           | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                 | N | 999   | 315       | 515           | 169      | 268         | 256   | 256   | 218   | 15   | 33               | 911             | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q18. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

| Females         |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                 |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 98.9  | 98.9        | 98.7          | 99.5     | 99.2        | 97.8  | 98.9  | 99.6  | -    | -                | 99.0             | -     | -               |                |
|                 | N | 1,081 | 345         | 551           | 185      | 264         | 267   | 274   | 276   | 11   | 36               | 996              | 25    | 8               |                |
| 1 time          | % | 1.0   | 1.1         | 1.1           | 0.5      | 0.8         | 1.8   | 1.1   | 0.4   | -    | -                | 0.9              | -     | -               |                |
|                 | N | 11    | 4           | 6             | 1        | 2           | 5     | 3     | 1     | 0    | 2                | 9                | 0     | 0               |                |
| 2 or 3 times    | % | 0.1   | 0.0         | 0.2           | 0.0      | 0.0         | 0.4   | 0.0   | 0.0   | -    | -                | 0.1              | -     | -               |                |
|                 | N | 1     | 0           | 1             | 0        | 0           | 1     | 0     | 0     | 0    | 0                | 1                | 0     | 0               |                |
| 4 or 5 times    | % | 0.0   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | -    | -                | 0.0              | -     | -               |                |
|                 | N | 0     | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0    | 0                | 0                | 0     | 0               |                |
| 6 or more times | % | 0.0   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | -    | -                | 0.0              | -     | -               |                |
|                 | N | 0     | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0    | 0                | 0                | 0     | 0               |                |
| Total           | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                 | N | 1,093 | 349         | 558           | 186      | 266         | 273   | 277   | 277   | 11   | 38               | 1,006            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q19. During the past 12 months, how many times were you in a physical fight on school property?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 90.4    | 88.8          | 89.9     | 94.6        | 88.0  | 87.9  | 91.2  | 94.9  | -                | -                | 90.5  | -               | -              |
|                  | N | 1,889   | 589           | 963      | 336         | 468   | 465   | 485   | 468   | 22               | 64               | 1,732 | 45              | 14             |
| 1 time           | % | 6.4     | 7.2           | 6.8      | 3.4         | 7.7   | 8.1   | 6.2   | 3.0   | -                | -                | 6.4   | -               | -              |
|                  | N | 133     | 48            | 73       | 12          | 41    | 43    | 33    | 15    | 3                | 3                | 123   | 3               | 1              |
| 2 or 3 times     | % | 2.5     | 3.0           | 2.4      | 1.7         | 3.4   | 3.0   | 1.9   | 1.6   | -                | -                | 2.3   | -               | -              |
|                  | N | 52      | 20            | 26       | 6           | 18    | 16    | 10    | 8     | 1                | 4                | 44    | 2               | 1              |
| 4 or 5 times     | % | 0.5     | 0.6           | 0.6      | 0.0         | 0.8   | 0.4   | 0.8   | 0.0   | -                | -                | 0.5   | -               | -              |
|                  | N | 10      | 4             | 6        | 0           | 4     | 2     | 4     | 0     | 0                | 0                | 10    | 0               | 0              |
| 6 or 7 times     | % | 0.1     | 0.2           | 0.1      | 0.3         | 0.0   | 0.4   | 0.0   | 0.2   | -                | -                | 0.1   | -               | -              |
|                  | N | 3       | 1             | 1        | 1           | 0     | 2     | 0     | 1     | 0                | 1                | 2     | 0               | 0              |
| 8 or 9 times     | % | 0.1     | 0.2           | 0.1      | 0.0         | 0.2   | 0.0   | 0.0   | 0.2   | -                | -                | 0.1   | -               | -              |
|                  | N | 2       | 1             | 1        | 0           | 1     | 0     | 0     | 1     | 0                | 0                | 1     | 1               | 0              |
| 10 or 11 times   | % | 0.0     | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N | 0       | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 12 or more times | % | 0.0     | 0.0           | 0.1      | 0.0         | 0.0   | 0.2   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N | 1       | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 2,090   | 663           | 1,071    | 355         | 532   | 529   | 532   | 493   | 26               | 72               | 1,913 | 51              | 16             |

Note: There were 8 students who did not provide usable data for Q19.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q19. During the past 12 months, how many times were you in a physical fight on school property?

| Males            |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 84.6      | 82.2          | 84.2     | 89.9        | 81.7  | 80.9  | 86.3  | 90.3  | -                | -                | 84.4  | -               | -              |
|                  | N | 843       | 259           | 433      | 151         | 219   | 207   | 220   | 196   | 12               | 31               | 767   | 20              | 7              |
| 1 time           | % | 9.2       | 10.5          | 9.3      | 6.5         | 10.8  | 11.3  | 8.6   | 5.5   | -                | -                | 9.7   | -               | -              |
|                  | N | 92        | 33            | 48       | 11          | 29    | 29    | 22    | 12    | 2                | 0                | 88    | 2               | 0              |
| 2 or 3 times     | % | 4.7       | 5.4           | 4.9      | 3.0         | 5.6   | 6.3   | 3.5   | 3.2   | -                | -                | 4.4   | -               | -              |
|                  | N | 47        | 17            | 25       | 5           | 15    | 16    | 9     | 7     | 1                | 3                | 40    | 2               | 1              |
| 4 or 5 times     | % | 1.0       | 1.3           | 1.2      | 0.0         | 1.5   | 0.8   | 1.6   | 0.0   | -                | -                | 1.1   | -               | -              |
|                  | N | 10        | 4             | 6        | 0           | 4     | 2     | 4     | 0     | 0                | 0                | 10    | 0               | 0              |
| 6 or 7 times     | % | 0.2       | 0.3           | 0.0      | 0.6         | 0.0   | 0.4   | 0.0   | 0.5   | -                | -                | 0.2   | -               | -              |
|                  | N | 2         | 1             | 0        | 1           | 0     | 1     | 0     | 1     | 0                | 0                | 2     | 0               | 0              |
| 8 or 9 times     | % | 0.2       | 0.3           | 0.2      | 0.0         | 0.4   | 0.0   | 0.0   | 0.5   | -                | -                | 0.1   | -               | -              |
|                  | N | 2         | 1             | 1        | 0           | 1     | 0     | 0     | 1     | 0                | 0                | 1     | 1               | 0              |
| 10 or 11 times   | % | 0.0       | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N | 0         | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 12 or more times | % | 0.1       | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N | 1         | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 997       | 315           | 514      | 168         | 268   | 256   | 255   | 217   | 15               | 34               | 909   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q19. During the past 12 months, how many times were you in a physical fight on school property?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 95.8        | 95.1          | 95.2     | 98.9        | 94.3  | 94.5  | 95.7  | 98.6  | -                | -                | 96.2  | -               | -              |
|                  | N   | 1,044       | 330           | 530      | 184         | 249   | 258   | 265   | 272   | 10               | 33               | 965   | 24              | 7              |
| 1 time           | %   | 3.7         | 4.0           | 4.5      | 0.5         | 4.5   | 5.1   | 4.0   | 1.1   | -                | -                | 3.4   | -               | -              |
|                  | N   | 40          | 14            | 25       | 1           | 12    | 14    | 11    | 3     | 1                | 3                | 34    | 1               | 1              |
| 2 or 3 times     | %   | 0.5         | 0.9           | 0.2      | 0.5         | 1.1   | 0.0   | 0.4   | 0.4   | -                | -                | 0.4   | -               | -              |
|                  | N   | 5           | 3             | 1        | 1           | 3     | 0     | 1     | 1     | 0                | 1                | 4     | 0               | 0              |
| 4 or 5 times     | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 6 or 7 times     | %   | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 1                | 0     | 0               | 0              |
| 8 or 9 times     | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 10 or 11 times   | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 12 or more times | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 1,090       | 347           | 557      | 186         | 264   | 273   | 277   | 276   | 11               | 38               | 1,003 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q20. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 7.2     | 5.1           | 7.7      | 9.6         | 4.5   | 8.9   | 6.2   | 9.3   | -                | -               | 7.0   | -               | -              |
|         | N | 151     | 34            | 83       | 34          | 24    | 47    | 33    | 46    | 1                | 10              | 135   | 4               | 1              |
| No      | % | 92.8    | 94.9          | 92.3     | 90.4        | 95.5  | 91.1  | 93.8  | 90.7  | -                | -               | 93.0  | -               | -              |
|         | N | 1,942   | 631           | 988      | 322         | 510   | 483   | 497   | 449   | 25               | 62              | 1,780 | 48              | 15             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,093   | 665           | 1,071    | 356         | 534   | 530   | 530   | 495   | 26               | 72              | 1,915 | 52              | 16             |

Note: There were 5 students who did not provide usable data for Q20.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q20. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

| Males |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes   | % | 6.6       | 4.4           | 7.0      | 9.5         | 3.7   | 8.2   | 5.5   | 9.6   | -  | -                | 5.9             | -     | -               | -              |
|       | N | 66        | 14            | 36       | 16          | 10    | 21    | 14    | 21    | 1  | 7                | 54              | 4     | 0               | 0              |
| No    | % | 93.4      | 95.6          | 93.0     | 90.5        | 96.3  | 91.8  | 94.5  | 90.4  | -  | -                | 94.1            | -     | -               | -              |
|       | N | 932       | 301           | 478      | 153         | 258   | 235   | 241   | 197   | 14 | 27               | 855             | 22    | 8               | 8              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|       | N | 998       | 315           | 514      | 169         | 268   | 256   | 255   | 218   | 15 | 34               | 909             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q20. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 7.7         | 5.4           | 8.4      | 9.7         | 5.3   | 9.5   | 6.9   | 9.0   | -                | -                | 8.0   | -               | -              |
|         | N | 84          | 19            | 47       | 18          | 14    | 26    | 19    | 25    | 0                | 3                | 80    | 0               | 1              |
| No      | % | 92.3        | 94.6          | 91.6     | 90.3        | 94.7  | 90.5  | 93.1  | 91.0  | -                | -                | 92.0  | -               | -              |
|         | N | 1,008       | 330           | 510      | 168         | 252   | 248   | 256   | 252   | 11               | 35               | 925   | 25              | 7              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,092       | 349           | 557      | 186         | 266   | 274   | 275   | 277   | 11               | 38               | 1,005 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q21. Have you ever been forced to have sexual intercourse when you did not want to?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 6.9     | 5.1           | 7.4      | 9.0         | 4.7   | 7.4   | 7.0   | 8.9   | -                | -               | 6.1   | -               | -              |
|         | N | 145     | 34            | 79       | 32          | 25    | 39    | 37    | 44    | 3                | 12              | 116   | 8               | 6              |
| No      | % | 93.1    | 94.9          | 92.6     | 91.0        | 95.3  | 92.6  | 93.0  | 91.1  | -                | -               | 93.9  | -               | -              |
|         | N | 1,946   | 627           | 993      | 325         | 506   | 489   | 495   | 452   | 23               | 60              | 1,797 | 44              | 10             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,091   | 661           | 1,072    | 357         | 531   | 528   | 532   | 496   | 26               | 72              | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q21.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q21. Have you ever been forced to have sexual intercourse when you did not want to?

| Males |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes   | % | 3.6       | 3.8           | 3.5      | 3.6         | 3.4   | 4.3   | 2.7   | 4.1   | -  | -                | -               | 3.0   | -               | -              |
|       | N | 36        | 12            | 18       | 6           | 9     | 11    | 7     | 9     | 1  | 3                | 27              | 4     | 4               | 1              |
| No    | % | 96.4      | 96.2          | 96.5     | 96.4        | 96.6  | 95.7  | 97.3  | 95.9  | -  | -                | -               | 97.0  | -               | -              |
|       | N | 963       | 302           | 498      | 163         | 258   | 246   | 249   | 209   | 14 | 31               | 883             | 22    | 22              | 7              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | -               | 100.0 | -               | -              |
|       | N | 999       | 314           | 516      | 169         | 267   | 257   | 256   | 218   | 15 | 34               | 910             | 26    | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q21. Have you ever been forced to have sexual intercourse when you did not want to?

| Females |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 10.0        | 6.4           | 11.0     | 13.9        | 6.1   | 10.3  | 10.9  | 12.6  | -  | -                | 8.9             | -     | -               | -              |
|         | N | 109         | 22            | 61       | 26          | 16    | 28    | 30    | 35    | 2  | 9                | 89              | 4     | 5               | 5              |
| No      | % | 90.0        | 93.6          | 89.0     | 86.1        | 93.9  | 89.7  | 89.1  | 87.4  | -  | -                | 91.1            | -     | -               | -              |
|         | N | 980         | 324           | 495      | 161         | 248   | 243   | 246   | 243   | 9  | 29               | 913             | 21    | 3               | 3              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|         | N | 1,089       | 346           | 556      | 187         | 264   | 271   | 276   | 278   | 11 | 38               | 1,002           | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q22. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 22.9    | 23.8          | 21.9     | 24.4        | 22.8  | 24.1  | 22.8  | 21.9  | -                | -               | 22.3  | -               | -              |
|         | N | 465     | 157           | 223      | 85          | 122   | 123   | 113   | 106   | 3                | 23              | 412   | 20              | 5              |
| No      | % | 77.1    | 76.2          | 78.1     | 75.6        | 77.2  | 75.9  | 77.2  | 78.1  | -                | -               | 77.7  | -               | -              |
|         | N | 1,562   | 502           | 795      | 264         | 412   | 387   | 382   | 378   | 23               | 48              | 1,439 | 32              | 10             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,027   | 659           | 1,018    | 349         | 534   | 510   | 495   | 484   | 26               | 71              | 1,851 | 52              | 15             |

Note: There were 71 students who did not provide usable data for Q22.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q22. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 16.2      | 14.6          | 15.5     | 21.3        | 14.9  | 16.4  | 15.3  | 18.9  | -                | -                | 16.3  | -               | -              |
|       | N | 157       | 46            | 76       | 35          | 40    | 41    | 36    | 40    | 0                | 8                | 143   | 6               | 0              |
| No    | % | 83.8      | 85.4          | 84.5     | 78.7        | 85.1  | 83.6  | 84.7  | 81.1  | -                | -                | 83.8  | -               | -              |
|       | N | 810       | 268           | 413      | 129         | 228   | 209   | 200   | 172   | 15               | 25               | 737   | 20              | 7              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 967       | 314           | 489      | 164         | 268   | 250   | 236   | 212   | 15               | 33               | 880   | 26              | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q22. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

| Females |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|         |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 29.0  | 32.3        | 27.8          | 26.6     | 30.8        | 31.5  | 29.7  | 24.3  | -    | -                | 27.7             | -     | -               |                |
|         | N | 307   | 111         | 147           | 49       | 82          | 82    | 77    | 66    | 3    | 15               | 269              | 13    | 5               |                |
| No      | % | 71.0  | 67.7        | 72.2          | 73.4     | 69.2        | 68.5  | 70.3  | 75.7  | -    | -                | 72.3             | -     | -               |                |
|         | N | 750   | 233         | 382           | 135      | 184         | 178   | 182   | 206   | 8    | 23               | 701              | 12    | 3               |                |
| Total   | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|         | N | 1,057 | 344         | 529           | 184      | 266         | 260   | 259   | 272   | 11   | 38               | 970              | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q23. During the past 12 months, did you ever seriously consider attempting suicide?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 16.8    | 18.1          | 16.7     | 14.7        | 18.0  | 17.6  | 17.3  | 14.1  | -                | -               | 16.5  | -               | -              |
|         | N | 337     | 118           | 168      | 51          | 95    | 89    | 85    | 68    | 3                | 17              | 302   | 9               | 4              |
| No      | % | 83.2    | 81.9          | 83.3     | 85.3        | 82.0  | 82.4  | 82.7  | 85.9  | -                | -               | 83.5  | -               | -              |
|         | N | 1,670   | 535           | 838      | 296         | 432   | 416   | 405   | 413   | 22               | 54              | 1,532 | 42              | 10             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,007   | 653           | 1,006    | 347         | 527   | 505   | 490   | 481   | 25               | 71              | 1,834 | 51              | 14             |

Note: There were 91 students who did not provide usable data for Q23.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q23. During the past 12 months, did you ever seriously consider attempting suicide?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 11.4      | 9.6           | 12.2     | 12.3        | 10.5  | 12.1  | 12.5  | 10.5  | -                | -                | 11.4  | -               | -              |
|       | N | 109       | 30            | 59       | 20          | 28    | 30    | 29    | 22    | 1                | 4                | 99    | 5               | 0              |
| No    | % | 88.6      | 90.4          | 87.8     | 87.7        | 89.5  | 87.9  | 87.5  | 89.5  | -                | -                | 88.6  | -               | -              |
|       | N | 848       | 282           | 423      | 143         | 238   | 218   | 203   | 188   | 14               | 29               | 771   | 21              | 7              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 957       | 312           | 482      | 163         | 266   | 248   | 232   | 210   | 15               | 33               | 870   | 26              | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q23. During the past 12 months, did you ever seriously consider attempting suicide?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 21.8        | 25.9          | 20.8     | 16.9        | 25.7  | 23.0  | 21.7  | 17.0  | -                | -                | 21.1  | -               | -              |
|         | N | 228         | 88            | 109      | 31          | 67    | 59    | 56    | 46    | 2                | 13               | 203   | 4               | 4              |
| No      | % | 78.2        | 74.1          | 79.2     | 83.1        | 74.3  | 77.0  | 78.3  | 83.0  | -                | -                | 78.9  | -               | -              |
|         | N | 819         | 252           | 415      | 152         | 194   | 198   | 202   | 225   | 8                | 25               | 760   | 20              | 3              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,047       | 340           | 524      | 183         | 261   | 257   | 258   | 271   | 10               | 38               | 963   | 24              | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q24. During the past 12 months, did you make a plan about how you would attempt suicide?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 13.5    | 13.8          | 13.6     | 12.9        | 14.4  | 13.5  | 13.6  | 12.6  | -                | -               | 13.2  | -               | -              |
|         | N | 274     | 91            | 138      | 45          | 77    | 69    | 67    | 61    | 4                | 12              | 244   | 10              | 2              |
| No      | % | 86.5    | 86.2          | 86.4     | 87.1        | 85.6  | 86.5  | 86.4  | 87.4  | -                | -               | 86.8  | -               | -              |
|         | N | 1,750   | 567           | 879      | 303         | 456   | 441   | 427   | 422   | 22               | 59              | 1,604 | 42              | 13             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,024   | 658           | 1,017    | 348         | 533   | 510   | 494   | 483   | 26               | 71              | 1,848 | 52              | 15             |

Note: There were 74 students who did not provide usable data for Q24.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q24. During the past 12 months, did you make a plan about how you would attempt suicide?

| Males | Age |           |               |          | Grade       |       |       |       | Race/Ethnicity |                  |                  |       |                 |                |
|-------|-----|-----------|---------------|----------|-------------|-------|-------|-------|----------------|------------------|------------------|-------|-----------------|----------------|
|       |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th           | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | %   | 11.5      | 10.5          | 11.1     | 14.7        | 11.2  | 12.0  | 11.1  | 11.8           | -                | -                | 11.4  | -               | -              |
|       | N   | 111       | 33            | 54       | 24          | 30    | 30    | 26    | 25             | 3                | 4                | 100   | 4               | 0              |
| No    | %   | 88.5      | 89.5          | 88.9     | 85.3        | 88.8  | 88.0  | 88.9  | 88.2           | -                | -                | 88.6  | -               | -              |
|       | N   | 854       | 281           | 434      | 139         | 238   | 220   | 209   | 186            | 12               | 29               | 778   | 22              | 7              |
| Total | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0          | -                | -                | 100.0 | -               | -              |
|       | N   | 965       | 314           | 488      | 163         | 268   | 250   | 235   | 211            | 15               | 33               | 878   | 26              | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q24. During the past 12 months, did you make a plan about how you would attempt suicide?

| Females |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Yes     | % | 15.4        | 16.9          | 15.9     | 11.4        | 17.7  | 15.0  | 15.8  | 13.2  | -                | -                | 14.9  | -               | -              |  |
|         | N | 163         | 58            | 84       | 21          | 47    | 39    | 41    | 36    | 1                | 8                | 144   | 6               | 2              |  |
| No      | % | 84.6        | 83.1          | 84.1     | 88.6        | 82.3  | 85.0  | 84.2  | 86.8  | -                | -                | 85.1  | -               | -              |  |
|         | N | 893         | 285           | 445      | 163         | 218   | 221   | 218   | 236   | 10               | 30               | 825   | 19              | 6              |  |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|         | N | 1,056       | 343           | 529      | 184         | 265   | 260   | 259   | 272   | 11               | 38               | 969   | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q25. During the past 12 months, how many times did you actually attempt suicide?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 94.5    | 92.5          | 95.0     | 97.0        | 92.6  | 94.4  | 94.3  | 96.8  | -                | -                | 94.8  | -               | -              |
|                 | N | 1,824   | 580           | 923      | 320         | 465   | 454   | 448   | 454   | 23               | 60               | 1,675 | 42              | 12             |
| 1 time          | % | 3.1     | 4.3           | 2.6      | 2.4         | 3.8   | 2.5   | 4.2   | 1.9   | -                | -                | 3.2   | -               | -              |
|                 | N | 60      | 27            | 25       | 8           | 19    | 12    | 20    | 9     | 0                | 1                | 57    | 2               | 0              |
| 2 or 3 times    | % | 1.9     | 3.0           | 1.6      | 0.3         | 3.4   | 2.5   | 0.6   | 0.9   | -                | -                | 1.6   | -               | -              |
|                 | N | 36      | 19            | 16       | 1           | 17    | 12    | 3     | 4     | 1                | 5                | 29    | 1               | 0              |
| 4 or 5 times    | % | 0.2     | 0.2           | 0.1      | 0.3         | 0.2   | 0.0   | 0.2   | 0.2   | -                | -                | 0.2   | -               | -              |
|                 | N | 3       | 1             | 1        | 1           | 1     | 0     | 1     | 1     | 0                | 0                | 3     | 0               | 0              |
| 6 or more times | % | 0.4     | 0.0           | 0.7      | 0.0         | 0.0   | 0.6   | 0.6   | 0.2   | -                | -                | 0.2   | -               | -              |
|                 | N | 7       | 0             | 7        | 0           | 0     | 3     | 3     | 1     | 1                | 1                | 3     | 1               | 1              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 1,930   | 627           | 972      | 330         | 502   | 481   | 475   | 469   | 25               | 67               | 1,767 | 46              | 13             |

Note: There were 168 students who did not provide usable data for Q25.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q25. During the past 12 months, how many times did you actually attempt suicide?

| Males           |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                 |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 96.7  | 96.6      | 97.0          | 96.1     | 96.8        | 96.2  | 97.3  | 96.6  | -    | -                | 96.7             | -     | -               |                |
|                 | N | 882   | 288       | 447           | 147      | 244         | 226   | 214   | 197   | 14   | 31               | 803              | 22    | 6               |                |
| 1 time          | % | 1.8   | 2.0       | 1.3           | 2.6      | 1.6         | 1.3   | 2.3   | 2.0   | -    | -                | 1.9              | -     | -               |                |
|                 | N | 16    | 6         | 6             | 4        | 4           | 3     | 5     | 4     | 0    | 0                | 16               | 0     | 0               |                |
| 2 or 3 times    | % | 1.2   | 1.3       | 1.3           | 0.7      | 1.6         | 2.1   | 0.0   | 1.0   | -    | -                | 1.1              | -     | -               |                |
|                 | N | 11    | 4         | 6             | 1        | 4           | 5     | 0     | 2     | 0    | 1                | 9                | 1     | 0               |                |
| 4 or 5 times    | % | 0.1   | 0.0       | 0.0           | 0.7      | 0.0         | 0.0   | 0.0   | 0.5   | -    | -                | 0.1              | -     | -               |                |
|                 | N | 1     | 0         | 0             | 1        | 0           | 0     | 0     | 1     | 0    | 0                | 1                | 0     | 0               |                |
| 6 or more times | % | 0.2   | 0.0       | 0.4           | 0.0      | 0.0         | 0.4   | 0.5   | 0.0   | -    | -                | 0.1              | -     | -               |                |
|                 | N | 2     | 0         | 2             | 0        | 0           | 1     | 1     | 0     | 1    | 0                | 1                | 0     | 0               |                |
| Total           | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                 | N | 912   | 298       | 461           | 153      | 252         | 235   | 220   | 204   | 15   | 32               | 830              | 23    | 6               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q25. During the past 12 months, how many times did you actually attempt suicide?

| Females         |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                 |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 92.5  | 88.7        | 93.2          | 97.7     | 88.4        | 92.7  | 91.8  | 97.0  | -    | -                | 93.1             | -     | -               |                |
|                 | N | 940   | 291         | 476           | 173      | 221         | 228   | 234   | 257   | 9    | 29               | 871              | 20    | 6               |                |
| 1 time          | % | 4.3   | 6.4         | 3.7           | 2.3      | 6.0         | 3.7   | 5.9   | 1.9   | -    | -                | 4.4              | -     | -               |                |
|                 | N | 44    | 21          | 19            | 4        | 15          | 9     | 15    | 5     | 0    | 1                | 41               | 2     | 0               |                |
| 2 or 3 times    | % | 2.5   | 4.6         | 2.0           | 0.0      | 5.2         | 2.8   | 1.2   | 0.8   | -    | -                | 2.1              | -     | -               |                |
|                 | N | 25    | 15          | 10            | 0        | 13          | 7     | 3     | 2     | 1    | 4                | 20               | 0     | 0               |                |
| 4 or 5 times    | % | 0.2   | 0.3         | 0.2           | 0.0      | 0.4         | 0.0   | 0.4   | 0.0   | -    | -                | 0.2              | -     | -               |                |
|                 | N | 2     | 1           | 1             | 0        | 1           | 0     | 1     | 0     | 0    | 0                | 2                | 0     | 0               |                |
| 6 or more times | % | 0.5   | 0.0         | 1.0           | 0.0      | 0.0         | 0.8   | 0.8   | 0.4   | -    | -                | 0.2              | -     | -               |                |
|                 | N | 5     | 0           | 5             | 0        | 0           | 2     | 2     | 1     | 0    | 1                | 2                | 1     | 1               |                |
| Total           | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                 | N | 1,016 | 328         | 511           | 177      | 250         | 246   | 255   | 265   | 10   | 35               | 936              | 23    | 7               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q26. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

| Overall                 |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|-------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not attempt suicide | % | 94.2    | 92.0          | 94.7     | 96.7        | 92.1  | 94.2  | 94.3  | 96.4  | -                | -               | 94.6  | -               | -              |
|                         | N | 1,817   | 578           | 919      | 319         | 464   | 452   | 445   | 453   | 23               | 59              | 1,669 | 42              | 12             |
| Yes                     | % | 1.6     | 1.1           | 2.2      | 0.6         | 1.4   | 1.9   | 1.5   | 1.5   | -                | -               | 1.3   | -               | -              |
|                         | N | 30      | 7             | 21       | 2           | 7     | 9     | 7     | 7     | 1                | 2               | 23    | 3               | 1              |
| No                      | % | 4.3     | 6.8           | 3.1      | 2.7         | 6.5   | 4.0   | 4.2   | 2.1   | -                | -               | 4.1   | -               | -              |
|                         | N | 82      | 43            | 30       | 9           | 33    | 19    | 20    | 10    | 2                | 5               | 72    | 2               | 1              |
| Total                   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                         | N | 1,929   | 628           | 970      | 330         | 504   | 480   | 472   | 470   | 26               | 66              | 1,764 | 47              | 14             |

Note: There were 169 students who did not provide usable data for Q26.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q26. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

| Males                   |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity  |       |                 |                |
|-------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                         |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not attempt suicide | % | 96.6      | 96.6          | 96.7     | 96.1        | 96.8  | 96.2  | 97.2  | 96.1  | -                | -               | 96.6  | -               | -              |
|                         | N | 877       | 286           | 445      | 146         | 243   | 225   | 212   | 196   | 14               | 30              | 799   | 22              | 6              |
| Yes                     | % | 1.2       | 1.4           | 1.5      | 0.0         | 1.6   | 1.3   | 0.9   | 1.0   | -                | -               | 1.1   | -               | -              |
|                         | N | 11        | 4             | 7        | 0           | 4     | 3     | 2     | 2     | 0                | 1               | 9     | 1               | 0              |
| No                      | % | 2.2       | 2.0           | 1.7      | 3.9         | 1.6   | 2.6   | 1.8   | 2.9   | -                | -               | 2.3   | -               | -              |
|                         | N | 20        | 6             | 8        | 6           | 4     | 6     | 4     | 6     | 1                | 0               | 19    | 0               | 0              |
| Total                   | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                         | N | 908       | 296           | 460      | 152         | 251   | 234   | 218   | 204   | 15               | 31              | 827   | 23              | 6              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q26. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

| Females                 |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|-------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                         |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not attempt suicide | % | 92.1  | 87.9        | 92.9          | 97.2     | 87.4        | 92.3  | 91.7  | 96.6  | -    | -                | 92.8             | -     | -               |                |
|                         | N | 938   | 291         | 474           | 173      | 221         | 227   | 233   | 257   | 9    | 29               | 869              | 20    | 6               |                |
| Yes                     | % | 1.9   | 0.9         | 2.7           | 1.1      | 1.2         | 2.4   | 2.0   | 1.9   | -    | -                | 1.5              | -     | -               |                |
|                         | N | 19    | 3           | 14            | 2        | 3           | 6     | 5     | 5     | 1    | 1                | 14               | 2     | 1               |                |
| No                      | % | 6.1   | 11.2        | 4.3           | 1.7      | 11.5        | 5.3   | 6.3   | 1.5   | -    | -                | 5.7              | -     | -               |                |
|                         | N | 62    | 37          | 22            | 3        | 29          | 13    | 16    | 4     | 1    | 5                | 53               | 2     | 1               |                |
| Total                   | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                         | N | 1,019 | 331         | 510           | 178      | 253         | 246   | 254   | 266   | 11   | 35               | 936              | 24    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q27. Have you ever tried cigarette smoking, even one or two puffs?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 65.1    | 54.3          | 69.1     | 72.8        | 52.1  | 67.0  | 69.7  | 71.5  | -                | -               | 64.6  | -               | -              |
|         | N | 1,355   | 357           | 740      | 257         | 275   | 354   | 371   | 351   | 16               | 54              | 1,231 | 36              | 11             |
| No      | % | 34.9    | 45.7          | 30.9     | 27.2        | 47.9  | 33.0  | 30.3  | 28.5  | -                | -               | 35.4  | -               | -              |
|         | N | 728     | 301           | 331      | 96          | 253   | 174   | 161   | 140   | 10               | 18              | 675   | 15              | 5              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,083   | 658           | 1,071    | 353         | 528   | 528   | 532   | 491   | 26               | 72              | 1,906 | 51              | 16             |

Note: There were 15 students who did not provide usable data for Q27.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q27. Have you ever tried cigarette smoking, even one or two puffs?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 67.7      | 55.3          | 71.4     | 79.5        | 55.3  | 64.8  | 75.7  | 76.7  | -                | -                | 66.9  | -               | -              |
|       | N | 672       | 173           | 367      | 132         | 147   | 166   | 193   | 165   | 11               | 28               | 605   | 19              | 4              |
| No    | % | 32.3      | 44.7          | 28.6     | 20.5        | 44.7  | 35.2  | 24.3  | 23.3  | -                | -                | 33.1  | -               | -              |
|       | N | 321       | 140           | 147      | 34          | 119   | 90    | 62    | 50    | 4                | 6                | 299   | 7               | 4              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 993       | 313           | 514      | 166         | 266   | 256   | 255   | 215   | 15               | 34               | 904   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q27. Have you ever tried cigarette smoking, even one or two puffs?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 62.6        | 53.2          | 67.0     | 66.7        | 48.9  | 69.1  | 64.3  | 67.4  | -                | -                | 62.4  | -               | -              |
|         | N | 680         | 183           | 373      | 124         | 128   | 188   | 178   | 186   | 5                | 26               | 625   | 16              | 7              |
| No      | % | 37.4        | 46.8          | 33.0     | 33.3        | 51.1  | 30.9  | 35.7  | 32.6  | -                | -                | 37.6  | -               | -              |
|         | N | 407         | 161           | 184      | 62          | 134   | 84    | 99    | 90    | 6                | 12               | 376   | 8               | 1              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,087       | 344           | 557      | 186         | 262   | 272   | 277   | 276   | 11               | 38               | 1,001 | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q28. How old were you when you smoked a whole cigarette for the first time?

| Overall                  |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|--------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                          |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never smoked a cigarette | % | 44.5    | 56.9          | 39.3     | 37.2        | 59.5  | 41.5  | 38.0  | 39.0  | -                | -                | 44.6  | -               | -              |
|                          | N | 918     | 370           | 417      | 131         | 311   | 216   | 200   | 191   | 12               | 26               | 843   | 21              | 9              |
| 8 years old or younger   | % | 3.2     | 2.6           | 3.8      | 2.6         | 2.5   | 4.0   | 4.2   | 2.0   | -                | -                | 2.8   | -               | -              |
|                          | N | 66      | 17            | 40       | 9           | 13    | 21    | 22    | 10    | 2                | 4                | 53    | 5               | 1              |
| 9 or 10 years old        | % | 4.3     | 3.7           | 5.4      | 2.3         | 4.8   | 5.2   | 4.4   | 2.9   | -                | -                | 4.2   | -               | -              |
|                          | N | 89      | 24            | 57       | 8           | 25    | 27    | 23    | 14    | 1                | 4                | 79    | 2               | 3              |
| 11 or 12 years old       | % | 11.1    | 12.0          | 11.0     | 9.7         | 11.5  | 12.5  | 11.8  | 8.6   | -                | -                | 11.2  | -               | -              |
|                          | N | 229     | 78            | 117      | 34          | 60    | 65    | 62    | 42    | 3                | 5                | 211   | 9               | 1              |
| 13 or 14 years old       | % | 19.0    | 21.1          | 18.2     | 17.9        | 19.3  | 21.5  | 16.7  | 18.4  | -                | -                | 18.8  | -               | -              |
|                          | N | 393     | 137           | 193      | 63          | 101   | 112   | 88    | 90    | 5                | 22               | 356   | 9               | 0              |
| 15 or 16 years old       | % | 14.8    | 3.7           | 20.0     | 19.6        | 2.5   | 15.0  | 23.0  | 18.8  | -                | -                | 15.2  | -               | -              |
|                          | N | 306     | 24            | 212      | 69          | 13    | 78    | 121   | 92    | 3                | 7                | 288   | 4               | 1              |
| 17 years old or older    | % | 3.1     | 0.0           | 2.4      | 10.8        | 0.0   | 0.2   | 2.1   | 10.4  | -                | -                | 3.1   | -               | -              |
|                          | N | 63      | 0             | 25       | 38          | 0     | 1     | 11    | 51    | 0                | 2                | 59    | 1               | 1              |
| Total                    | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                          | N | 2,064   | 650           | 1,061    | 352         | 523   | 520   | 527   | 490   | 26               | 70               | 1,889 | 51              | 16             |

Note: There were 34 students who did not provide usable data for Q28.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q28. How old were you when you smoked a whole cigarette for the first time?

| Males                    |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|--------------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                          |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never smoked a cigarette | % | 41.4  | 54.1      | 37.2          | 30.7     | 54.8        | 43.0  | 31.9  | 34.4  | -    | -                | 41.5             | -     | -               |                |
|                          | N | 405   | 166       | 188           | 51       | 144         | 107   | 80    | 74    | 6    | 9                | 370              | 10    | 7               |                |
| 8 years old or younger   | % | 4.9   | 4.2       | 5.5           | 4.2      | 3.8         | 6.0   | 6.4   | 3.3   | -    | -                | 4.2              | -     | -               |                |
|                          | N | 48    | 13        | 28            | 7        | 10          | 15    | 16    | 7     | 2    | 3                | 37               | 4     | 1               |                |
| 9 or 10 years old        | % | 5.3   | 4.6       | 6.1           | 4.2      | 5.3         | 6.0   | 6.0   | 3.7   | -    | -                | 5.2              | -     | -               |                |
|                          | N | 52    | 14        | 31            | 7        | 14          | 15    | 15    | 8     | 1    | 3                | 46               | 2     | 0               |                |
| 11 or 12 years old       | % | 13.1  | 12.1      | 13.8          | 12.7     | 11.8        | 13.3  | 15.9  | 11.2  | -    | -                | 13.1             | -     | -               |                |
|                          | N | 128   | 37        | 70            | 21       | 31          | 33    | 40    | 24    | 2    | 4                | 117              | 5     | 0               |                |
| 13 or 14 years old       | % | 17.2  | 21.5      | 16.2          | 12.0     | 21.7        | 17.3  | 16.3  | 12.1  | -    | -                | 17.1             | -     | -               |                |
|                          | N | 168   | 66        | 82            | 20       | 57          | 43    | 41    | 26    | 2    | 11               | 152              | 3     | 0               |                |
| 15 or 16 years old       | % | 14.7  | 3.6       | 18.6          | 23.5     | 2.7         | 14.1  | 21.5  | 22.3  | -    | -                | 15.4             | -     | -               |                |
|                          | N | 144   | 11        | 94            | 39       | 7           | 35    | 54    | 48    | 2    | 1                | 137              | 2     | 0               |                |
| 17 years old or older    | % | 3.5   | 0.0       | 2.6           | 12.7     | 0.0         | 0.4   | 2.0   | 13.0  | -    | -                | 3.6              | -     | -               |                |
|                          | N | 34    | 0         | 13            | 21       | 0           | 1     | 5     | 28    | 0    | 2                | 32               | 0     | 0               |                |
| Total                    | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                          | N | 979   | 307       | 506           | 166      | 263         | 249   | 251   | 215   | 15   | 33               | 891              | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q28. How old were you when you smoked a whole cigarette for the first time?

| Females                  |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|--------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                          |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never smoked a cigarette | % | 47.4  | 59.6        | 41.3          | 43.2     | 64.2        | 40.2  | 43.5  | 42.5  | -    | -                | 47.4             | -     | -               |                |
|                          | N | 513   | 204         | 229           | 80       | 167         | 109   | 120   | 117   | 6    | 17               | 473              | 11    | 2               |                |
| 8 years old or younger   | % | 1.7   | 1.2         | 2.2           | 1.1      | 1.2         | 2.2   | 2.2   | 1.1   | -    | -                | 1.6              | -     | -               |                |
|                          | N | 18    | 4           | 12            | 2        | 3           | 6     | 6     | 3     | 0    | 1                | 16               | 1     | 0               |                |
| 9 or 10 years old        | % | 3.4   | 2.9         | 4.7           | 0.5      | 4.2         | 4.4   | 2.9   | 2.2   | -    | -                | 3.3              | -     | -               |                |
|                          | N | 37    | 10          | 26            | 1        | 11          | 12    | 8     | 6     | 0    | 1                | 33               | 0     | 3               |                |
| 11 or 12 years old       | % | 9.3   | 12.0        | 8.5           | 7.0      | 11.2        | 11.8  | 8.0   | 6.5   | -    | -                | 9.4              | -     | -               |                |
|                          | N | 101   | 41          | 47            | 13       | 29          | 32    | 22    | 18    | 1    | 1                | 94               | 4     | 1               |                |
| 13 or 14 years old       | % | 20.7  | 20.5        | 20.0          | 23.2     | 16.9        | 25.5  | 17.0  | 23.3  | -    | -                | 20.4             | -     | -               |                |
|                          | N | 224   | 70          | 111           | 43       | 44          | 69    | 47    | 64    | 3    | 11               | 203              | 6     | 0               |                |
| 15 or 16 years old       | % | 14.8  | 3.8         | 21.3          | 15.7     | 2.3         | 15.9  | 24.3  | 16.0  | -    | -                | 15.1             | -     | -               |                |
|                          | N | 160   | 13          | 118           | 29       | 6           | 43    | 67    | 44    | 1    | 6                | 151              | 1     | 1               |                |
| 17 years old or older    | % | 2.7   | 0.0         | 2.2           | 9.2      | 0.0         | 0.0   | 2.2   | 8.4   | -    | -                | 2.7              | -     | -               |                |
|                          | N | 29    | 0           | 12            | 17       | 0           | 0     | 6     | 23    | 0    | 0                | 27               | 1     | 1               |                |
| Total                    | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                          | N | 1,082 | 342         | 555           | 185      | 260         | 271   | 276   | 275   | 11   | 37               | 997              | 24    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q29. During the past 30 days, on how many days did you smoke cigarettes?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 62.7    | 74.1          | 57.9     | 56.4        | 78.3  | 60.2  | 55.2  | 57.3  | -                | -                | 62.7  | -               | -              |
|               | N | 1,303   | 488           | 616      | 199         | 414   | 316   | 291   | 282   | 15               | 46               | 1,192 | 31              | 12             |
| 1 or 2 days   | % | 8.9     | 7.7           | 9.0      | 10.2        | 6.2   | 10.9  | 8.2   | 9.8   | -                | -                | 8.9   | -               | -              |
|               | N | 184     | 51            | 96       | 36          | 33    | 57    | 43    | 48    | 3                | 5                | 169   | 6               | 0              |
| 3 to 5 days   | % | 4.9     | 4.7           | 5.5      | 3.4         | 4.5   | 5.1   | 5.7   | 4.1   | -                | -                | 4.8   | -               | -              |
|               | N | 101     | 31            | 58       | 12          | 24    | 27    | 30    | 20    | 2                | 4                | 91    | 2               | 0              |
| 6 to 9 days   | % | 3.7     | 3.5           | 3.8      | 4.0         | 3.2   | 3.6   | 4.0   | 4.1   | -                | -                | 3.6   | -               | -              |
|               | N | 77      | 23            | 40       | 14          | 17    | 19    | 21    | 20    | 3                | 4                | 69    | 1               | 0              |
| 10 to 19 days | % | 3.8     | 2.6           | 4.5      | 4.0         | 2.1   | 4.4   | 4.4   | 4.5   | -                | -                | 3.9   | -               | -              |
|               | N | 79      | 17            | 48       | 14          | 11    | 23    | 23    | 22    | 0                | 2                | 75    | 1               | 1              |
| 20 to 29 days | % | 5.4     | 2.4           | 6.8      | 6.8         | 1.9   | 5.1   | 8.2   | 6.5   | -                | -                | 5.3   | -               | -              |
|               | N | 112     | 16            | 72       | 24          | 10    | 27    | 43    | 32    | 0                | 6                | 101   | 4               | 1              |
| All 30 days   | % | 10.6    | 5.0           | 12.6     | 15.3        | 3.8   | 10.7  | 14.4  | 13.8  | -                | -                | 10.7  | -               | -              |
|               | N | 221     | 33            | 134      | 54          | 20    | 56    | 76    | 68    | 2                | 5                | 203   | 7               | 2              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N | 2,077   | 659           | 1,064    | 353         | 529   | 525   | 527   | 492   | 25               | 72               | 1,900 | 52              | 16             |

Note: There were 21 students who did not provide usable data for Q29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q29. During the past 30 days, on how many days did you smoke cigarettes?

| Males         | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|               |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | %   | 62.3      | 74.3          | 58.0     | 53.6        | 77.0  | 63.5  | 51.4  | 56.2  | -                | -               | 62.6  | -               | -              |
|               | N   | 616       | 231           | 295      | 90          | 204   | 160   | 130   | 122   | 8                | 20              | 563   | 15              | 7              |
| 1 or 2 days   | %   | 8.2       | 7.7           | 8.3      | 8.9         | 7.5   | 7.5   | 8.7   | 9.2   | -                | -               | 8.2   | -               | -              |
|               | N   | 81        | 24            | 42       | 15          | 20    | 19    | 22    | 20    | 3                | 1               | 74    | 3               | 0              |
| 3 to 5 days   | %   | 5.0       | 4.5           | 5.3      | 4.8         | 4.2   | 4.8   | 6.7   | 4.1   | -                | -               | 4.8   | -               | -              |
|               | N   | 49        | 14            | 27       | 8           | 11    | 12    | 17    | 9     | 1                | 3               | 43    | 1               | 0              |
| 6 to 9 days   | %   | 3.6       | 3.9           | 3.7      | 3.0         | 3.8   | 4.0   | 3.2   | 3.7   | -                | -               | 3.7   | -               | -              |
|               | N   | 36        | 12            | 19       | 5           | 10    | 10    | 8     | 8     | 2                | 1               | 33    | 0               | 0              |
| 10 to 19 days | %   | 3.2       | 2.6           | 3.7      | 3.0         | 1.9   | 3.6   | 4.0   | 3.7   | -                | -               | 3.4   | -               | -              |
|               | N   | 32        | 8             | 19       | 5           | 5     | 9     | 10    | 8     | 0                | 1               | 31    | 0               | 0              |
| 20 to 29 days | %   | 4.5       | 1.6           | 5.7      | 6.0         | 1.9   | 3.6   | 7.1   | 5.5   | -                | -               | 4.3   | -               | -              |
|               | N   | 44        | 5             | 29       | 10          | 5     | 9     | 18    | 12    | 0                | 4               | 39    | 1               | 0              |
| All 30 days   | %   | 13.2      | 5.5           | 15.3     | 20.8        | 3.8   | 13.1  | 19.0  | 17.5  | -                | -               | 12.9  | -               | -              |
|               | N   | 130       | 17            | 78       | 35          | 10    | 33    | 48    | 38    | 1                | 4               | 116   | 6               | 1              |
| Total         | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|               | N   | 988       | 311           | 509      | 168         | 265   | 252   | 253   | 217   | 15               | 34              | 899   | 26              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q29. During the past 30 days, on how many days did you smoke cigarettes?

| Females       |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|               |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 63.3  | 74.1        | 57.8          | 59.2     | 79.5        | 57.1  | 58.8  | 58.2  | -    | -                | 62.9             | -     | -               |                |
|               | N | 687   | 257         | 321           | 109      | 210         | 156   | 161   | 160   | 7    | 26               | 629              | 16    | 5               |                |
| 1 or 2 days   | % | 9.2   | 7.5         | 9.7           | 10.9     | 4.9         | 13.9  | 7.7   | 10.2  | -    | -                | 9.4              | -     | -               |                |
|               | N | 100   | 26          | 54            | 20       | 13          | 38    | 21    | 28    | 0    | 4                | 94               | 2     | 0               |                |
| 3 to 5 days   | % | 4.8   | 4.9         | 5.6           | 2.2      | 4.9         | 5.5   | 4.7   | 4.0   | -    | -                | 4.8              | -     | -               |                |
|               | N | 52    | 17          | 31            | 4        | 13          | 15    | 13    | 11    | 1    | 1                | 48               | 1     | 0               |                |
| 6 to 9 days   | % | 3.8   | 3.2         | 3.8           | 4.9      | 2.7         | 3.3   | 4.7   | 4.4   | -    | -                | 3.6              | -     | -               |                |
|               | N | 41    | 11          | 21            | 9        | 7           | 9     | 13    | 12    | 1    | 3                | 36               | 1     | 0               |                |
| 10 to 19 days | % | 4.3   | 2.6         | 5.2           | 4.9      | 2.3         | 5.1   | 4.7   | 5.1   | -    | -                | 4.4              | -     | -               |                |
|               | N | 47    | 9           | 29            | 9        | 6           | 14    | 13    | 14    | 0    | 1                | 44               | 1     | 1               |                |
| 20 to 29 days | % | 6.3   | 3.2         | 7.7           | 7.6      | 1.9         | 6.6   | 9.1   | 7.3   | -    | -                | 6.2              | -     | -               |                |
|               | N | 68    | 11          | 43            | 14       | 5           | 18    | 25    | 20    | 0    | 2                | 62               | 3     | 1               |                |
| All 30 days   | % | 8.4   | 4.6         | 10.1          | 10.3     | 3.8         | 8.4   | 10.2  | 10.9  | -    | -                | 8.7              | -     | -               |                |
|               | N | 91    | 16          | 56            | 19       | 10          | 23    | 28    | 30    | 1    | 1                | 87               | 1     | 1               |                |
| Total         | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|               | N | 1,086 | 347         | 555           | 184      | 264         | 273   | 274   | 275   | 10   | 38               | 1,000            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q30. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

| Overall                     | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                             |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not smoke               | %   | 62.8    | 74.2          | 57.9     | 56.3        | 78.4  | 60.3  | 55.1  | 57.3  | -                | -                | 62.8  | -               | -              |
|                             | N   | 1,302   | 488           | 616      | 198         | 414   | 316   | 290   | 282   | 15               | 46               | 1,191 | 31              | 12             |
| Less than 1 per day         | %   | 7.0     | 5.9           | 7.8      | 6.3         | 5.1   | 8.6   | 7.6   | 6.3   | -                | -                | 7.1   | -               | -              |
|                             | N   | 145     | 39            | 83       | 22          | 27    | 45    | 40    | 31    | 3                | 2                | 134   | 4               | 0              |
| 1 cigarette per day         | %   | 5.6     | 5.3           | 5.6      | 6.3         | 4.9   | 6.7   | 4.8   | 6.3   | -                | -                | 5.7   | -               | -              |
|                             | N   | 117     | 35            | 60       | 22          | 26    | 35    | 25    | 31    | 1                | 5                | 109   | 2               | 0              |
| 2 to 5 cigarettes per day   | %   | 15.8    | 11.2          | 18.0     | 17.9        | 8.9   | 16.6  | 20.0  | 17.7  | -                | -                | 15.4  | -               | -              |
|                             | N   | 328     | 74            | 191      | 63          | 47    | 87    | 105   | 87    | 5                | 15               | 293   | 9               | 3              |
| 6 to 10 cigarettes per day  | %   | 4.7     | 1.7           | 5.7      | 7.1         | 1.3   | 4.2   | 6.3   | 7.1   | -                | -                | 4.7   | -               | -              |
|                             | N   | 97      | 11            | 61       | 25          | 7     | 22    | 33    | 35    | 0                | 3                | 90    | 3               | 1              |
| 11 to 20 cigarettes per day | %   | 3.0     | 1.2           | 3.5      | 5.1         | 1.1   | 2.3   | 4.6   | 4.3   | -                | -                | 3.2   | -               | -              |
|                             | N   | 63      | 8             | 37       | 18          | 6     | 12    | 24    | 21    | 1                | 0                | 61    | 1               | 0              |
| More than 20 per day        | %   | 1.1     | 0.5           | 1.4      | 1.1         | 0.2   | 1.3   | 1.7   | 1.0   | -                | -                | 1.0   | -               | -              |
|                             | N   | 22      | 3             | 15       | 4           | 1     | 7     | 9     | 5     | 0                | 1                | 19    | 2               | 0              |
| Total                       | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                             | N   | 2,074   | 658           | 1,063    | 352         | 528   | 524   | 526   | 492   | 25               | 72               | 1,897 | 52              | 16             |

Note: There were 24 students who did not provide usable data for Q30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q30. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

| Males                       |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-----------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                             |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not smoke               | % | 62.4      | 74.5          | 58.1     | 53.3        | 77.3  | 63.7  | 51.2  | 56.2  | -  | -                | 62.7            | -     | -               | -              |
|                             | N | 615       | 231           | 295      | 89          | 204   | 160   | 129   | 122   | 8  | 20               | 562             | 15    | 7               | 7              |
| Less than 1 per day         | % | 7.2       | 6.5           | 8.1      | 6.0         | 6.4   | 6.4   | 9.5   | 6.5   | -  | -                | 7.3             | -     | -               | -              |
|                             | N | 71        | 20            | 41       | 10          | 17    | 16    | 24    | 14    | 3  | 1                | 65              | 2     | 0               | 0              |
| 1 cigarette per day         | % | 5.6       | 4.8           | 5.9      | 6.0         | 4.2   | 7.2   | 4.8   | 6.5   | -  | -                | 5.5             | -     | -               | -              |
|                             | N | 55        | 15            | 30       | 10          | 11    | 18    | 12    | 14    | 1  | 3                | 49              | 2     | 0               | 0              |
| 2 to 5 cigarettes per day   | % | 13.7      | 11.0          | 14.8     | 15.6        | 10.2  | 13.1  | 17.5  | 13.8  | -  | -                | 13.4            | -     | -               | -              |
|                             | N | 135       | 34            | 75       | 26          | 27    | 33    | 44    | 30    | 2  | 7                | 120             | 2     | 1               | 1              |
| 6 to 10 cigarettes per day  | % | 5.4       | 1.3           | 6.7      | 9.0         | 1.1   | 4.8   | 7.5   | 8.8   | -  | -                | 5.4             | -     | -               | -              |
|                             | N | 53        | 4             | 34       | 15          | 3     | 12    | 19    | 19    | 0  | 3                | 48              | 2     | 0               | 0              |
| 11 to 20 cigarettes per day | % | 4.0       | 1.0           | 4.5      | 7.8         | 0.4   | 2.8   | 6.7   | 6.5   | -  | -                | 4.1             | -     | -               | -              |
|                             | N | 39        | 3             | 23       | 13          | 1     | 7     | 17    | 14    | 1  | 0                | 37              | 1     | 0               | 0              |
| More than 20 per day        | % | 1.7       | 1.0           | 2.0      | 2.4         | 0.4   | 2.0   | 2.8   | 1.8   | -  | -                | 1.7             | -     | -               | -              |
|                             | N | 17        | 3             | 10       | 4           | 1     | 5     | 7     | 4     | 0  | 0                | 15              | 2     | 0               | 0              |
| Total                       | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                             | N | 985       | 310           | 508      | 167         | 264   | 251   | 252   | 217   | 15 | 34               | 896             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q30. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

| Females                     |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|-----------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                             |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Did not smoke               | % | 63.3        | 74.1          | 57.8     | 59.2        | 79.5  | 57.1  | 58.8  | 58.2  | -                | -                | 62.9  | -               | -              |  |
|                             | N | 687         | 257           | 321      | 109         | 210   | 156   | 161   | 160   | 7                | 26               | 629   | 16              | 5              |  |
| Less than 1 per day         | % | 6.6         | 5.2           | 7.6      | 6.5         | 3.8   | 10.6  | 5.8   | 6.2   | -                | -                | 6.8   | -               | -              |  |
|                             | N | 72          | 18            | 42       | 12          | 10    | 29    | 16    | 17    | 0                | 1                | 68    | 2               | 0              |  |
| 1 cigarette per day         | % | 5.7         | 5.8           | 5.4      | 6.5         | 5.7   | 6.2   | 4.7   | 6.2   | -                | -                | 6.0   | -               | -              |  |
|                             | N | 62          | 20            | 30       | 12          | 15    | 17    | 13    | 17    | 0                | 2                | 60    | 0               | 0              |  |
| 2 to 5 cigarettes per day   | % | 17.7        | 11.5          | 20.9     | 19.6        | 7.6   | 19.8  | 22.3  | 20.7  | -                | -                | 17.3  | -               | -              |  |
|                             | N | 192         | 40            | 116      | 36          | 20    | 54    | 61    | 57    | 3                | 8                | 173   | 6               | 2              |  |
| 6 to 10 cigarettes per day  | % | 4.1         | 2.0           | 4.9      | 5.4         | 1.5   | 3.7   | 5.1   | 5.8   | -                | -                | 4.2   | -               | -              |  |
|                             | N | 44          | 7             | 27       | 10          | 4     | 10    | 14    | 16    | 0                | 0                | 42    | 1               | 1              |  |
| 11 to 20 cigarettes per day | % | 2.2         | 1.4           | 2.5      | 2.7         | 1.9   | 1.8   | 2.6   | 2.5   | -                | -                | 2.4   | -               | -              |  |
|                             | N | 24          | 5             | 14       | 5           | 5     | 5     | 7     | 7     | 0                | 0                | 24    | 0               | 0              |  |
| More than 20 per day        | % | 0.5         | 0.0           | 0.9      | 0.0         | 0.0   | 0.7   | 0.7   | 0.4   | -                | -                | 0.4   | -               | -              |  |
|                             | N | 5           | 0             | 5        | 0           | 0     | 2     | 2     | 1     | 0                | 1                | 4     | 0               | 0              |  |
| Total                       | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                             | N | 1,086       | 347           | 555      | 184         | 264   | 273   | 274   | 275   | 10               | 38               | 1,000 | 25              | 8              |  |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q31. During the past 30 days, how did you usually get your own cigarettes?

| Overall                  |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|--------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                          |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not smoke cigarettes | % | 63.1    | 74.5          | 58.2     | 56.4        | 78.7  | 60.8  | 55.3  | 57.4  | -                | -                | 63.0  | -               | -              |
|                          | N | 1,302   | 488           | 616      | 198         | 414   | 316   | 290   | 282   | 15               | 46               | 1,191 | 31              | 12             |
| Store                    | % | 8.3     | 0.9           | 4.3      | 34.2        | 0.4   | 2.5   | 6.1   | 25.1  | -                | -                | 8.4   | -               | -              |
|                          | N | 171     | 6             | 45       | 120         | 2     | 13    | 32    | 123   | 3                | 5                | 158   | 3               | 0              |
| Vending machine          | % | 0.2     | 0.2           | 0.4      | 0.0         | 0.2   | 0.0   | 0.8   | 0.0   | -                | -                | 0.3   | -               | -              |
|                          | N | 5       | 1             | 4        | 0           | 1     | 0     | 4     | 0     | 0                | 0                | 5     | 0               | 0              |
| Someone else bought them | % | 12.0    | 8.9           | 17.3     | 1.7         | 7.8   | 12.9  | 19.1  | 7.9   | -                | -                | 12.1  | -               | -              |
|                          | N | 247     | 58            | 183      | 6           | 41    | 67    | 100   | 39    | 2                | 9                | 229   | 4               | 3              |
| Borrowed them            | % | 13.4    | 12.2          | 16.1     | 7.1         | 9.9   | 18.3  | 15.8  | 8.8   | -                | -                | 13.4  | -               | -              |
|                          | N | 276     | 80            | 170      | 25          | 52    | 95    | 83    | 43    | 5                | 7                | 253   | 8               | 1              |
| Stole them               | % | 1.3     | 1.1           | 1.8      | 0.0         | 0.6   | 2.9   | 1.3   | 0.2   | -                | -                | 1.1   | -               | -              |
|                          | N | 26      | 7             | 19       | 0           | 3     | 15    | 7     | 1     | 0                | 2                | 21    | 3               | 0              |
| Some other way           | % | 1.8     | 2.3           | 2.0      | 0.6         | 2.5   | 2.7   | 1.5   | 0.6   | -                | -                | 1.7   | -               | -              |
|                          | N | 38      | 15            | 21       | 2           | 13    | 14    | 8     | 3     | 0                | 3                | 33    | 2               | 0              |
| Total                    | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                          | N | 2,065   | 655           | 1,058    | 351         | 526   | 520   | 524   | 491   | 25               | 72               | 1,890 | 51              | 16             |

Note: There were 33 students who did not provide usable data for Q31.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q31. During the past 30 days, how did you usually get your own cigarettes?

| Males                    | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|--------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                          |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not smoke cigarettes | %   | 62.6      | 74.8          | 58.2     | 53.3        | 77.6  | 63.7  | 51.4  | 56.2  | -                | -               | 62.8  | -               | -              |
|                          | N   | 615       | 231           | 295      | 89          | 204   | 160   | 129   | 122   | 8                | 20              | 562   | 15              | 7              |
| Store                    | %   | 10.1      | 1.0           | 6.9      | 36.5        | 0.0   | 4.4   | 10.0  | 28.6  | -                | -               | 9.9   | -               | -              |
|                          | N   | 99        | 3             | 35       | 61          | 0     | 11    | 25    | 62    | 2                | 4               | 89    | 2               | 0              |
| Vending machine          | %   | 0.5       | 0.3           | 0.8      | 0.0         | 0.4   | 0.0   | 1.6   | 0.0   | -                | -               | 0.6   | -               | -              |
|                          | N   | 5         | 1             | 4        | 0           | 1     | 0     | 4     | 0     | 0                | 0               | 5     | 0               | 0              |
| Someone else bought them | %   | 10.4      | 6.8           | 15.4     | 1.8         | 6.8   | 9.6   | 18.7  | 6.0   | -                | -               | 10.7  | -               | -              |
|                          | N   | 102       | 21            | 78       | 3           | 18    | 24    | 47    | 13    | 1                | 4               | 96    | 0               | 1              |
| Borrowed them            | %   | 11.6      | 11.7          | 12.8     | 7.8         | 10.3  | 13.1  | 14.3  | 8.3   | -                | -               | 11.5  | -               | -              |
|                          | N   | 114       | 36            | 65       | 13          | 27    | 33    | 36    | 18    | 4                | 3               | 103   | 4               | 0              |
| Stole them               | %   | 2.2       | 2.3           | 3.0      | 0.0         | 1.1   | 5.2   | 2.0   | 0.5   | -                | -               | 2.0   | -               | -              |
|                          | N   | 22        | 7             | 15       | 0           | 3     | 13    | 5     | 1     | 0                | 1               | 18    | 3               | 0              |
| Some other way           | %   | 2.6       | 3.2           | 3.0      | 0.6         | 3.8   | 4.0   | 2.0   | 0.5   | -                | -               | 2.5   | -               | -              |
|                          | N   | 26        | 10            | 15       | 1           | 10    | 10    | 5     | 1     | 0                | 2               | 22    | 2               | 0              |
| Total                    | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                          | N   | 983       | 309           | 507      | 167         | 263   | 251   | 251   | 217   | 15               | 34              | 895   | 26              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q31. During the past 30 days, how did you usually get your own cigarettes?

| Females                  |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|--------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                          |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Did not smoke cigarettes | % | 63.7  | 74.5        | 58.3          | 59.6     | 79.8        | 58.0  | 59.0  | 58.4  | -    | -                | 63.3             | -     | -               |                |
|                          | N | 687   | 257         | 321           | 109      | 210         | 156   | 161   | 160   | 7    | 26               | 629              | 16    | 5               |                |
| Store                    | % | 6.7   | 0.9         | 1.8           | 32.2     | 0.8         | 0.7   | 2.6   | 22.3  | -    | -                | 6.9              | -     | -               |                |
|                          | N | 72    | 3           | 10            | 59       | 2           | 2     | 7     | 61    | 1    | 1                | 69               | 1     | 0               |                |
| Vending machine          | % | 0.0   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | -    | -                | 0.0              | -     | -               |                |
|                          | N | 0     | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0    | 0                | 0                | 0     | 0               |                |
| Someone else bought them | % | 13.4  | 10.7        | 19.1          | 1.6      | 8.7         | 16.0  | 19.4  | 9.5   | -    | -                | 13.4             | -     | -               |                |
|                          | N | 145   | 37          | 105           | 3        | 23          | 43    | 53    | 26    | 1    | 5                | 133              | 4     | 2               |                |
| Borrowed them            | % | 14.7  | 12.5        | 19.1          | 6.0      | 9.5         | 23.0  | 17.2  | 9.1   | -    | -                | 15.0             | -     | -               |                |
|                          | N | 159   | 43          | 105           | 11       | 25          | 62    | 47    | 25    | 1    | 4                | 149              | 3     | 1               |                |
| Stole them               | % | 0.4   | 0.0         | 0.7           | 0.0      | 0.0         | 0.7   | 0.7   | 0.0   | -    | -                | 0.3              | -     | -               |                |
|                          | N | 4     | 0           | 4             | 0        | 0           | 2     | 2     | 0     | 0    | 1                | 3                | 0     | 0               |                |
| Some other way           | % | 1.1   | 1.4         | 1.1           | 0.5      | 1.1         | 1.5   | 1.1   | 0.7   | -    | -                | 1.1              | -     | -               |                |
|                          | N | 12    | 5           | 6             | 1        | 3           | 4     | 3     | 2     | 0    | 1                | 11               | 0     | 0               |                |
| Total                    | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                          | N | 1,079 | 345         | 551           | 183      | 263         | 269   | 273   | 274   | 10   | 38               | 994              | 24    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q32. When you bought cigarettes in a store during the past 30 days, were you ever asked to show proof of age?

| Overall                |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                        |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not buy cigarettes | % | 84.3    | 96.1          | 88.5     | 49.4        | 96.8  | 90.3  | 86.6  | 61.9  | -                | -               | 84.5  | -               | -              |
|                        | N | 1,762   | 636           | 949      | 176         | 516   | 476   | 460   | 307   | 20               | 57              | 1,617 | 44              | 14             |
| Yes                    | % | 9.7     | 0.5           | 3.9      | 44.1        | 0.6   | 2.8   | 5.1   | 31.5  | -                | -               | 9.8   | -               | -              |
|                        | N | 202     | 3             | 42       | 157         | 3     | 15    | 27    | 156   | 2                | 7               | 187   | 4               | 0              |
| No                     | % | 6.1     | 3.5           | 7.6      | 6.5         | 2.6   | 6.8   | 8.3   | 6.7   | -                | -               | 5.7   | -               | -              |
|                        | N | 127     | 23            | 81       | 23          | 14    | 36    | 44    | 33    | 4                | 8               | 110   | 3               | 2              |
| Total                  | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                        | N | 2,091   | 662           | 1,072    | 356         | 533   | 527   | 531   | 496   | 26               | 72              | 1,914 | 51              | 16             |

Note: There were 7 students who did not provide usable data for Q32.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q32. When you bought cigarettes in a store during the past 30 days, were you ever asked to show proof of age?

| Males                  |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|------------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                        |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not buy cigarettes | % | 81.2  | 96.2      | 84.1          | 44.6     | 97.0        | 87.5  | 79.5  | 56.9  | -    | -                | 81.6            | -     | -               |                |
|                        | N | 808   | 300       | 433           | 75       | 259         | 223   | 202   | 124   | 12   | 24               | 739             | 21    | 8               |                |
| Yes                    | % | 10.9  | 0.3       | 6.0           | 45.2     | 0.4         | 4.3   | 7.9   | 34.4  | -    | -                | 10.8            | -     | -               |                |
|                        | N | 108   | 1         | 31            | 76       | 1           | 11    | 20    | 75    | 2    | 4                | 98              | 2     | 0               |                |
| No                     | % | 7.9   | 3.5       | 9.9           | 10.1     | 2.6         | 8.2   | 12.6  | 8.7   | -    | -                | 7.6             | -     | -               |                |
|                        | N | 79    | 11        | 51            | 17       | 7           | 21    | 32    | 19    | 1    | 6                | 69              | 3     | 0               |                |
| Total                  | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                        | N | 995   | 312       | 515           | 168      | 267         | 255   | 254   | 218   | 15   | 34               | 906             | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q32. When you bought cigarettes in a store during the past 30 days, were you ever asked to show proof of age?

| Females                |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                        |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Did not buy cigarettes | % | 87.0        | 96.0          | 92.6     | 53.5        | 96.6  | 93.0  | 93.1  | 65.8  | -  | -                | 87.1            | -     | -               | -              |
|                        | N | 951         | 335           | 516      | 100         | 257   | 253   | 258   | 183   | 8  | 33               | 877             | 22    | 6               | 6              |
| Yes                    | % | 8.6         | 0.6           | 2.0      | 43.3        | 0.8   | 1.5   | 2.5   | 29.1  | -  | -                | 8.8             | -     | -               | -              |
|                        | N | 94          | 2             | 11       | 81          | 2     | 4     | 7     | 81    | 0  | 3                | 89              | 2     | 0               | 0              |
| No                     | % | 4.4         | 3.4           | 5.4      | 3.2         | 2.6   | 5.5   | 4.3   | 5.0   | -  | -                | 4.1             | -     | -               | -              |
|                        | N | 48          | 12            | 30       | 6           | 7     | 15    | 12    | 14    | 3  | 2                | 41              | 0     | 2               | 2              |
| Total                  | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                        | N | 1,093       | 349           | 557      | 187         | 266   | 272   | 277   | 278   | 11 | 38               | 1,007           | 24    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q33. During the past 30 days, on how many days did you smoke cigarettes on school property?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 88.6    | 92.5          | 87.4     | 84.8        | 94.9  | 87.4  | 86.8  | 85.1  | -                | -               | 88.8  | -               | -              |
|               | N | 1,855   | 614           | 938      | 302         | 507   | 463   | 461   | 421   | 24               | 61              | 1,702 | 43              | 14             |
| 1 or 2 days   | % | 3.5     | 2.4           | 3.6      | 5.3         | 1.5   | 3.8   | 4.1   | 4.6   | -                | -               | 3.5   | -               | -              |
|               | N | 74      | 16            | 39       | 19          | 8     | 20    | 22    | 23    | 1                | 3               | 68    | 1               | 0              |
| 3 to 5 days   | % | 1.7     | 2.3           | 1.3      | 2.0         | 1.5   | 2.5   | 1.1   | 1.8   | -                | -               | 1.6   | -               | -              |
|               | N | 36      | 15            | 14       | 7           | 8     | 13    | 6     | 9     | 0                | 3               | 31    | 1               | 1              |
| 6 to 9 days   | % | 1.1     | 0.3           | 1.4      | 1.4         | 0.2   | 1.1   | 1.3   | 1.6   | -                | -               | 0.9   | -               | -              |
|               | N | 22      | 2             | 15       | 5           | 1     | 6     | 7     | 8     | 1                | 1               | 18    | 1               | 1              |
| 10 to 19 days | % | 1.7     | 0.9           | 1.9      | 2.5         | 0.6   | 1.7   | 1.7   | 2.8   | -                | -               | 1.8   | -               | -              |
|               | N | 35      | 6             | 20       | 9           | 3     | 9     | 9     | 14    | 0                | 0               | 34    | 1               | 0              |
| 20 to 29 days | % | 1.1     | 0.9           | 1.2      | 1.4         | 0.6   | 1.5   | 1.3   | 1.2   | -                | -               | 1.0   | -               | -              |
|               | N | 24      | 6             | 13       | 5           | 3     | 8     | 7     | 6     | 0                | 2               | 20    | 2               | 0              |
| All 30 days   | % | 2.3     | 0.8           | 3.2      | 2.5         | 0.7   | 2.1   | 3.6   | 2.8   | -                | -               | 2.2   | -               | -              |
|               | N | 48      | 5             | 34       | 9           | 4     | 11    | 19    | 14    | 0                | 2               | 43    | 3               | 0              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|               | N | 2,094   | 664           | 1,073    | 356         | 534   | 530   | 531   | 495   | 26               | 72              | 1,916 | 52              | 16             |

Note: There were 4 students who did not provide usable data for Q33.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q33. During the past 30 days, on how many days did you smoke cigarettes on school property?

| Males         |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|               |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 86.0      | 92.0          | 85.2     | 77.4        | 94.8  | 83.6  | 85.4  | 78.8  | -  | -                | 86.5            | -     | -               | -              |
|               | N | 857       | 289           | 438      | 130         | 254   | 214   | 217   | 171   | 13 | 26               | 785             | 20    | 8               | 8              |
| 1 or 2 days   | % | 3.8       | 2.5           | 3.5      | 7.1         | 1.1   | 5.1   | 3.5   | 6.0   | -  | -                | 3.7             | -     | -               | -              |
|               | N | 38        | 8             | 18       | 12          | 3     | 13    | 9     | 13    | 1  | 2                | 34              | 0     | 0               | 0              |
| 3 to 5 days   | % | 1.9       | 2.2           | 1.8      | 1.8         | 1.5   | 3.1   | 0.8   | 2.3   | -  | -                | 1.8             | -     | -               | -              |
|               | N | 19        | 7             | 9        | 3           | 4     | 8     | 2     | 5     | 0  | 2                | 16              | 1     | 0               | 0              |
| 6 to 9 days   | % | 1.4       | 0.3           | 1.8      | 2.4         | 0.4   | 1.2   | 2.4   | 1.8   | -  | -                | 1.2             | -     | -               | -              |
|               | N | 14        | 1             | 9        | 4           | 1     | 3     | 6     | 4     | 1  | 1                | 11              | 1     | 0               | 0              |
| 10 to 19 days | % | 2.1       | 1.3           | 2.1      | 3.6         | 0.7   | 2.7   | 1.6   | 3.7   | -  | -                | 2.2             | -     | -               | -              |
|               | N | 21        | 4             | 11       | 6           | 2     | 7     | 4     | 8     | 0  | 0                | 20              | 1     | 0               | 0              |
| 20 to 29 days | % | 1.3       | 0.6           | 1.2      | 3.0         | 0.4   | 1.2   | 1.6   | 2.3   | -  | -                | 1.2             | -     | -               | -              |
|               | N | 13        | 2             | 6        | 5           | 1     | 3     | 4     | 5     | 0  | 2                | 11              | 0     | 0               | 0              |
| All 30 days   | % | 3.4       | 1.0           | 4.5      | 4.8         | 1.1   | 3.1   | 4.7   | 5.1   | -  | -                | 3.3             | -     | -               | -              |
|               | N | 34        | 3             | 23       | 8           | 3     | 8     | 12    | 11    | 0  | 1                | 30              | 3     | 0               | 0              |
| Total         | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|               | N | 996       | 314           | 514      | 168         | 268   | 256   | 254   | 217   | 15 | 34               | 907             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q33. During the past 30 days, on how many days did you smoke cigarettes on school property?

| Females       |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|               |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 91.0  | 93.1        | 89.4          | 91.4     | 95.1        | 90.9  | 88.1  | 89.9  | -    | -                | 91.0             | -     | -               |                |
|               | N | 996   | 325         | 500           | 171      | 253         | 249   | 244   | 250   | 11   | 35               | 917              | 22    | 6               |                |
| 1 or 2 days   | % | 3.2   | 2.0         | 3.8           | 3.7      | 1.9         | 2.6   | 4.7   | 3.6   | -    | -                | 3.3              | -     | -               |                |
|               | N | 35    | 7           | 21            | 7        | 5           | 7     | 13    | 10    | 0    | 1                | 33               | 1     | 0               |                |
| 3 to 5 days   | % | 1.6   | 2.3         | 0.9           | 2.1      | 1.5         | 1.8   | 1.4   | 1.4   | -    | -                | 1.5              | -     | -               |                |
|               | N | 17    | 8           | 5             | 4        | 4           | 5     | 4     | 4     | 0    | 1                | 15               | 0     | 1               |                |
| 6 to 9 days   | % | 0.7   | 0.3         | 1.1           | 0.5      | 0.0         | 1.1   | 0.4   | 1.4   | -    | -                | 0.7              | -     | -               |                |
|               | N | 8     | 1           | 6             | 1        | 0           | 3     | 1     | 4     | 0    | 0                | 7                | 0     | 1               |                |
| 10 to 19 days | % | 1.3   | 0.6         | 1.6           | 1.6      | 0.4         | 0.7   | 1.8   | 2.2   | -    | -                | 1.4              | -     | -               |                |
|               | N | 14    | 2           | 9             | 3        | 1           | 2     | 5     | 6     | 0    | 0                | 14               | 0     | 0               |                |
| 20 to 29 days | % | 1.0   | 1.1         | 1.3           | 0.0      | 0.8         | 1.8   | 1.1   | 0.4   | -    | -                | 0.9              | -     | -               |                |
|               | N | 11    | 4           | 7             | 0        | 2           | 5     | 3     | 1     | 0    | 0                | 9                | 2     | 0               |                |
| All 30 days   | % | 1.3   | 0.6         | 2.0           | 0.5      | 0.4         | 1.1   | 2.5   | 1.1   | -    | -                | 1.3              | -     | -               |                |
|               | N | 14    | 2           | 11            | 1        | 1           | 3     | 7     | 3     | 0    | 1                | 13               | 0     | 0               |                |
| Total         | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|               | N | 1,095 | 349         | 559           | 187      | 266         | 274   | 277   | 278   | 11   | 38               | 1,008            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q34. Have you ever smoked cigarettes regularly, that is, at least one cigarette every day for 30 days?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 21.9    | 13.3          | 25.2     | 28.4        | 11.3  | 22.4  | 27.5  | 27.0  | -                | -               | 22.0  | -               | -              |
|         | N | 457     | 88            | 268      | 101         | 60    | 117   | 146   | 133   | 5                | 14              | 419   | 13              | 4              |
| No      | % | 78.1    | 86.7          | 74.8     | 71.6        | 88.7  | 77.6  | 72.5  | 73.0  | -                | -               | 78.0  | -               | -              |
|         | N | 1,626   | 575           | 795      | 255         | 473   | 406   | 384   | 360   | 21               | 57              | 1,487 | 39              | 12             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,083   | 663           | 1,063    | 356         | 533   | 523   | 530   | 493   | 26               | 71              | 1,906 | 52              | 16             |

Note: There were 15 students who did not provide usable data for Q34.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q34. Have you ever smoked cigarettes regularly, that is, at least one cigarette every day for 30 days?

| Males |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Yes   | % | 23.4      | 12.7          | 26.8     | 33.1        | 11.2  | 23.1  | 30.7  | 30.0  | -                | -                | 23.1  | -               | -              |  |
|       | N | 232       | 40            | 136      | 56          | 30    | 58    | 78    | 65    | 3                | 9                | 209   | 8               | 1              |  |
| No    | % | 76.6      | 87.3          | 73.2     | 66.9        | 88.8  | 76.9  | 69.3  | 70.0  | -                | -                | 76.9  | -               | -              |  |
|       | N | 759       | 274           | 372      | 113         | 238   | 193   | 176   | 152   | 12               | 24               | 694   | 18              | 7              |  |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|       | N | 991       | 314           | 508      | 169         | 268   | 251   | 254   | 217   | 15               | 33               | 903   | 26              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q34. Have you ever smoked cigarettes regularly, that is, at least one cigarette every day for 30 days?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 20.7        | 13.8          | 23.8     | 24.2        | 11.3  | 21.7  | 24.6  | 24.6  | -                | -               | 21.0  | -               | -              |
|         | N | 225         | 48            | 132      | 45          | 30    | 59    | 68    | 68    | 2                | 5               | 210   | 5               | 3              |
| No      | % | 79.3        | 86.2          | 76.2     | 75.8        | 88.7  | 78.3  | 75.4  | 75.4  | -                | -               | 79.0  | -               | -              |
|         | N | 864         | 300           | 423      | 141         | 235   | 213   | 208   | 208   | 9                | 33              | 792   | 20              | 5              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 1,089       | 348           | 555      | 186         | 265   | 272   | 276   | 276   | 11               | 38              | 1,002 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q35. Have you ever tried to quit smoking cigarettes?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 29.4    | 21.5          | 31.8     | 35.8        | 20.6  | 29.4  | 32.4  | 34.8  | -                | -                | 28.9  | -               | -              |
|         | N | 571     | 128           | 322      | 120         | 97    | 147   | 163   | 162   | 7                | 22               | 519   | 15              | 4              |
| No      | % | 70.6    | 78.5          | 68.2     | 64.2        | 79.4  | 70.6  | 67.6  | 65.2  | -                | -                | 71.1  | -               | -              |
|         | N | 1,372   | 468           | 689      | 215         | 373   | 353   | 340   | 304   | 15               | 37               | 1,274 | 27              | 11             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,943   | 596           | 1,011    | 335         | 470   | 500   | 503   | 466   | 22               | 59               | 1,793 | 42              | 15             |

Note: There were 155 students who did not provide usable data for Q35.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q35. Have you ever tried to quit smoking cigarettes?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 26.5      | 20.1          | 27.8     | 34.2        | 20.6  | 23.8  | 29.9  | 32.2  | -                | -                | 26.4  | -               | -              |
|       | N | 246       | 56            | 136      | 54          | 48    | 58    | 73    | 66    | 3                | 9                | 224   | 7               | 1              |
| No    | % | 73.5      | 79.9          | 72.2     | 65.8        | 79.4  | 76.2  | 70.1  | 67.8  | -                | -                | 73.6  | -               | -              |
|       | N | 681       | 223           | 354      | 104         | 185   | 186   | 171   | 139   | 10               | 21               | 626   | 14              | 6              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 927       | 279           | 490      | 158         | 233   | 244   | 244   | 205   | 13               | 30               | 850   | 21              | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q35. Have you ever tried to quit smoking cigarettes?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 32.0        | 22.8          | 35.7     | 37.5        | 20.7  | 34.8  | 34.7  | 36.8  | -                | -                | 31.3  | -               | -              |
|         | N | 324         | 72            | 186      | 66          | 49    | 89    | 90    | 96    | 4                | 13               | 295   | 8               | 3              |
| No      | % | 68.0        | 77.2          | 64.3     | 62.5        | 79.3  | 65.2  | 65.3  | 63.2  | -                | -                | 68.7  | -               | -              |
|         | N | 689         | 244           | 335      | 110         | 188   | 167   | 169   | 165   | 5                | 16               | 647   | 12              | 5              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,013       | 316           | 521      | 176         | 237   | 256   | 259   | 261   | 9                | 29               | 942   | 20              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q36. During the past 30 days, on how many days did you use chewing tobacco or snuff, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 87.9    | 89.6          | 86.8     | 88.2        | 90.1  | 86.2  | 85.8  | 89.9  | -                | -               | 87.9  | -               | -              |
|               | N | 1,837   | 594           | 930      | 313         | 480   | 457   | 453   | 445   | 24               | 66              | 1,681 | 42              | 14             |
| 1 or 2 days   | % | 4.5     | 4.1           | 4.6      | 5.1         | 4.1   | 4.9   | 4.7   | 4.2   | -                | -               | 4.5   | -               | -              |
|               | N | 94      | 27            | 49       | 18          | 22    | 26    | 25    | 21    | 0                | 3               | 86    | 3               | 1              |
| 3 to 5 days   | % | 1.6     | 2.0           | 1.5      | 1.1         | 1.9   | 1.5   | 1.5   | 1.4   | -                | -               | 1.6   | -               | -              |
|               | N | 33      | 13            | 16       | 4           | 10    | 8     | 8     | 7     | 0                | 2               | 30    | 1               | 0              |
| 6 to 9 days   | % | 0.8     | 0.6           | 0.9      | 0.8         | 0.6   | 1.7   | 0.6   | 0.4   | -                | -               | 0.8   | -               | -              |
|               | N | 17      | 4             | 10       | 3           | 3     | 9     | 3     | 2     | 0                | 0               | 16    | 1               | 0              |
| 10 to 19 days | % | 1.8     | 1.2           | 2.2      | 1.7         | 1.3   | 2.1   | 2.5   | 1.4   | -                | -               | 1.9   | -               | -              |
|               | N | 38      | 8             | 24       | 6           | 7     | 11    | 13    | 7     | 0                | 1               | 36    | 1               | 0              |
| 20 to 29 days | % | 1.5     | 0.9           | 1.7      | 2.0         | 0.9   | 1.1   | 2.3   | 1.4   | -                | -               | 1.5   | -               | -              |
|               | N | 31      | 6             | 18       | 7           | 5     | 6     | 12    | 7     | 1                | 0               | 29    | 1               | 0              |
| All 30 days   | % | 1.9     | 1.7           | 2.2      | 1.1         | 1.1   | 2.5   | 2.7   | 1.2   | -                | -               | 1.8   | -               | -              |
|               | N | 40      | 11            | 24       | 4           | 6     | 13    | 14    | 6     | 0                | 0               | 35    | 3               | 1              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|               | N | 2,090   | 663           | 1,071    | 355         | 533   | 530   | 528   | 495   | 25               | 72              | 1,913 | 52              | 16             |

Note: There were 8 students who did not provide usable data for Q36.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q36. During the past 30 days, on how many days did you use chewing tobacco or snuff, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

| Males         |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity  |       |                 |                |
|---------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|               |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 78.1      | 81.5          | 75.0     | 80.8        | 82.5  | 75.8  | 72.9  | 81.7  | -                | -               | 77.8  | -               | -              |
|               | N | 776       | 256           | 385      | 135         | 221   | 194   | 183   | 178   | 14               | 29              | 704   | 17              | 7              |
| 1 or 2 days   | % | 6.8       | 5.4           | 7.8      | 6.6         | 6.3   | 6.3   | 8.4   | 6.4   | -                | -               | 6.9   | -               | -              |
|               | N | 68        | 17            | 40       | 11          | 17    | 16    | 21    | 14    | 0                | 3               | 62    | 2               | 0              |
| 3 to 5 days   | % | 3.0       | 4.1           | 2.7      | 1.8         | 3.7   | 3.1   | 2.8   | 2.3   | -                | -               | 3.0   | -               | -              |
|               | N | 30        | 13            | 14       | 3           | 10    | 8     | 7     | 5     | 0                | 2               | 27    | 1               | 0              |
| 6 to 9 days   | % | 1.6       | 1.3           | 1.9      | 1.2         | 1.1   | 3.5   | 1.2   | 0.5   | -                | -               | 1.7   | -               | -              |
|               | N | 16        | 4             | 10       | 2           | 3     | 9     | 3     | 1     | 0                | 0               | 15    | 1               | 0              |
| 10 to 19 days | % | 3.5       | 2.5           | 4.3      | 3.0         | 2.6   | 3.9   | 4.4   | 3.2   | -                | -               | 3.8   | -               | -              |
|               | N | 35        | 8             | 22       | 5           | 7     | 10    | 11    | 7     | 0                | 0               | 34    | 1               | 0              |
| 20 to 29 days | % | 3.0       | 1.6           | 3.5      | 4.2         | 1.5   | 2.3   | 4.8   | 3.2   | -                | -               | 3.1   | -               | -              |
|               | N | 30        | 5             | 18       | 7           | 4     | 6     | 12    | 7     | 1                | 0               | 28    | 1               | 0              |
| All 30 days   | % | 3.9       | 3.5           | 4.7      | 2.4         | 2.2   | 5.1   | 5.6   | 2.8   | -                | -               | 3.9   | -               | -              |
|               | N | 39        | 11            | 24       | 4           | 6     | 13    | 14    | 6     | 0                | 0               | 35    | 3               | 1              |
| Total         | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|               | N | 994       | 314           | 513      | 167         | 268   | 256   | 251   | 218   | 15               | 34              | 905   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q36. During the past 30 days, on how many days did you use chewing tobacco or snuff, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

| Females       | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | %   | 96.9        | 96.8          | 97.7     | 94.7        | 97.7  | 96.0  | 97.5  | 96.4  | -                | -                | 96.9  | -               | -              |
|               | N   | 1,059       | 337           | 545      | 177         | 259   | 263   | 270   | 267   | 10               | 37               | 976   | 24              | 7              |
| 1 or 2 days   | %   | 2.4         | 2.9           | 1.6      | 3.7         | 1.9   | 3.6   | 1.4   | 2.5   | -                | -                | 2.4   | -               | -              |
|               | N   | 26          | 10            | 9        | 7           | 5     | 10    | 4     | 7     | 0                | 0                | 24    | 1               | 1              |
| 3 to 5 days   | %   | 0.3         | 0.0           | 0.4      | 0.5         | 0.0   | 0.0   | 0.4   | 0.7   | -                | -                | 0.3   | -               | -              |
|               | N   | 3           | 0             | 2        | 1           | 0     | 0     | 1     | 2     | 0                | 0                | 3     | 0               | 0              |
| 6 to 9 days   | %   | 0.1         | 0.0           | 0.0      | 0.5         | 0.0   | 0.0   | 0.0   | 0.4   | -                | -                | 0.1   | -               | -              |
|               | N   | 1           | 0             | 0        | 1           | 0     | 0     | 0     | 1     | 0                | 0                | 1     | 0               | 0              |
| 10 to 19 days | %   | 0.3         | 0.0           | 0.4      | 0.5         | 0.0   | 0.4   | 0.7   | 0.0   | -                | -                | 0.2   | -               | -              |
|               | N   | 3           | 0             | 2        | 1           | 0     | 1     | 2     | 0     | 0                | 1                | 2     | 0               | 0              |
| 20 to 29 days | %   | 0.1         | 0.3           | 0.0      | 0.0         | 0.4   | 0.0   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|               | N   | 1           | 1             | 0        | 0           | 1     | 0     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |
| All 30 days   | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|               | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| Total         | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N   | 1,093       | 348           | 558      | 187         | 265   | 274   | 277   | 277   | 10               | 38               | 1,007 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q37. During the past 30 days, on how many days did you use chewing tobacco or snuff on school property?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 94.3    | 95.8          | 93.4     | 94.6        | 95.9  | 94.0  | 92.2  | 95.6  | -                | -                | 94.4  | -               | -              |
|               | N | 1,973   | 636           | 1,001    | 336         | 512   | 498   | 488   | 473   | 25               | 71               | 1,806 | 45              | 15             |
| 1 or 2 days   | % | 1.8     | 1.7           | 1.9      | 1.7         | 1.9   | 2.1   | 1.7   | 1.4   | -                | -                | 1.9   | -               | -              |
|               | N | 37      | 11            | 20       | 6           | 10    | 11    | 9     | 7     | 0                | 0                | 36    | 1               | 0              |
| 3 to 5 days   | % | 0.9     | 0.5           | 1.1      | 1.1         | 0.7   | 0.6   | 1.1   | 1.0   | -                | -                | 0.9   | -               | -              |
|               | N | 19      | 3             | 12       | 4           | 4     | 3     | 6     | 5     | 0                | 1                | 17    | 1               | 0              |
| 6 to 9 days   | % | 0.6     | 0.3           | 0.7      | 0.8         | 0.0   | 0.8   | 1.3   | 0.4   | -                | -                | 0.7   | -               | -              |
|               | N | 13      | 2             | 8        | 3           | 0     | 4     | 7     | 2     | 0                | 0                | 13    | 0               | 0              |
| 10 to 19 days | % | 0.8     | 0.8           | 0.9      | 0.6         | 0.4   | 1.1   | 1.1   | 0.6   | -                | -                | 0.8   | -               | -              |
|               | N | 17      | 5             | 10       | 2           | 2     | 6     | 6     | 3     | 0                | 0                | 16    | 1               | 0              |
| 20 to 29 days | % | 0.6     | 0.5           | 0.6      | 0.8         | 0.6   | 0.6   | 0.6   | 0.6   | -                | -                | 0.5   | -               | -              |
|               | N | 12      | 3             | 6        | 3           | 3     | 3     | 3     | 3     | 1                | 0                | 9     | 2               | 0              |
| All 30 days   | % | 1.0     | 0.6           | 1.4      | 0.3         | 0.6   | 0.9   | 1.9   | 0.4   | -                | -                | 0.9   | -               | -              |
|               | N | 21      | 4             | 15       | 1           | 3     | 5     | 10    | 2     | 0                | 0                | 17    | 2               | 1              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N | 2,092   | 664           | 1,072    | 355         | 534   | 530   | 529   | 495   | 26               | 72               | 1,914 | 52              | 16             |

Note: There were 6 students who did not provide usable data for Q37.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q37. During the past 30 days, on how many days did you use chewing tobacco or snuff on school property?

| Males         |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|               |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 89.0      | 91.7          | 86.9     | 90.4        | 92.5  | 88.3  | 84.9  | 90.8  | -  | -                | 89.0            | -     | -               | -              |
|               | N | 885       | 288           | 446      | 151         | 248   | 226   | 214   | 197   | 14 | 34               | 805             | 19    | 7               | 7              |
| 1 or 2 days   | % | 3.2       | 3.2           | 3.5      | 2.4         | 3.4   | 3.9   | 3.2   | 2.3   | -  | -                | 3.4             | -     | -               | -              |
|               | N | 32        | 10            | 18       | 4           | 9     | 10    | 8     | 5     | 0  | 0                | 31              | 1     | 0               | 0              |
| 3 to 5 days   | % | 1.8       | 1.0           | 2.1      | 2.4         | 1.5   | 0.8   | 2.4   | 2.3   | -  | -                | 1.9             | -     | -               | -              |
|               | N | 18        | 3             | 11       | 4           | 4     | 2     | 6     | 5     | 0  | 0                | 17              | 1     | 0               | 0              |
| 6 to 9 days   | % | 1.3       | 0.6           | 1.6      | 1.8         | 0.0   | 1.6   | 2.8   | 0.9   | -  | -                | 1.4             | -     | -               | -              |
|               | N | 13        | 2             | 8        | 3           | 0     | 4     | 7     | 2     | 0  | 0                | 13              | 0     | 0               | 0              |
| 10 to 19 days | % | 1.4       | 1.3           | 1.8      | 0.6         | 0.4   | 2.3   | 1.6   | 1.4   | -  | -                | 1.4             | -     | -               | -              |
|               | N | 14        | 4             | 9        | 1           | 1     | 6     | 4     | 3     | 0  | 0                | 13              | 1     | 0               | 0              |
| 20 to 29 days | % | 1.2       | 1.0           | 1.2      | 1.8         | 1.1   | 1.2   | 1.2   | 1.4   | -  | -                | 1.0             | -     | -               | -              |
|               | N | 12        | 3             | 6        | 3           | 3     | 3     | 3     | 3     | 1  | 0                | 9               | 2     | 0               | 0              |
| All 30 days   | % | 2.0       | 1.3           | 2.9      | 0.6         | 1.1   | 2.0   | 4.0   | 0.9   | -  | -                | 1.9             | -     | -               | -              |
|               | N | 20        | 4             | 15       | 1           | 3     | 5     | 10    | 2     | 0  | 0                | 17              | 2     | 1               | 1              |
| Total         | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|               | N | 994       | 314           | 513      | 167         | 268   | 256   | 252   | 217   | 15 | 34               | 905             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q37. During the past 30 days, on how many days did you use chewing tobacco or snuff on school property?

| Females       |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|               |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 99.2        | 99.4          | 99.3     | 98.4        | 99.2  | 99.3  | 98.9  | 99.3  | -  | -                | 99.2            | -     | -               | -              |
|               | N | 1,086       | 347           | 555      | 184         | 264   | 272   | 274   | 276   | 11 | 37               | 1,000           | 25    | 8               | 8              |
| 1 or 2 days   | % | 0.5         | 0.3           | 0.4      | 1.1         | 0.4   | 0.4   | 0.4   | 0.7   | -  | -                | 0.5             | -     | -               | -              |
|               | N | 5           | 1             | 2        | 2           | 1     | 1     | 1     | 2     | 0  | 0                | 5               | 0     | 0               | 0              |
| 3 to 5 days   | % | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -  | -                | 0.0             | -     | -               | -              |
|               | N | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0  | 1                | 0               | 0     | 0               | 0              |
| 6 to 9 days   | % | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -  | -                | 0.0             | -     | -               | -              |
|               | N | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0  | 0                | 0               | 0     | 0               | 0              |
| 10 to 19 days | % | 0.3         | 0.3           | 0.2      | 0.5         | 0.4   | 0.0   | 0.7   | 0.0   | -  | -                | 0.3             | -     | -               | -              |
|               | N | 3           | 1             | 1        | 1           | 1     | 0     | 2     | 0     | 0  | 0                | 3               | 0     | 0               | 0              |
| 20 to 29 days | % | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -  | -                | 0.0             | -     | -               | -              |
|               | N | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0  | 0                | 0               | 0     | 0               | 0              |
| All 30 days   | % | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -  | -                | 0.0             | -     | -               | -              |
|               | N | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0  | 0                | 0               | 0     | 0               | 0              |
| Total         | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|               | N | 1,095       | 349           | 559      | 187         | 266   | 274   | 277   | 278   | 11 | 38               | 1,008           | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q38. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 80.3    | 86.0          | 77.9     | 77.2        | 87.1  | 80.8  | 75.1  | 78.4  | -                | -                | 80.3  | -               | -              |
|               | N | 1,684   | 572           | 837      | 274         | 465   | 429   | 399   | 389   | 15               | 60               | 1,541 | 44              | 13             |
| 1 or 2 days   | % | 12.1    | 8.0           | 13.8     | 14.6        | 6.7   | 12.1  | 15.4  | 14.3  | -                | -                | 12.3  | -               | -              |
|               | N | 253     | 53            | 148      | 52          | 36    | 64    | 82    | 71    | 4                | 6                | 236   | 5               | 1              |
| 3 to 5 days   | % | 4.5     | 3.9           | 4.6      | 5.4         | 4.3   | 3.8   | 5.3   | 4.4   | -                | -                | 4.3   | -               | -              |
|               | N | 94      | 26            | 49       | 19          | 23    | 20    | 28    | 22    | 4                | 4                | 83    | 1               | 2              |
| 6 to 9 days   | % | 1.4     | 0.8           | 1.8      | 1.4         | 0.6   | 1.7   | 2.1   | 1.2   | -                | -                | 1.3   | -               | -              |
|               | N | 29      | 5             | 19       | 5           | 3     | 9     | 11    | 6     | 2                | 2                | 25    | 0               | 0              |
| 10 to 19 days | % | 1.2     | 1.2           | 1.2      | 1.1         | 1.3   | 0.9   | 1.3   | 1.0   | -                | -                | 1.3   | -               | -              |
|               | N | 25      | 8             | 13       | 4           | 7     | 5     | 7     | 5     | 1                | 0                | 24    | 0               | 0              |
| 20 to 29 days | % | 0.2     | 0.0           | 0.4      | 0.0         | 0.0   | 0.2   | 0.4   | 0.2   | -                | -                | 0.2   | -               | -              |
|               | N | 4       | 0             | 4        | 0           | 0     | 1     | 2     | 1     | 0                | 0                | 4     | 0               | 0              |
| All 30 days   | % | 0.3     | 0.2           | 0.5      | 0.3         | 0.0   | 0.6   | 0.4   | 0.4   | -                | -                | 0.3   | -               | -              |
|               | N | 7       | 1             | 5        | 1           | 0     | 3     | 2     | 2     | 0                | 0                | 5     | 2               | 0              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N | 2,096   | 665           | 1,075    | 355         | 534   | 531   | 531   | 496   | 26               | 72               | 1,918 | 52              | 16             |

Note: There were 2 students who did not provide usable data for Q38.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q38. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

| Males         | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|               |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | %   | 69.4      | 78.1          | 65.7     | 64.7        | 79.5  | 71.2  | 61.4  | 64.7  | -                | -               | 69.4  | -               | -              |
|               | N   | 693       | 246           | 339      | 108         | 213   | 183   | 156   | 141   | 8                | 24              | 631   | 18              | 7              |
| 1 or 2 days   | %   | 17.1      | 11.1          | 19.2     | 22.2        | 9.7   | 16.0  | 21.7  | 22.5  | -                | -               | 17.2  | -               | -              |
|               | N   | 171       | 35            | 99       | 37          | 26    | 41    | 55    | 49    | 3                | 6               | 156   | 5               | 0              |
| 3 to 5 days   | %   | 7.7       | 6.7           | 7.9      | 9.0         | 7.5   | 6.2   | 9.1   | 8.3   | -                | -               | 7.6   | -               | -              |
|               | N   | 77        | 21            | 41       | 15          | 20    | 16    | 23    | 18    | 4                | 2               | 69    | 1               | 1              |
| 6 to 9 days   | %   | 2.5       | 1.6           | 3.1      | 2.4         | 1.1   | 3.1   | 3.5   | 2.3   | -                | -               | 2.5   | -               | -              |
|               | N   | 25        | 5             | 16       | 4           | 3     | 8     | 9     | 5     | 0                | 2               | 23    | 0               | 0              |
| 10 to 19 days | %   | 2.2       | 2.2           | 2.3      | 1.8         | 2.2   | 1.9   | 2.8   | 1.4   | -                | -               | 2.4   | -               | -              |
|               | N   | 22        | 7             | 12       | 3           | 6     | 5     | 7     | 3     | 0                | 0               | 22    | 0               | 0              |
| 20 to 29 days | %   | 0.4       | 0.0           | 0.8      | 0.0         | 0.0   | 0.4   | 0.8   | 0.5   | -                | -               | 0.4   | -               | -              |
|               | N   | 4         | 0             | 4        | 0           | 0     | 1     | 2     | 1     | 0                | 0               | 4     | 0               | 0              |
| All 30 days   | %   | 0.6       | 0.3           | 1.0      | 0.0         | 0.0   | 1.2   | 0.8   | 0.5   | -                | -               | 0.4   | -               | -              |
|               | N   | 6         | 1             | 5        | 0           | 0     | 3     | 2     | 1     | 0                | 0               | 4     | 2               | 0              |
| Total         | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|               | N   | 998       | 315           | 516      | 167         | 268   | 257   | 254   | 218   | 15               | 34              | 909   | 26              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q38. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

| Females       |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|               |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days        | % | 90.3        | 93.4          | 89.1     | 88.2        | 94.7  | 89.8  | 87.7  | 89.2  | -  | -                | 90.3            | -     | -               | -              |
|               | N | 989         | 326           | 498      | 165         | 252   | 246   | 243   | 248   | 7  | 36               | 910             | 25    | 6               | 6              |
| 1 or 2 days   | % | 7.5         | 5.2           | 8.8      | 8.0         | 3.8   | 8.4   | 9.7   | 7.9   | -  | -                | 7.9             | -     | -               | -              |
|               | N | 82          | 18            | 49       | 15          | 10    | 23    | 27    | 22    | 1  | 0                | 80              | 0     | 1               | 1              |
| 3 to 5 days   | % | 1.5         | 1.1           | 1.4      | 2.1         | 1.1   | 1.5   | 1.8   | 1.4   | -  | -                | 1.3             | -     | -               | -              |
|               | N | 16          | 4             | 8        | 4           | 3     | 4     | 5     | 4     | 0  | 2                | 13              | 0     | 1               | 1              |
| 6 to 9 days   | % | 0.4         | 0.0           | 0.5      | 0.5         | 0.0   | 0.4   | 0.7   | 0.4   | -  | -                | 0.2             | -     | -               | -              |
|               | N | 4           | 0             | 3        | 1           | 0     | 1     | 2     | 1     | 2  | 0                | 2               | 0     | 0               | 0              |
| 10 to 19 days | % | 0.3         | 0.3           | 0.2      | 0.5         | 0.4   | 0.0   | 0.0   | 0.7   | -  | -                | 0.2             | -     | -               | -              |
|               | N | 3           | 1             | 1        | 1           | 1     | 0     | 0     | 2     | 1  | 0                | 2               | 0     | 0               | 0              |
| 20 to 29 days | % | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -  | -                | 0.0             | -     | -               | -              |
|               | N | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0  | 0                | 0               | 0     | 0               | 0              |
| All 30 days   | % | 0.1         | 0.0           | 0.0      | 0.5         | 0.0   | 0.0   | 0.0   | 0.4   | -  | -                | 0.1             | -     | -               | -              |
|               | N | 1           | 0             | 0        | 1           | 0     | 0     | 0     | 1     | 0  | 0                | 1               | 0     | 0               | 0              |
| Total         | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|               | N | 1,095       | 349           | 559      | 187         | 266   | 274   | 277   | 278   | 11 | 38               | 1,008           | 25    | 8               | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q39. During your life, on how many days have you had at least one drink of alcohol?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days           | % | 17.6    | 24.6          | 14.8     | 13.5        | 27.4  | 15.9  | 13.7  | 13.6  | -                | -               | 17.4  | -               | -              |
|                  | N | 343     | 147           | 150      | 46          | 132   | 78    | 69    | 64    | 6                | 13              | 310   | 10              | 0              |
| 1 or 2 days      | % | 9.1     | 12.2          | 8.7      | 4.7         | 12.9  | 11.6  | 6.0   | 5.9   | -                | -               | 8.6   | -               | -              |
|                  | N | 177     | 73            | 88       | 16          | 62    | 57    | 30    | 28    | 3                | 7               | 154   | 9               | 2              |
| 3 to 9 days      | % | 16.5    | 21.8          | 14.7     | 12.6        | 22.0  | 16.9  | 14.5  | 12.7  | -                | -               | 16.3  | -               | -              |
|                  | N | 322     | 130           | 149      | 43          | 106   | 83    | 73    | 60    | 5                | 16              | 291   | 6               | 2              |
| 10 to 19 days    | % | 11.3    | 12.1          | 11.3     | 10.3        | 12.1  | 11.0  | 10.3  | 12.1  | -                | -               | 11.5  | -               | -              |
|                  | N | 221     | 72            | 114      | 35          | 58    | 54    | 52    | 57    | 4                | 6               | 205   | 3               | 2              |
| 20 to 39 days    | % | 14.2    | 12.9          | 15.0     | 13.8        | 11.2  | 16.5  | 15.1  | 13.8  | -                | -               | 14.5  | -               | -              |
|                  | N | 276     | 77            | 152      | 47          | 54    | 81    | 76    | 65    | 5                | 4               | 259   | 3               | 4              |
| 40 to 99 days    | % | 14.3    | 8.9           | 15.7     | 19.6        | 7.3   | 13.1  | 18.7  | 18.0  | -                | -               | 14.6  | -               | -              |
|                  | N | 279     | 53            | 159      | 67          | 35    | 64    | 94    | 85    | 1                | 8               | 260   | 7               | 3              |
| 100 or more days | % | 17.0    | 7.5           | 19.7     | 25.5        | 7.1   | 14.9  | 21.8  | 23.8  | -                | -               | 17.0  | -               | -              |
|                  | N | 332     | 45            | 199      | 87          | 34    | 73    | 110   | 112   | 0                | 16              | 302   | 11              | 2              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N | 1,950   | 597           | 1,011    | 341         | 481   | 490   | 504   | 471   | 24               | 70              | 1,781 | 49              | 15             |

Note: There were 148 students who did not provide usable data for Q39.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q39. During your life, on how many days have you had at least one drink of alcohol?

| Males            | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days           | %   | 16.6      | 22.8          | 14.3     | 12.9        | 23.9  | 17.9  | 10.3  | 14.2  | -                | -               | 17.0  | -               | -              |
|                  | N   | 155       | 64            | 70       | 21          | 57    | 43    | 25    | 30    | 2                | 5               | 144   | 2               | 0              |
| 1 or 2 days      | %   | 8.9       | 12.5          | 8.6      | 3.7         | 13.9  | 11.3  | 5.8   | 4.2   | -                | -               | 8.2   | -               | -              |
|                  | N   | 83        | 35            | 42       | 6           | 33    | 27    | 14    | 9     | 2                | 3               | 70    | 5               | 2              |
| 3 to 9 days      | %   | 14.6      | 19.9          | 13.5     | 8.6         | 20.6  | 13.8  | 13.6  | 9.9   | -                | -               | 14.5  | -               | -              |
|                  | N   | 136       | 56            | 66       | 14          | 49    | 33    | 33    | 21    | 3                | 7               | 123   | 2               | 0              |
| 10 to 19 days    | %   | 10.0      | 10.3          | 10.4     | 8.0         | 10.5  | 8.3   | 11.9  | 9.0   | -                | -               | 9.9   | -               | -              |
|                  | N   | 93        | 29            | 51       | 13          | 25    | 20    | 29    | 19    | 4                | 1               | 84    | 1               | 2              |
| 20 to 39 days    | %   | 13.7      | 14.2          | 13.5     | 13.5        | 12.2  | 15.8  | 13.6  | 13.2  | -                | -               | 13.8  | -               | -              |
|                  | N   | 128       | 40            | 66       | 22          | 29    | 38    | 33    | 28    | 3                | 4               | 117   | 1               | 2              |
| 40 to 99 days    | %   | 13.8      | 9.3           | 14.5     | 19.6        | 8.8   | 11.3  | 18.1  | 17.5  | -                | -               | 14.3  | -               | -              |
|                  | N   | 129       | 26            | 71       | 32          | 21    | 27    | 44    | 37    | 0                | 4               | 121   | 3               | 1              |
| 100 or more days | %   | 22.5      | 11.0          | 25.3     | 33.7        | 10.1  | 21.7  | 26.7  | 32.1  | -                | -               | 22.4  | -               | -              |
|                  | N   | 210       | 31            | 124      | 55          | 24    | 52    | 65    | 68    | 0                | 10              | 190   | 10              | 0              |
| Total            | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N   | 934       | 281           | 490      | 163         | 238   | 240   | 243   | 212   | 14               | 34              | 849   | 24              | 7              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q39. During your life, on how many days have you had at least one drink of alcohol?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days           | %   | 18.6        | 26.3          | 15.4     | 14.1        | 30.9  | 14.0  | 16.9  | 13.1  | -                | -                | 17.8  | -               | -              |
|                  | N   | 188         | 83            | 80       | 25          | 75    | 35    | 44    | 34    | 4                | 8                | 166   | 8               | 0              |
| 1 or 2 days      | %   | 9.3         | 12.1          | 8.8      | 5.6         | 11.9  | 12.0  | 6.1   | 7.3   | -                | -                | 9.0   | -               | -              |
|                  | N   | 94          | 38            | 46       | 10          | 29    | 30    | 16    | 19    | 1                | 4                | 84    | 4               | 0              |
| 3 to 9 days      | %   | 18.4        | 23.5          | 15.9     | 16.4        | 23.5  | 20.0  | 15.3  | 15.1  | -                | -                | 18.0  | -               | -              |
|                  | N   | 186         | 74            | 83       | 29          | 57    | 50    | 40    | 39    | 2                | 9                | 168   | 4               | 2              |
| 10 to 19 days    | %   | 12.6        | 13.7          | 12.1     | 12.4        | 13.6  | 13.6  | 8.8   | 14.7  | -                | -                | 13.0  | -               | -              |
|                  | N   | 128         | 43            | 63       | 22          | 33    | 34    | 23    | 38    | 0                | 5                | 121   | 2               | 0              |
| 20 to 39 days    | %   | 14.6        | 11.7          | 16.5     | 14.1        | 10.3  | 17.2  | 16.5  | 14.3  | -                | -                | 15.3  | -               | -              |
|                  | N   | 148         | 37            | 86       | 25          | 25    | 43    | 43    | 37    | 2                | 0                | 142   | 2               | 2              |
| 40 to 99 days    | %   | 14.7        | 8.6           | 16.9     | 19.2        | 5.8   | 14.8  | 19.2  | 18.5  | -                | -                | 14.9  | -               | -              |
|                  | N   | 149         | 27            | 88       | 34          | 14    | 37    | 50    | 48    | 1                | 4                | 139   | 3               | 2              |
| 100 or more days | %   | 11.8        | 4.1           | 14.4     | 18.1        | 4.1   | 8.4   | 17.2  | 17.0  | -                | -                | 11.9  | -               | -              |
|                  | N   | 120         | 13            | 75       | 32          | 10    | 21    | 45    | 44    | 0                | 6                | 111   | 1               | 2              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 1,013       | 315           | 521      | 177         | 243   | 250   | 261   | 259   | 10               | 36               | 931   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q40. How old were you when you had your first drink of alcohol other than a few sips?

| Overall                | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never drank alcohol    | %   | 17.3    | 24.5          | 14.4     | 13.5        | 27.3  | 15.4  | 13.2  | 13.6  | -                | -                | 17.2  | -               | -              |
|                        | N   | 338     | 146           | 146      | 46          | 131   | 76    | 67    | 64    | 6                | 10               | 308   | 10              | 0              |
| 8 years old or younger | %   | 7.5     | 8.1           | 7.9      | 5.6         | 7.3   | 9.1   | 7.1   | 6.6   | -                | -                | 7.0   | -               | -              |
|                        | N   | 147     | 48            | 80       | 19          | 35    | 45    | 36    | 31    | 5                | 6                | 125   | 8               | 3              |
| 9 or 10 years old      | %   | 7.1     | 8.7           | 6.6      | 5.6         | 9.2   | 7.1   | 6.7   | 5.1   | -                | -                | 7.2   | -               | -              |
|                        | N   | 138     | 52            | 67       | 19          | 44    | 35    | 34    | 24    | 0                | 4                | 128   | 6               | 0              |
| 11 or 12 years old     | %   | 11.8    | 16.8          | 10.8     | 6.1         | 17.1  | 13.6  | 11.2  | 5.3   | -                | -                | 11.4  | -               | -              |
|                        | N   | 231     | 100           | 110      | 21          | 82    | 67    | 57    | 25    | 4                | 12               | 203   | 8               | 4              |
| 13 or 14 years old     | %   | 30.2    | 34.8          | 29.7     | 23.7        | 32.6  | 33.3  | 30.4  | 24.4  | -                | -                | 31.0  | -               | -              |
|                        | N   | 590     | 207           | 302      | 81          | 156   | 164   | 154   | 115   | 3                | 20               | 554   | 6               | 5              |
| 15 or 16 years old     | %   | 23.2    | 7.1           | 28.7     | 34.8        | 6.5   | 21.3  | 29.8  | 35.0  | -                | -                | 23.3  | -               | -              |
|                        | N   | 454     | 42            | 292      | 119         | 31    | 105   | 151   | 165   | 4                | 17               | 416   | 11              | 3              |
| 17 years old or older  | %   | 2.9     | 0.0           | 1.9      | 10.8        | 0.0   | 0.0   | 1.6   | 10.2  | -                | -                | 2.9   | -               | -              |
|                        | N   | 56      | 0             | 19       | 37          | 0     | 0     | 8     | 48    | 2                | 0                | 52    | 0               | 0              |
| Total                  | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N   | 1,954   | 595           | 1,016    | 342         | 479   | 492   | 507   | 472   | 24               | 69               | 1,786 | 49              | 15             |

Note: There were 144 students who did not provide usable data for Q40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q40. How old were you when you had your first drink of alcohol other than a few sips?

| Males                  |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                        |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never drank alcohol    | % | 16.4      | 22.9          | 13.8     | 12.8        | 24.2  | 17.5  | 9.8   | 14.1  | -  | -                | 16.8            | -     | -               | -              |
|                        | N | 153       | 64            | 68       | 21          | 57    | 42    | 24    | 30    | 2  | 4                | 143             | 2     | 0               | 0              |
| 8 years old or younger | % | 10.6      | 11.5          | 10.6     | 9.1         | 9.7   | 11.7  | 10.7  | 10.3  | -  | -                | 9.4             | -     | -               | -              |
|                        | N | 99        | 32            | 52       | 15          | 23    | 28    | 26    | 22    | 4  | 5                | 80              | 7     | 3               | 3              |
| 9 or 10 years old      | % | 9.3       | 10.0          | 9.2      | 8.5         | 10.2  | 10.0  | 10.2  | 6.6   | -  | -                | 9.4             | -     | -               | -              |
|                        | N | 87        | 28            | 45       | 14          | 24    | 24    | 25    | 14    | 0  | 4                | 80              | 3     | 0               | 0              |
| 11 or 12 years old     | % | 13.3      | 19.0          | 11.6     | 8.5         | 19.9  | 12.5  | 12.7  | 7.5   | -  | -                | 12.9            | -     | -               | -              |
|                        | N | 124       | 53            | 57       | 14          | 47    | 30    | 31    | 16    | 3  | 7                | 110             | 4     | 0               | 0              |
| 13 or 14 years old     | % | 27.8      | 31.5          | 27.9     | 21.3        | 30.1  | 29.6  | 29.5  | 21.1  | -  | -                | 29.1            | -     | -               | -              |
|                        | N | 260       | 88            | 137      | 35          | 71    | 71    | 72    | 45    | 2  | 7                | 247             | 2     | 2               | 2              |
| 15 or 16 years old     | % | 20.4      | 5.0           | 24.8     | 33.5        | 5.9   | 18.8  | 25.4  | 32.9  | -  | -                | 20.4            | -     | -               | -              |
|                        | N | 191       | 14            | 122      | 55          | 14    | 45    | 62    | 70    | 2  | 6                | 173             | 6     | 2               | 2              |
| 17 years old or older  | % | 2.1       | 0.0           | 2.0      | 6.1         | 0.0   | 0.0   | 1.6   | 7.5   | -  | -                | 2.0             | -     | -               | -              |
|                        | N | 20        | 0             | 10       | 10          | 0     | 0     | 4     | 16    | 1  | 0                | 17              | 0     | 0               | 0              |
| Total                  | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                        | N | 934       | 279           | 491      | 164         | 236   | 240   | 244   | 213   | 14 | 33               | 850             | 24    | 7               | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q40. How old were you when you had your first drink of alcohol other than a few sips?

| Females                |   | Age         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never drank alcohol    | % | 18.2        | 26.0          | 14.9     | 14.1        | 30.5  | 13.5  | 16.3  | 13.1  | -                | -                | 17.6  | -               | -              |
|                        | N | 185         | 82            | 78       | 25          | 74    | 34    | 43    | 34    | 4                | 6                | 165   | 8               | 0              |
| 8 years old or younger | % | 4.7         | 5.1           | 5.3      | 2.3         | 4.9   | 6.7   | 3.8   | 3.5   | -                | -                | 4.8   | -               | -              |
|                        | N | 48          | 16            | 28       | 4           | 12    | 17    | 10    | 9     | 1                | 1                | 45    | 1               | 0              |
| 9 or 10 years old      | % | 4.9         | 7.3           | 4.2      | 2.8         | 8.2   | 4.4   | 3.4   | 3.9   | -                | -                | 5.0   | -               | -              |
|                        | N | 50          | 23            | 22       | 5           | 20    | 11    | 9     | 10    | 0                | 0                | 47    | 3               | 0              |
| 11 or 12 years old     | % | 10.5        | 14.9          | 10.1     | 4.0         | 14.4  | 14.7  | 9.9   | 3.5   | -                | -                | 9.9   | -               | -              |
|                        | N | 107         | 47            | 53       | 7           | 35    | 37    | 26    | 9     | 1                | 5                | 93    | 4               | 4              |
| 13 or 14 years old     | % | 32.4        | 37.8          | 31.4     | 26.0        | 35.0  | 36.9  | 31.2  | 27.0  | -                | -                | 32.8  | -               | -              |
|                        | N | 330         | 119           | 165      | 46          | 85    | 93    | 82    | 70    | 1                | 13               | 307   | 4               | 3              |
| 15 or 16 years old     | % | 25.7        | 8.9           | 32.4     | 35.6        | 7.0   | 23.8  | 33.8  | 36.7  | -                | -                | 26.0  | -               | -              |
|                        | N | 261         | 28            | 170      | 63          | 17    | 60    | 89    | 95    | 2                | 11               | 243   | 4               | 1              |
| 17 years old or older  | % | 3.5         | 0.0           | 1.7      | 15.3        | 0.0   | 0.0   | 1.5   | 12.4  | -                | -                | 3.7   | -               | -              |
|                        | N | 36          | 0             | 9        | 27          | 0     | 0     | 4     | 32    | 1                | 0                | 35    | 0               | 0              |
| Total                  | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N | 1,017       | 315           | 525      | 177         | 243   | 252   | 263   | 259   | 10               | 36               | 935   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q41. During the past 30 days, on how many days did you have at least one drink of alcohol?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 44.2    | 56.3          | 39.4     | 36.0        | 58.2  | 43.9  | 35.5  | 39.1  | -                | -                | 43.3  | -               | -              |
|               | N | 902     | 365           | 411      | 126         | 302   | 225   | 185   | 190   | 13               | 35               | 811   | 28              | 6              |
| 1 or 2 days   | % | 19.2    | 19.8          | 19.2     | 18.0        | 21.2  | 18.9  | 19.0  | 17.5  | -                | -                | 19.2  | -               | -              |
|               | N | 391     | 128           | 200      | 63          | 110   | 97    | 99    | 85    | 6                | 12               | 359   | 9               | 4              |
| 3 to 5 days   | % | 15.0    | 11.9          | 16.9     | 15.4        | 11.6  | 14.3  | 19.0  | 15.4  | -                | -                | 15.7  | -               | -              |
|               | N | 307     | 77            | 176      | 54          | 60    | 73    | 99    | 75    | 4                | 3                | 294   | 3               | 2              |
| 6 to 9 days   | % | 12.1    | 6.6           | 13.4     | 17.7        | 5.2   | 11.7  | 14.6  | 16.5  | -                | -                | 12.3  | -               | -              |
|               | N | 246     | 43            | 140      | 62          | 27    | 60    | 76    | 80    | 1                | 7                | 231   | 4               | 2              |
| 10 to 19 days | % | 7.8     | 4.5           | 8.8      | 11.1        | 3.3   | 8.8   | 9.6   | 9.9   | -                | -                | 7.8   | -               | -              |
|               | N | 160     | 29            | 92       | 39          | 17    | 45    | 50    | 48    | 1                | 6                | 146   | 5               | 2              |
| 20 to 29 days | % | 1.1     | 0.3           | 1.5      | 1.1         | 0.2   | 1.0   | 1.7   | 1.4   | -                | -                | 1.1   | -               | -              |
|               | N | 22      | 2             | 16       | 4           | 1     | 5     | 9     | 7     | 0                | 1                | 20    | 1               | 0              |
| All 30 days   | % | 0.6     | 0.6           | 0.7      | 0.6         | 0.4   | 1.4   | 0.6   | 0.2   | -                | -                | 0.5   | -               | -              |
|               | N | 13      | 4             | 7        | 2           | 2     | 7     | 3     | 1     | 0                | 2                | 10    | 1               | 0              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N | 2,041   | 648           | 1,042    | 350         | 519   | 512   | 521   | 486   | 25               | 66               | 1,871 | 51              | 16             |

Note: There were 57 students who did not provide usable data for Q41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q41. During the past 30 days, on how many days did you have at least one drink of alcohol?

| Males         | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | %   | 42.5      | 56.2          | 38.4     | 29.3        | 57.5  | 43.6  | 32.5  | 34.6  | -                | -                | 41.9  | -               | -              |
|               | N   | 414       | 173           | 193      | 48          | 150   | 109   | 81    | 74    | 7                | 15               | 372   | 12              | 4              |
| 1 or 2 days   | %   | 17.5      | 18.5          | 16.3     | 18.9        | 19.9  | 16.4  | 17.3  | 15.9  | -                | -                | 17.8  | -               | -              |
|               | N   | 170       | 57            | 82       | 31          | 52    | 41    | 43    | 34    | 2                | 5                | 158   | 2               | 2              |
| 3 to 5 days   | %   | 14.6      | 11.7          | 16.1     | 15.2        | 11.1  | 14.4  | 17.7  | 15.4  | -                | -                | 14.9  | -               | -              |
|               | N   | 142       | 36            | 81       | 25          | 29    | 36    | 44    | 33    | 3                | 2                | 132   | 3               | 1              |
| 6 to 9 days   | %   | 13.2      | 8.1           | 14.7     | 18.3        | 7.3   | 13.2  | 15.3  | 18.2  | -                | -                | 13.4  | -               | -              |
|               | N   | 129       | 25            | 74       | 30          | 19    | 33    | 38    | 39    | 1                | 5                | 119   | 3               | 1              |
| 10 to 19 days | %   | 9.2       | 3.9           | 10.6     | 15.2        | 3.4   | 8.0   | 13.7  | 12.6  | -                | -                | 9.1   | -               | -              |
|               | N   | 90        | 12            | 53       | 25          | 9     | 20    | 34    | 27    | 1                | 5                | 81    | 3               | 0              |
| 20 to 29 days | %   | 2.0       | 0.6           | 2.6      | 2.4         | 0.4   | 2.0   | 2.8   | 2.8   | -                | -                | 1.9   | -               | -              |
|               | N   | 19        | 2             | 13       | 4           | 1     | 5     | 7     | 6     | 0                | 1                | 17    | 1               | 0              |
| All 30 days   | %   | 1.0       | 1.0           | 1.2      | 0.6         | 0.4   | 2.4   | 0.8   | 0.5   | -                | -                | 0.9   | -               | -              |
|               | N   | 10        | 3             | 6        | 1           | 1     | 6     | 2     | 1     | 0                | 1                | 8     | 1               | 0              |
| Total         | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N   | 974       | 308           | 502      | 164         | 261   | 250   | 249   | 214   | 14               | 34               | 887   | 25              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q41. During the past 30 days, on how many days did you have at least one drink of alcohol?

| Females       | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | %   | 45.9        | 56.6          | 40.4     | 42.2        | 58.9  | 44.3  | 38.2  | 42.6  | -                | -                | 44.7  | -               | -              |
|               | N   | 488         | 192           | 218      | 78          | 152   | 116   | 104   | 116   | 6                | 20               | 439   | 16              | 2              |
| 1 or 2 days   | %   | 20.8        | 20.9          | 21.9     | 17.3        | 22.5  | 21.4  | 20.6  | 18.8  | -                | -                | 20.4  | -               | -              |
|               | N   | 221         | 71            | 118      | 32          | 58    | 56    | 56    | 51    | 4                | 7                | 201   | 7               | 2              |
| 3 to 5 days   | %   | 15.5        | 12.1          | 17.6     | 15.7        | 12.0  | 14.1  | 20.2  | 15.4  | -                | -                | 16.5  | -               | -              |
|               | N   | 165         | 41            | 95       | 29          | 31    | 37    | 55    | 42    | 1                | 1                | 162   | 0               | 1              |
| 6 to 9 days   | %   | 10.7        | 5.0           | 12.2     | 16.8        | 3.1   | 10.3  | 14.0  | 15.1  | -                | -                | 11.3  | -               | -              |
|               | N   | 114         | 17            | 66       | 31          | 8     | 27    | 38    | 41    | 0                | 2                | 111   | 0               | 1              |
| 10 to 19 days | %   | 6.6         | 5.0           | 7.2      | 7.6         | 3.1   | 9.5   | 5.9   | 7.7   | -                | -                | 6.6   | -               | -              |
|               | N   | 70          | 17            | 39       | 14          | 8     | 25    | 16    | 21    | 0                | 1                | 65    | 2               | 2              |
| 20 to 29 days | %   | 0.3         | 0.0           | 0.6      | 0.0         | 0.0   | 0.0   | 0.7   | 0.4   | -                | -                | 0.3   | -               | -              |
|               | N   | 3           | 0             | 3        | 0           | 0     | 0     | 2     | 1     | 0                | 0                | 3     | 0               | 0              |
| All 30 days   | %   | 0.3         | 0.3           | 0.2      | 0.5         | 0.4   | 0.4   | 0.4   | 0.0   | -                | -                | 0.2   | -               | -              |
|               | N   | 3           | 1             | 1        | 1           | 1     | 1     | 1     | 0     | 0                | 1                | 2     | 0               | 0              |
| Total         | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N   | 1,064       | 339           | 540      | 185         | 258   | 262   | 272   | 272   | 11               | 32               | 983   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q42. During the past 30 days, on how many days did you have five or more drinks of alcohol in a row, that is, within a couple of hours?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days          | % | 59.2    | 72.8          | 54.5     | 48.4        | 75.1  | 59.2  | 49.2  | 53.3  | -                | -               | 58.3  | -               | -              |
|                 | N | 1,227   | 478           | 578      | 171         | 395   | 310   | 259   | 262   | 22               | 44              | 1,108 | 34              | 8              |
| 1 day           | % | 10.8    | 9.7           | 11.6     | 10.2        | 10.5  | 10.7  | 12.9  | 8.9   | -                | -               | 11.1  | -               | -              |
|                 | N | 223     | 64            | 123      | 36          | 55    | 56    | 68    | 44    | 1                | 7               | 210   | 3               | 2              |
| 2 days          | % | 8.2     | 5.9           | 9.4      | 8.5         | 5.7   | 8.6   | 10.8  | 7.5   | -                | -               | 8.4   | -               | -              |
|                 | N | 169     | 39            | 100      | 30          | 30    | 45    | 57    | 37    | 0                | 5               | 160   | 3               | 1              |
| 3 to 5 days     | % | 10.6    | 6.1           | 11.7     | 15.6        | 5.3   | 9.4   | 12.5  | 15.4  | -                | -               | 11.1  | -               | -              |
|                 | N | 220     | 40            | 124      | 55          | 28    | 49    | 66    | 76    | 1                | 2               | 210   | 3               | 3              |
| 6 to 9 days     | % | 7.9     | 3.5           | 9.2      | 11.9        | 2.7   | 8.2   | 10.5  | 10.0  | -                | -               | 7.9   | -               | -              |
|                 | N | 163     | 23            | 98       | 42          | 14    | 43    | 55    | 49    | 1                | 6               | 151   | 4               | 1              |
| 10 to 19 days   | % | 2.8     | 1.7           | 2.9      | 4.8         | 0.6   | 2.9   | 3.6   | 4.5   | -                | -               | 2.7   | -               | -              |
|                 | N | 59      | 11            | 31       | 17          | 3     | 15    | 19    | 22    | 0                | 3               | 52    | 3               | 1              |
| 20 or more days | % | 0.5     | 0.3           | 0.7      | 0.6         | 0.2   | 1.1   | 0.4   | 0.4   | -                | -               | 0.5   | -               | -              |
|                 | N | 11      | 2             | 7        | 2           | 1     | 6     | 2     | 2     | 0                | 1               | 9     | 1               | 0              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                 | N | 2,072   | 657           | 1,061    | 353         | 526   | 524   | 526   | 492   | 25               | 68              | 1,900 | 51              | 16             |

Note: There were 26 students who did not provide usable data for Q42.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q42. During the past 30 days, on how many days did you have five or more drinks of alcohol in a row, that is, within a couple of hours?

| Males           |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                 |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days          | % | 56.3      | 73.5          | 51.5     | 39.2        | 74.6  | 57.5  | 44.8  | 45.8  | -  | -                | 55.7            | -     | -               | -              |
|                 | N | 555       | 228           | 262      | 65          | 197   | 145   | 113   | 99    | 12 | 19               | 500             | 13    | 5               |                |
| 1 day           | % | 9.5       | 8.4           | 10.2     | 9.6         | 9.1   | 10.3  | 10.3  | 8.3   | -  | -                | 9.8             | -     | -               | -              |
|                 | N | 94        | 26            | 52       | 16          | 24    | 26    | 26    | 18    | 0  | 3                | 88              | 2     | 1               |                |
| 2 days          | % | 9.5       | 6.8           | 10.2     | 12.7        | 7.2   | 9.1   | 11.5  | 10.6  | -  | -                | 9.7             | -     | -               | -              |
|                 | N | 94        | 21            | 52       | 21          | 19    | 23    | 29    | 23    | 0  | 4                | 87              | 2     | 1               |                |
| 3 to 5 days     | % | 9.7       | 5.8           | 10.2     | 15.7        | 5.7   | 7.9   | 11.1  | 15.3  | -  | -                | 10.1            | -     | -               | -              |
|                 | N | 96        | 18            | 52       | 26          | 15    | 20    | 28    | 33    | 1  | 1                | 91              | 3     | 0               |                |
| 6 to 9 days     | % | 9.7       | 3.9           | 12.0     | 13.9        | 2.7   | 10.7  | 14.7  | 11.6  | -  | -                | 9.7             | -     | -               | -              |
|                 | N | 96        | 12            | 61       | 23          | 7     | 27    | 37    | 25    | 1  | 5                | 87              | 2     | 1               |                |
| 10 to 19 days   | % | 4.1       | 1.0           | 4.7      | 7.8         | 0.4   | 2.4   | 6.7   | 7.4   | -  | -                | 4.0             | -     | -               | -              |
|                 | N | 40        | 3             | 24       | 13          | 1     | 6     | 17    | 16    | 0  | 2                | 36              | 2     | 0               |                |
| 20 or more days | % | 1.0       | 0.6           | 1.2      | 1.2         | 0.4   | 2.0   | 0.8   | 0.9   | -  | -                | 1.0             | -     | -               | -              |
|                 | N | 10        | 2             | 6        | 2           | 1     | 5     | 2     | 2     | 0  | 0                | 9               | 1     | 0               |                |
| Total           | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                 | N | 985       | 310           | 509      | 166         | 264   | 252   | 252   | 216   | 14 | 34               | 898             | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q42. During the past 30 days, on how many days did you have five or more drinks of alcohol in a row, that is, within a couple of hours?

| Females         |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days          | % | 62.0        | 72.3          | 57.2     | 57.0        | 75.6  | 60.7  | 53.3  | 59.1  | -                | -                | 60.7  | -               | -              |
|                 | N | 672         | 250           | 316      | 106         | 198   | 165   | 146   | 163   | 10               | 25               | 608   | 21              | 3              |
| 1 day           | % | 11.9        | 11.0          | 12.9     | 10.8        | 11.8  | 11.0  | 15.3  | 9.4   | -                | -                | 12.2  | -               | -              |
|                 | N | 129         | 38            | 71       | 20          | 31    | 30    | 42    | 26    | 1                | 4                | 122   | 1               | 1              |
| 2 days          | % | 6.9         | 5.2           | 8.7      | 4.8         | 4.2   | 8.1   | 10.2  | 5.1   | -                | -                | 7.3   | -               | -              |
|                 | N | 75          | 18            | 48       | 9           | 11    | 22    | 28    | 14    | 0                | 1                | 73    | 1               | 0              |
| 3 to 5 days     | % | 11.3        | 6.4           | 13.0     | 15.6        | 5.0   | 10.7  | 13.9  | 15.6  | -                | -                | 11.9  | -               | -              |
|                 | N | 123         | 22            | 72       | 29          | 13    | 29    | 38    | 43    | 0                | 1                | 119   | 0               | 3              |
| 6 to 9 days     | % | 6.0         | 2.9           | 6.7      | 9.7         | 2.7   | 5.9   | 6.6   | 8.7   | -                | -                | 6.3   | -               | -              |
|                 | N | 65          | 10            | 37       | 18          | 7     | 16    | 18    | 24    | 0                | 1                | 63    | 1               | 0              |
| 10 to 19 days   | % | 1.8         | 2.3           | 1.3      | 2.2         | 0.8   | 3.3   | 0.7   | 2.2   | -                | -                | 1.6   | -               | -              |
|                 | N | 19          | 8             | 7        | 4           | 2     | 9     | 2     | 6     | 0                | 1                | 16    | 1               | 1              |
| 20 or more days | % | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                 | N | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 1                | 0     | 0               | 0              |
| Total           | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 1,084       | 346           | 552      | 186         | 262   | 272   | 274   | 276   | 11               | 34               | 1,001 | 25              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q43. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

| Overall       |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | % | 96.0    | 97.3          | 95.3     | 95.8        | 97.2  | 95.1  | 96.2  | 95.5  | -                | -                | 96.3  | -               | -              |
|               | N | 2,005   | 644           | 1,022    | 338         | 516   | 503   | 511   | 471   | 24               | 62               | 1,842 | 50              | 15             |
| 1 or 2 days   | % | 2.6     | 2.1           | 2.7      | 3.4         | 2.8   | 2.1   | 2.3   | 3.4   | -                | -                | 2.5   | -               | -              |
|               | N | 55      | 14            | 29       | 12          | 15    | 11    | 12    | 17    | 1                | 5                | 48    | 0               | 1              |
| 3 to 5 days   | % | 0.6     | 0.0           | 1.0      | 0.3         | 0.0   | 0.9   | 0.9   | 0.4   | -                | -                | 0.6   | -               | -              |
|               | N | 12      | 0             | 11       | 1           | 0     | 5     | 5     | 2     | 0                | 0                | 12    | 0               | 0              |
| 6 to 9 days   | % | 0.3     | 0.5           | 0.3      | 0.0         | 0.0   | 0.9   | 0.0   | 0.2   | -                | -                | 0.2   | -               | -              |
|               | N | 6       | 3             | 3        | 0           | 0     | 5     | 0     | 1     | 0                | 2                | 4     | 0               | 0              |
| 10 to 19 days | % | 0.2     | 0.2           | 0.3      | 0.3         | 0.0   | 0.6   | 0.0   | 0.4   | -                | -                | 0.2   | -               | -              |
|               | N | 5       | 1             | 3        | 1           | 0     | 3     | 0     | 2     | 0                | 1                | 3     | 1               | 0              |
| 20 to 29 days | % | 0.1     | 0.0           | 0.1      | 0.3         | 0.0   | 0.2   | 0.2   | 0.0   | -                | -                | 0.1   | -               | -              |
|               | N | 2       | 0             | 1        | 1           | 0     | 1     | 1     | 0     | 0                | 0                | 2     | 0               | 0              |
| All 30 days   | % | 0.1     | 0.0           | 0.3      | 0.0         | 0.0   | 0.2   | 0.4   | 0.0   | -                | -                | 0.1   | -               | -              |
|               | N | 3       | 0             | 3        | 0           | 0     | 1     | 2     | 0     | 0                | 0                | 2     | 1               | 0              |
| Total         | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N | 2,088   | 662           | 1,072    | 353         | 531   | 529   | 531   | 493   | 25               | 70               | 1,913 | 52              | 16             |

Note: There were 10 students who did not provide usable data for Q43.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q43. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

| Males         | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|               |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days        | %   | 95.0      | 97.5          | 93.4     | 95.2        | 97.8  | 93.3  | 95.7  | 92.6  | -                | -                | 95.4  | -               | -              |
|               | N   | 944       | 306           | 480      | 158         | 261   | 238   | 243   | 201   | 13               | 29               | 864   | 24              | 8              |
| 1 or 2 days   | %   | 3.0       | 1.6           | 3.7      | 3.6         | 2.2   | 2.4   | 2.8   | 5.1   | -                | -                | 2.9   | -               | -              |
|               | N   | 30        | 5             | 19       | 6           | 6     | 6     | 7     | 11    | 1                | 3                | 26    | 0               | 0              |
| 3 to 5 days   | %   | 0.7       | 0.0           | 1.2      | 0.6         | 0.0   | 1.2   | 0.8   | 0.9   | -                | -                | 0.8   | -               | -              |
|               | N   | 7         | 0             | 6        | 1           | 0     | 3     | 2     | 2     | 0                | 0                | 7     | 0               | 0              |
| 6 to 9 days   | %   | 0.5       | 0.6           | 0.6      | 0.0         | 0.0   | 1.6   | 0.0   | 0.5   | -                | -                | 0.3   | -               | -              |
|               | N   | 5         | 2             | 3        | 0           | 0     | 4     | 0     | 1     | 0                | 2                | 3     | 0               | 0              |
| 10 to 19 days | %   | 0.4       | 0.3           | 0.4      | 0.6         | 0.0   | 0.8   | 0.0   | 0.9   | -                | -                | 0.3   | -               | -              |
|               | N   | 4         | 1             | 2        | 1           | 0     | 2     | 0     | 2     | 0                | 0                | 3     | 1               | 0              |
| 20 to 29 days | %   | 0.1       | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|               | N   | 1         | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |
| All 30 days   | %   | 0.3       | 0.0           | 0.6      | 0.0         | 0.0   | 0.4   | 0.8   | 0.0   | -                | -                | 0.2   | -               | -              |
|               | N   | 3         | 0             | 3        | 0           | 0     | 1     | 2     | 0     | 0                | 0                | 2     | 1               | 0              |
| Total         | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|               | N   | 994       | 314           | 514      | 166         | 267   | 255   | 254   | 217   | 14               | 34               | 906   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q43. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

| Females       |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|---------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|               |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| 0 days        | % | 97.0        | 97.1          | 97.1     | 96.2        | 96.6  | 96.7  | 96.8  | 97.8  | -                | -                | 97.1  | -               | -              |  |
|               | N | 1,058       | 337           | 542      | 179         | 255   | 265   | 268   | 270   | 11               | 33               | 977   | 25              | 7              |  |
| 1 or 2 days   | % | 2.3         | 2.6           | 1.8      | 3.2         | 3.4   | 1.8   | 1.8   | 2.2   | -                | -                | 2.2   | -               | -              |  |
|               | N | 25          | 9             | 10       | 6           | 9     | 5     | 5     | 6     | 0                | 2                | 22    | 0               | 1              |  |
| 3 to 5 days   | % | 0.5         | 0.0           | 0.9      | 0.0         | 0.0   | 0.7   | 1.1   | 0.0   | -                | -                | 0.5   | -               | -              |  |
|               | N | 5           | 0             | 5        | 0           | 0     | 2     | 3     | 0     | 0                | 0                | 5     | 0               | 0              |  |
| 6 to 9 days   | % | 0.1         | 0.3           | 0.0      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |  |
|               | N | 1           | 1             | 0        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |  |
| 10 to 19 days | % | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |  |
|               | N | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 1                | 0     | 0               | 0              |  |
| 20 to 29 days | % | 0.1         | 0.0           | 0.0      | 0.5         | 0.0   | 0.0   | 0.4   | 0.0   | -                | -                | 0.1   | -               | -              |  |
|               | N | 1           | 0             | 0        | 1           | 0     | 0     | 1     | 0     | 0                | 0                | 1     | 0               | 0              |  |
| All 30 days   | % | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |  |
|               | N | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |  |
| Total         | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|               | N | 1,091       | 347           | 558      | 186         | 264   | 274   | 277   | 276   | 11               | 36               | 1,006 | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q44. During your life, how many times have you used marijuana?

| Overall           |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                   |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times           | % | 68.8    | 80.1          | 64.7     | 60.3        | 83.4  | 67.8  | 62.2  | 61.7  | -                | -                | 69.9  | -               | -              |
|                   | N | 1,435   | 530           | 692      | 213         | 443   | 358   | 329   | 304   | 11               | 36               | 1,335 | 33              | 9              |
| 1 or 2 times      | % | 7.7     | 6.9           | 7.9      | 8.8         | 6.0   | 7.4   | 9.6   | 7.9   | -                | -                | 7.6   | -               | -              |
|                   | N | 161     | 46            | 84       | 31          | 32    | 39    | 51    | 39    | 5                | 9                | 145   | 2               | 0              |
| 3 to 9 times      | % | 5.8     | 3.9           | 6.3      | 7.6         | 3.4   | 5.1   | 7.8   | 6.9   | -                | -                | 5.8   | -               | -              |
|                   | N | 121     | 26            | 67       | 27          | 18    | 27    | 41    | 34    | 1                | 4                | 111   | 3               | 1              |
| 10 to 19 times    | % | 3.5     | 1.4           | 4.3      | 5.4         | 0.6   | 3.8   | 4.3   | 5.5   | -                | -                | 3.4   | -               | -              |
|                   | N | 74      | 9             | 46       | 19          | 3     | 20    | 23    | 27    | 1                | 8                | 64    | 1               | 0              |
| 20 to 39 times    | % | 4.4     | 3.3           | 4.8      | 5.4         | 3.0   | 4.5   | 4.2   | 6.1   | -                | -                | 4.3   | -               | -              |
|                   | N | 92      | 22            | 51       | 19          | 16    | 24    | 22    | 30    | 3                | 1                | 83    | 3               | 2              |
| 40 to 99 times    | % | 2.9     | 2.4           | 2.9      | 3.7         | 1.3   | 3.6   | 2.8   | 3.7   | -                | -                | 2.7   | -               | -              |
|                   | N | 60      | 16            | 31       | 13          | 7     | 19    | 15    | 18    | 0                | 4                | 51    | 3               | 2              |
| 100 or more times | % | 6.8     | 2.0           | 9.2      | 8.8         | 2.3   | 7.8   | 9.1   | 8.3   | -                | -                | 6.3   | -               | -              |
|                   | N | 142     | 13            | 98       | 31          | 12    | 41    | 48    | 41    | 5                | 9                | 120   | 6               | 2              |
| Total             | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                   | N | 2,085   | 662           | 1,069    | 353         | 531   | 528   | 529   | 493   | 26               | 71               | 1,909 | 51              | 16             |

Note: There were 13 students who did not provide usable data for Q44.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q44. During your life, how many times have you used marijuana?

| Males             |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                   |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times           | % | 65.4      | 79.0          | 60.5     | 55.1        | 82.0  | 63.9  | 56.5  | 57.6  | -  | -                | 66.7            | -     | -               | -              |
|                   | N | 649       | 248           | 309      | 92          | 218   | 163   | 143   | 125   | 5  | 12               | 603             | 16    | 7               | 7              |
| 1 or 2 times      | % | 7.8       | 7.0           | 8.0      | 8.4         | 6.8   | 6.3   | 10.7  | 7.4   | -  | -                | 7.4             | -     | -               | -              |
|                   | N | 77        | 22            | 41       | 14          | 18    | 16    | 27    | 16    | 5  | 4                | 67              | 1     | 0               | 0              |
| 3 to 9 times      | % | 5.6       | 3.5           | 6.5      | 7.2         | 3.0   | 4.7   | 7.9   | 7.4   | -  | -                | 5.9             | -     | -               | -              |
|                   | N | 56        | 11            | 33       | 12          | 8     | 12    | 20    | 16    | 0  | 2                | 53              | 1     | 0               | 0              |
| 10 to 19 times    | % | 4.0       | 1.3           | 5.1      | 6.0         | 0.4   | 4.7   | 5.5   | 6.0   | -  | -                | 3.8             | -     | -               | -              |
|                   | N | 40        | 4             | 26       | 10          | 1     | 12    | 14    | 13    | 1  | 5                | 34              | 0     | 0               | 0              |
| 20 to 39 times    | % | 4.1       | 3.8           | 4.3      | 4.2         | 3.4   | 5.9   | 3.2   | 4.1   | -  | -                | 4.1             | -     | -               | -              |
|                   | N | 41        | 12            | 22       | 7           | 9     | 15    | 8     | 9     | 1  | 0                | 37              | 2     | 1               | 1              |
| 40 to 99 times    | % | 3.5       | 3.2           | 3.1      | 5.4         | 1.9   | 3.9   | 2.8   | 5.5   | -  | -                | 3.2             | -     | -               | -              |
|                   | N | 35        | 10            | 16       | 9           | 5     | 10    | 7     | 12    | 0  | 3                | 29              | 3     | 0               | 0              |
| 100 or more times | % | 9.5       | 2.2           | 12.5     | 13.8        | 2.6   | 10.6  | 13.4  | 12.0  | -  | -                | 9.0             | -     | -               | -              |
|                   | N | 94        | 7             | 64       | 23          | 7     | 27    | 34    | 26    | 3  | 8                | 81              | 2     | 0               | 0              |
| Total             | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                   | N | 992       | 314           | 511      | 167         | 266   | 255   | 253   | 217   | 15 | 34               | 904             | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q44. During your life, how many times have you used marijuana?

| Females           |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                   |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times           | % | 72.0        | 81.3          | 68.6     | 64.9        | 84.9  | 71.4  | 67.4  | 64.9  | -  | -                | 72.9            | -     | -               | -              |
|                   | N | 785         | 282           | 383      | 120         | 225   | 195   | 186   | 179   | 6  | 24               | 732             | 16    | 2               | 2              |
| 1 or 2 times      | % | 7.7         | 6.9           | 7.7      | 9.2         | 5.3   | 8.4   | 8.7   | 8.3   | -  | -                | 7.8             | -     | -               | -              |
|                   | N | 84          | 24            | 43       | 17          | 14    | 23    | 24    | 23    | 0  | 5                | 78              | 1     | 0               | 0              |
| 3 to 9 times      | % | 5.9         | 4.3           | 6.1      | 8.1         | 3.8   | 5.5   | 7.6   | 6.5   | -  | -                | 5.8             | -     | -               | -              |
|                   | N | 64          | 15            | 34       | 15          | 10    | 15    | 21    | 18    | 1  | 2                | 58              | 2     | 1               | 1              |
| 10 to 19 times    | % | 3.0         | 1.2           | 3.6      | 4.9         | 0.8   | 2.9   | 3.3   | 5.1   | -  | -                | 2.9             | -     | -               | -              |
|                   | N | 33          | 4             | 20       | 9           | 2     | 8     | 9     | 14    | 0  | 3                | 29              | 1     | 0               | 0              |
| 20 to 39 times    | % | 4.7         | 2.9           | 5.2      | 6.5         | 2.6   | 3.3   | 5.1   | 7.6   | -  | -                | 4.6             | -     | -               | -              |
|                   | N | 51          | 10            | 29       | 12          | 7     | 9     | 14    | 21    | 2  | 1                | 46              | 1     | 1               | 1              |
| 40 to 99 times    | % | 2.3         | 1.7           | 2.7      | 2.2         | 0.8   | 3.3   | 2.9   | 2.2   | -  | -                | 2.2             | -     | -               | -              |
|                   | N | 25          | 6             | 15       | 4           | 2     | 9     | 8     | 6     | 0  | 1                | 22              | 0     | 2               | 2              |
| 100 or more times | % | 4.4         | 1.7           | 6.1      | 4.3         | 1.9   | 5.1   | 5.1   | 5.4   | -  | -                | 3.9             | -     | -               | -              |
|                   | N | 48          | 6             | 34       | 8           | 5     | 14    | 14    | 15    | 2  | 1                | 39              | 4     | 2               | 2              |
| Total             | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                   | N | 1,090       | 347           | 558      | 185         | 265   | 273   | 276   | 276   | 11 | 37               | 1,004           | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q45. How old were you when you tried marijuana for the first time?

| Overall                |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never tried marijuana  | % | 68.8    | 80.0          | 64.6     | 60.5        | 83.5  | 67.7  | 62.0  | 61.8  | -                | -                | 69.9  | -               | -              |
|                        | N | 1,436   | 531           | 692      | 213         | 444   | 358   | 329   | 304   | 11               | 37               | 1,335 | 33              | 9              |
| 8 years old or younger | % | 0.6     | 0.3           | 0.9      | 0.3         | 0.2   | 1.5   | 0.8   | 0.0   | -                | -                | 0.5   | -               | -              |
|                        | N | 13      | 2             | 10       | 1           | 1     | 8     | 4     | 0     | 0                | 1                | 10    | 2               | 0              |
| 9 or 10 years old      | % | 0.9     | 1.2           | 1.0      | 0.0         | 1.1   | 1.5   | 0.8   | 0.2   | -                | -                | 0.8   | -               | -              |
|                        | N | 19      | 8             | 11       | 0           | 6     | 8     | 4     | 1     | 0                | 3                | 15    | 1               | 0              |
| 11 or 12 years old     | % | 3.5     | 3.6           | 3.7      | 2.6         | 3.0   | 5.3   | 3.2   | 2.4   | -                | -                | 3.1   | -               | -              |
|                        | N | 73      | 24            | 40       | 9           | 16    | 28    | 17    | 12    | 2                | 2                | 60    | 6               | 3              |
| 13 or 14 years old     | % | 11.8    | 12.3          | 13.2     | 6.8         | 10.7  | 15.3  | 11.7  | 9.1   | -                | -                | 11.4  | -               | -              |
|                        | N | 247     | 82            | 141      | 24          | 57    | 81    | 62    | 45    | 8                | 16               | 218   | 3               | 2              |
| 15 or 16 years old     | % | 11.5    | 2.6           | 14.6     | 19.0        | 1.5   | 8.7   | 18.5  | 17.9  | -                | -                | 11.5  | -               | -              |
|                        | N | 241     | 17            | 156      | 67          | 8     | 46    | 98    | 88    | 5                | 9                | 220   | 5               | 1              |
| 17 years old or older  | % | 2.8     | 0.0           | 2.0      | 10.8        | 0.0   | 0.0   | 3.2   | 8.5   | -                | -                | 2.8   | -               | -              |
|                        | N | 59      | 0             | 21       | 38          | 0     | 0     | 17    | 42    | 0                | 4                | 53    | 1               | 1              |
| Total                  | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N | 2,088   | 664           | 1,071    | 352         | 532   | 529   | 531   | 492   | 26               | 72               | 1,911 | 51              | 16             |

Note: There were 10 students who did not provide usable data for Q45.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q45. How old were you when you tried marijuana for the first time?

| Males                  | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never tried marijuana  | %   | 65.3      | 79.0          | 60.2     | 55.1        | 82.0  | 63.9  | 56.1  | 57.6  | -                | -                | 66.6  | -               | -              |
|                        | N   | 649       | 248           | 309      | 92          | 218   | 163   | 143   | 125   | 5                | 12               | 603   | 16              | 7              |
| 8 years old or younger | %   | 1.2       | 0.6           | 1.8      | 0.6         | 0.4   | 2.7   | 1.6   | 0.0   | -                | -                | 1.1   | -               | -              |
|                        | N   | 12        | 2             | 9        | 1           | 1     | 7     | 4     | 0     | 0                | 1                | 10    | 1               | 0              |
| 9 or 10 years old      | %   | 1.2       | 1.9           | 1.2      | 0.0         | 1.5   | 1.6   | 1.6   | 0.0   | -                | -                | 1.1   | -               | -              |
|                        | N   | 12        | 6             | 6        | 0           | 4     | 4     | 4     | 0     | 0                | 2                | 10    | 0               | 0              |
| 11 or 12 years old     | %   | 4.4       | 3.2           | 5.1      | 4.8         | 2.6   | 6.7   | 3.9   | 4.6   | -                | -                | 3.9   | -               | -              |
|                        | N   | 44        | 10            | 26       | 8           | 7     | 17    | 10    | 10    | 1                | 2                | 35    | 5               | 1              |
| 13 or 14 years old     | %   | 12.8      | 12.7          | 13.6     | 10.2        | 11.7  | 15.3  | 11.8  | 12.0  | -                | -                | 12.4  | -               | -              |
|                        | N   | 127       | 40            | 70       | 17          | 31    | 39    | 30    | 26    | 6                | 9                | 112   | 0               | 0              |
| 15 or 16 years old     | %   | 12.2      | 2.5           | 16.0     | 18.6        | 1.9   | 9.8   | 20.8  | 17.5  | -                | -                | 12.3  | -               | -              |
|                        | N   | 121       | 8             | 82       | 31          | 5     | 25    | 53    | 38    | 3                | 4                | 111   | 3               | 0              |
| 17 years old or older  | %   | 2.9       | 0.0           | 2.1      | 10.8        | 0.0   | 0.0   | 4.3   | 8.3   | -                | -                | 2.8   | -               | -              |
|                        | N   | 29        | 0             | 11       | 18          | 0     | 0     | 11    | 18    | 0                | 4                | 25    | 0               | 0              |
| Total                  | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N   | 994       | 314           | 513      | 167         | 266   | 255   | 255   | 217   | 15               | 34               | 906   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q45. How old were you when you tried marijuana for the first time?

| Females                | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never tried marijuana  | %   | 72.0        | 81.1          | 68.6     | 65.2        | 85.0  | 71.2  | 67.4  | 65.1  | -                | -                | 72.9  | -               | -              |
|                        | N   | 786         | 283           | 383      | 120         | 226   | 195   | 186   | 179   | 6                | 25               | 732   | 16              | 2              |
| 8 years old or younger | %   | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                        | N   | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 0     | 1               | 0              |
| 9 or 10 years old      | %   | 0.6         | 0.6           | 0.9      | 0.0         | 0.8   | 1.5   | 0.0   | 0.4   | -                | -                | 0.5   | -               | -              |
|                        | N   | 7           | 2             | 5        | 0           | 2     | 4     | 0     | 1     | 0                | 1                | 5     | 1               | 0              |
| 11 or 12 years old     | %   | 2.7         | 4.0           | 2.5      | 0.5         | 3.4   | 4.0   | 2.5   | 0.7   | -                | -                | 2.5   | -               | -              |
|                        | N   | 29          | 14            | 14       | 1           | 9     | 11    | 7     | 2     | 1                | 0                | 25    | 1               | 2              |
| 13 or 14 years old     | %   | 10.9        | 11.7          | 12.7     | 3.8         | 9.8   | 15.3  | 11.6  | 6.9   | -                | -                | 10.5  | -               | -              |
|                        | N   | 119         | 41            | 71       | 7           | 26    | 42    | 32    | 19    | 2                | 7                | 105   | 3               | 2              |
| 15 or 16 years old     | %   | 10.9        | 2.6           | 13.3     | 19.6        | 1.1   | 7.7   | 16.3  | 18.2  | -                | -                | 10.9  | -               | -              |
|                        | N   | 119         | 9             | 74       | 36          | 3     | 21    | 45    | 50    | 2                | 5                | 109   | 2               | 1              |
| 17 years old or older  | %   | 2.7         | 0.0           | 1.8      | 10.9        | 0.0   | 0.0   | 2.2   | 8.7   | -                | -                | 2.8   | -               | -              |
|                        | N   | 30          | 0             | 10       | 20          | 0     | 0     | 6     | 24    | 0                | 0                | 28    | 1               | 1              |
| Total                  | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N   | 1,091       | 349           | 558      | 184         | 266   | 274   | 276   | 275   | 11               | 38               | 1,004 | 25              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q46. During the past 30 days, how many times did you use marijuana?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 84.4    | 90.0          | 81.4     | 83.1        | 92.1  | 81.8  | 81.1  | 82.6  | -                | -                | 85.2  | -               | -              |
|                  | N | 1,762   | 594           | 873      | 294         | 488   | 432   | 430   | 409   | 16               | 54               | 1,629 | 41              | 10             |
| 1 or 2 times     | % | 5.4     | 3.6           | 6.6      | 4.8         | 2.5   | 6.3   | 7.2   | 5.5   | -                | -                | 5.4   | -               | -              |
|                  | N | 112     | 24            | 71       | 17          | 13    | 33    | 38    | 27    | 2                | 4                | 104   | 2               | 0              |
| 3 to 9 times     | % | 4.5     | 3.5           | 4.8      | 5.4         | 3.2   | 4.5   | 5.1   | 5.1   | -                | -                | 4.0   | -               | -              |
|                  | N | 93      | 23            | 51       | 19          | 17    | 24    | 27    | 25    | 3                | 6                | 77    | 4               | 3              |
| 10 to 19 times   | % | 2.1     | 2.0           | 2.1      | 2.5         | 1.1   | 2.5   | 2.1   | 2.8   | -                | -                | 1.9   | -               | -              |
|                  | N | 44      | 13            | 22       | 9           | 6     | 13    | 11    | 14    | 1                | 2                | 36    | 2               | 3              |
| 20 to 39 times   | % | 1.4     | 0.6           | 1.7      | 2.3         | 0.4   | 1.7   | 1.5   | 2.2   | -                | -                | 1.3   | -               | -              |
|                  | N | 30      | 4             | 18       | 8           | 2     | 9     | 8     | 11    | 2                | 3                | 25    | 0               | 0              |
| 40 or more times | % | 2.2     | 0.3           | 3.5      | 2.0         | 0.8   | 3.2   | 3.0   | 1.8   | -                | -                | 2.1   | -               | -              |
|                  | N | 46      | 2             | 37       | 7           | 4     | 17    | 16    | 9     | 1                | 3                | 41    | 1               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 2,087   | 660           | 1,072    | 354         | 530   | 528   | 530   | 495   | 25               | 72               | 1,912 | 50              | 16             |

Note: There were 11 students who did not provide usable data for Q46.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q46. During the past 30 days, how many times did you use marijuana?

| Males            | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | %   | 81.1      | 89.7          | 77.0     | 77.7        | 91.3  | 77.3  | 74.7  | 80.6  | -                | -               | 81.8  | -               | -              |
|                  | N   | 804       | 280           | 395      | 129         | 242   | 197   | 189   | 175   | 10               | 22              | 740   | 19              | 7              |
| 1 or 2 times     | %   | 5.7       | 3.2           | 7.4      | 4.8         | 3.0   | 5.9   | 9.5   | 4.1   | -                | -               | 5.7   | -               | -              |
|                  | N   | 56        | 10            | 38       | 8           | 8     | 15    | 24    | 9     | 1                | 3               | 52    | 0               | 0              |
| 3 to 9 times     | %   | 5.1       | 3.8           | 5.7      | 6.0         | 3.4   | 6.7   | 5.9   | 4.6   | -                | -               | 4.9   | -               | -              |
|                  | N   | 51        | 12            | 29       | 10          | 9     | 17    | 15    | 10    | 1                | 3               | 44    | 2               | 1              |
| 10 to 19 times   | %   | 2.3       | 1.6           | 2.5      | 3.0         | 0.4   | 3.1   | 2.4   | 3.7   | -                | -               | 2.1   | -               | -              |
|                  | N   | 23        | 5             | 13       | 5           | 1     | 8     | 6     | 8     | 0                | 2               | 19    | 2               | 0              |
| 20 to 39 times   | %   | 2.3       | 1.0           | 2.3      | 4.8         | 0.8   | 1.6   | 3.2   | 4.1   | -                | -               | 2.1   | -               | -              |
|                  | N   | 23        | 3             | 12       | 8           | 2     | 4     | 8     | 9     | 1                | 3               | 19    | 0               | 0              |
| 40 or more times | %   | 3.4       | 0.6           | 5.1      | 3.6         | 1.1   | 5.5   | 4.3   | 2.8   | -                | -               | 3.4   | -               | -              |
|                  | N   | 34        | 2             | 26       | 6           | 3     | 14    | 11    | 6     | 1                | 1               | 31    | 1               | 0              |
| Total            | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N   | 991       | 312           | 513      | 166         | 265   | 255   | 253   | 217   | 14               | 34              | 905   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q46. During the past 30 days, how many times did you use marijuana?

| Females          |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                  |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 87.5  | 90.5        | 85.5          | 87.7     | 92.8        | 86.1  | 87.0  | 84.2  | -    | -                | 88.4             | -     | -               |                |
|                  | N | 956   | 314         | 478           | 164      | 246         | 235   | 241   | 234   | 6    | 32               | 889              | 21    | 3               |                |
| 1 or 2 times     | % | 5.0   | 3.7         | 5.9           | 4.8      | 1.9         | 6.6   | 5.1   | 6.5   | -    | -                | 5.1              | -     | -               |                |
|                  | N | 55    | 13          | 33            | 9        | 5           | 18    | 14    | 18    | 1    | 1                | 51               | 2     | 0               |                |
| 3 to 9 times     | % | 3.8   | 3.2         | 3.9           | 4.8      | 3.0         | 2.6   | 4.3   | 5.4   | -    | -                | 3.3              | -     | -               |                |
|                  | N | 42    | 11          | 22            | 9        | 8           | 7     | 12    | 15    | 2    | 3                | 33               | 2     | 2               |                |
| 10 to 19 times   | % | 1.9   | 2.3         | 1.6           | 2.1      | 1.9         | 1.8   | 1.8   | 2.2   | -    | -                | 1.7              | -     | -               |                |
|                  | N | 21    | 8           | 9             | 4        | 5           | 5     | 5     | 6     | 1    | 0                | 17               | 0     | 3               |                |
| 20 to 39 times   | % | 0.6   | 0.3         | 1.1           | 0.0      | 0.0         | 1.8   | 0.0   | 0.7   | -    | -                | 0.6              | -     | -               |                |
|                  | N | 7     | 1           | 6             | 0        | 0           | 5     | 0     | 2     | 1    | 0                | 6                | 0     | 0               |                |
| 40 or more times | % | 1.1   | 0.0         | 2.0           | 0.5      | 0.4         | 1.1   | 1.8   | 1.1   | -    | -                | 1.0              | -     | -               |                |
|                  | N | 12    | 0           | 11            | 1        | 1           | 3     | 5     | 3     | 0    | 2                | 10               | 0     | 0               |                |
| Total            | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                  | N | 1,093 | 347         | 559           | 187      | 265         | 273   | 277   | 278   | 11   | 38               | 1,006            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q47. During the past 30 days, how many times did you use marijuana on school property?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 96.7    | 98.0          | 95.9     | 96.9        | 98.3  | 95.7  | 96.8  | 96.2  | -                | -                | 97.2  | -               | -              |
|                  | N | 2,021   | 649           | 1,029    | 342         | 522   | 506   | 514   | 475   | 23               | 66               | 1,859 | 47              | 14             |
| 1 or 2 times     | % | 1.8     | 1.5           | 2.1      | 1.4         | 1.3   | 1.9   | 2.1   | 2.0   | -                | -                | 1.7   | -               | -              |
|                  | N | 38      | 10            | 23       | 5           | 7     | 10    | 11    | 10    | 2                | 0                | 33    | 1               | 2              |
| 3 to 9 times     | % | 0.8     | 0.5           | 0.7      | 1.4         | 0.2   | 0.9   | 0.6   | 1.4   | -                | -                | 0.6   | -               | -              |
|                  | N | 16      | 3             | 8        | 5           | 1     | 5     | 3     | 7     | 0                | 3                | 12    | 1               | 0              |
| 10 to 19 times   | % | 0.5     | 0.0           | 0.8      | 0.3         | 0.2   | 0.9   | 0.6   | 0.2   | -                | -                | 0.4   | -               | -              |
|                  | N | 10      | 0             | 9        | 1           | 1     | 5     | 3     | 1     | 0                | 2                | 8     | 0               | 0              |
| 20 to 39 times   | % | 0.1     | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N | 2       | 0             | 2        | 0           | 0     | 2     | 0     | 0     | 1                | 1                | 0     | 0               | 0              |
| 40 or more times | % | 0.1     | 0.0           | 0.2      | 0.0         | 0.0   | 0.2   | 0.0   | 0.2   | -                | -                | 0.1   | -               | -              |
|                  | N | 2       | 0             | 2        | 0           | 0     | 1     | 0     | 1     | 0                | 0                | 1     | 1               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 2,089   | 662           | 1,073    | 353         | 531   | 529   | 531   | 494   | 26               | 72               | 1,913 | 50              | 16             |

Note: There were 9 students who did not provide usable data for Q47.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q47. During the past 30 days, how many times did you use marijuana on school property?

| Males            | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 95.2      | 97.4          | 94.0     | 94.5        | 97.7  | 92.9  | 95.3  | 94.4  | -                | -                | 95.8  | -               | -              |
|                  | N   | 944       | 305           | 483      | 156         | 260   | 237   | 242   | 204   | 13               | 29               | 867   | 21              | 8              |
| 1 or 2 times     | %   | 2.2       | 1.6           | 2.7      | 1.8         | 1.5   | 2.7   | 3.1   | 1.4   | -                | -                | 2.2   | -               | -              |
|                  | N   | 22        | 5             | 14       | 3           | 4     | 7     | 8     | 3     | 1                | 0                | 20    | 1               | 0              |
| 3 to 9 times     | %   | 1.3       | 1.0           | 1.0      | 3.0         | 0.4   | 1.6   | 0.4   | 3.2   | -                | -                | 1.0   | -               | -              |
|                  | N   | 13        | 3             | 5        | 5           | 1     | 4     | 1     | 7     | 0                | 3                | 9     | 1               | 0              |
| 10 to 19 times   | %   | 1.0       | 0.0           | 1.8      | 0.6         | 0.4   | 2.0   | 1.2   | 0.5   | -                | -                | 0.9   | -               | -              |
|                  | N   | 10        | 0             | 9        | 1           | 1     | 5     | 3     | 1     | 0                | 2                | 8     | 0               | 0              |
| 20 to 39 times   | %   | 0.1       | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 1         | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 1                | 0                | 0     | 0               | 0              |
| 40 or more times | %   | 0.2       | 0.0           | 0.4      | 0.0         | 0.0   | 0.4   | 0.0   | 0.5   | -                | -                | 0.1   | -               | -              |
|                  | N   | 2         | 0             | 2        | 0           | 0     | 1     | 0     | 1     | 0                | 0                | 1     | 1               | 0              |
| Total            | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 992       | 313           | 514      | 165         | 266   | 255   | 254   | 216   | 15               | 34               | 905   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q47. During the past 30 days, how many times did you use marijuana on school property?

| Females          | Age         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | %           | 98.2          | 98.6     | 97.7        | 98.9  | 98.2  | 98.2  | 97.5  | -                | -               | 98.4  | -               | -              |
|                  | N           | 1,074         | 343      | 546         | 185   | 262   | 269   | 272   | 10               | 37              | 991   | 25              | 6              |
| 1 or 2 times     | %           | 1.5           | 1.4      | 1.6         | 1.1   | 1.1   | 1.1   | 2.5   | -                | -               | 1.3   | -               | -              |
|                  | N           | 16            | 5        | 9           | 2     | 3     | 3     | 7     | 1                | 0               | 13    | 0               | 2              |
| 3 to 9 times     | %           | 0.3           | 0.0      | 0.5         | 0.0   | 0.0   | 0.4   | 0.0   | -                | -               | 0.3   | -               | -              |
|                  | N           | 3             | 0        | 3           | 0     | 0     | 1     | 0     | 0                | 0               | 3     | 0               | 0              |
| 10 to 19 times   | %           | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -               | 0.0   | -               | -              |
|                  | N           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0               | 0     | 0               | 0              |
| 20 to 39 times   | %           | 0.1           | 0.0      | 0.2         | 0.0   | 0.0   | 0.4   | 0.0   | -                | -               | 0.0   | -               | -              |
|                  | N           | 1             | 0        | 1           | 0     | 0     | 1     | 0     | 0                | 1               | 0     | 0               | 0              |
| 40 or more times | %           | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -               | 0.0   | -               | -              |
|                  | N           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0               | 0     | 0               | 0              |
| Total            | %           | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N           | 1,094         | 348      | 559         | 187   | 265   | 274   | 277   | 11               | 38              | 1,007 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q48. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 93.2    | 96.2          | 91.6     | 92.1        | 97.0  | 92.2  | 91.3  | 91.9  | -                | -                | 93.4  | -               | -              |
|                  | N | 1,947   | 636           | 982      | 328         | 514   | 488   | 485   | 456   | 24               | 64               | 1,787 | 46              | 14             |
| 1 or 2 times     | % | 3.2     | 2.7           | 3.5      | 3.1         | 2.1   | 3.4   | 4.1   | 3.0   | -                | -                | 3.1   | -               | -              |
|                  | N | 66      | 18            | 37       | 11          | 11    | 18    | 22    | 15    | 1                | 3                | 60    | 1               | 1              |
| 3 to 9 times     | % | 1.5     | 0.5           | 2.0      | 2.0         | 0.4   | 1.7   | 1.9   | 2.0   | -                | -                | 1.4   | -               | -              |
|                  | N | 31      | 3             | 21       | 7           | 2     | 9     | 10    | 10    | 0                | 2                | 27    | 1               | 1              |
| 10 to 19 times   | % | 0.5     | 0.3           | 0.7      | 0.6         | 0.2   | 0.6   | 0.2   | 1.2   | -                | -                | 0.6   | -               | -              |
|                  | N | 11      | 2             | 7        | 2           | 1     | 3     | 1     | 6     | 0                | 0                | 11    | 0               | 0              |
| 20 to 39 times   | % | 0.5     | 0.2           | 0.7      | 0.8         | 0.2   | 0.6   | 0.6   | 0.8   | -                | -                | 0.4   | -               | -              |
|                  | N | 11      | 1             | 7        | 3           | 1     | 3     | 3     | 4     | 1                | 1                | 7     | 2               | 0              |
| 40 or more times | % | 1.1     | 0.2           | 1.7      | 1.4         | 0.2   | 1.5   | 1.9   | 1.0   | -                | -                | 1.1   | -               | -              |
|                  | N | 24      | 1             | 18       | 5           | 1     | 8     | 10    | 5     | 0                | 1                | 22    | 1               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 2,090   | 661           | 1,072    | 356         | 530   | 529   | 531   | 496   | 26               | 71               | 1,914 | 51              | 16             |

Note: There were 8 students who did not provide usable data for Q48.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q48. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

| Males            |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 92.2      | 96.1          | 91.8     | 86.3        | 97.3  | 92.2  | 91.3  | 87.2  | -                | -                | 92.4  | -               | -              |
|                  | N | 915       | 299           | 471      | 145         | 257   | 235   | 232   | 190   | 13               | 30               | 836   | 22              | 8              |
| 1 or 2 times     | % | 3.4       | 2.3           | 3.5      | 5.4         | 1.5   | 2.4   | 5.1   | 5.0   | -                | -                | 3.5   | -               | -              |
|                  | N | 34        | 7             | 18       | 9           | 4     | 6     | 13    | 11    | 1                | 0                | 32    | 1               | 0              |
| 3 to 9 times     | % | 1.6       | 1.0           | 1.6      | 3.0         | 0.8   | 1.6   | 1.6   | 2.8   | -                | -                | 1.5   | -               | -              |
|                  | N | 16        | 3             | 8        | 5           | 2     | 4     | 4     | 6     | 0                | 2                | 14    | 0               | 0              |
| 10 to 19 times   | % | 0.6       | 0.3           | 0.6      | 1.2         | 0.0   | 0.8   | 0.0   | 1.8   | -                | -                | 0.7   | -               | -              |
|                  | N | 6         | 1             | 3        | 2           | 0     | 2     | 0     | 4     | 0                | 0                | 6     | 0               | 0              |
| 20 to 39 times   | % | 0.7       | 0.3           | 0.8      | 1.2         | 0.4   | 0.8   | 0.4   | 1.4   | -                | -                | 0.4   | -               | -              |
|                  | N | 7         | 1             | 4        | 2           | 1     | 2     | 1     | 3     | 1                | 1                | 4     | 1               | 0              |
| 40 or more times | % | 1.4       | 0.0           | 1.8      | 3.0         | 0.0   | 2.4   | 1.6   | 1.8   | -                | -                | 1.4   | -               | -              |
|                  | N | 14        | 0             | 9        | 5           | 0     | 6     | 4     | 4     | 0                | 0                | 13    | 1               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 992       | 311           | 513      | 168         | 264   | 255   | 254   | 218   | 15               | 33               | 905   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q48. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

| Females          |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                  |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 94.0  | 96.3        | 91.4          | 97.3     | 96.6        | 92.3  | 91.3  | 95.7  | -    | -                | 94.2             | -     | -               |                |
|                  | N | 1,029 | 336         | 511           | 182      | 257         | 253   | 253   | 266   | 11   | 34               | 950              | 23    | 6               |                |
| 1 or 2 times     | % | 2.9   | 3.2         | 3.4           | 1.1      | 2.6         | 4.4   | 3.2   | 1.4   | -    | -                | 2.8              | -     | -               |                |
|                  | N | 32    | 11          | 19            | 2        | 7           | 12    | 9     | 4     | 0    | 3                | 28               | 0     | 1               |                |
| 3 to 9 times     | % | 1.4   | 0.0         | 2.3           | 1.1      | 0.0         | 1.8   | 2.2   | 1.4   | -    | -                | 1.3              | -     | -               |                |
|                  | N | 15    | 0           | 13            | 2        | 0           | 5     | 6     | 4     | 0    | 0                | 13               | 1     | 1               |                |
| 10 to 19 times   | % | 0.5   | 0.3         | 0.7           | 0.0      | 0.4         | 0.4   | 0.4   | 0.7   | -    | -                | 0.5              | -     | -               |                |
|                  | N | 5     | 1           | 4             | 0        | 1           | 1     | 1     | 2     | 0    | 0                | 5                | 0     | 0               |                |
| 20 to 39 times   | % | 0.4   | 0.0         | 0.5           | 0.5      | 0.0         | 0.4   | 0.7   | 0.4   | -    | -                | 0.3              | -     | -               |                |
|                  | N | 4     | 0           | 3             | 1        | 0           | 1     | 2     | 1     | 0    | 0                | 3                | 1     | 0               |                |
| 40 or more times | % | 0.9   | 0.3         | 1.6           | 0.0      | 0.4         | 0.7   | 2.2   | 0.4   | -    | -                | 0.9              | -     | -               |                |
|                  | N | 10    | 1           | 9             | 0        | 1           | 2     | 6     | 1     | 0    | 1                | 9                | 0     | 0               |                |
| Total            | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                  | N | 1,095 | 349         | 559           | 187      | 266         | 274   | 277   | 278   | 11   | 38               | 1,008            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q49. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 97.7    | 98.3          | 97.1     | 98.0        | 98.7  | 97.0  | 96.8  | 98.2  | -                | -                | 98.0  | -               | -              |
|                  | N | 2,040   | 651           | 1,041    | 347         | 524   | 513   | 513   | 486   | 25               | 67               | 1,874 | 48              | 14             |
| 1 or 2 times     | % | 1.4     | 1.5           | 1.3      | 1.4         | 1.3   | 1.5   | 1.7   | 1.0   | -                | -                | 1.2   | -               | -              |
|                  | N | 29      | 10            | 14       | 5           | 7     | 8     | 9     | 5     | 0                | 3                | 23    | 1               | 2              |
| 3 to 9 times     | % | 0.4     | 0.0           | 0.7      | 0.6         | 0.0   | 0.8   | 0.2   | 0.8   | -                | -                | 0.4   | -               | -              |
|                  | N | 9       | 0             | 7        | 2           | 0     | 4     | 1     | 4     | 1                | 0                | 7     | 1               | 0              |
| 10 to 19 times   | % | 0.2     | 0.2           | 0.3      | 0.0         | 0.0   | 0.2   | 0.6   | 0.0   | -                | -                | 0.2   | -               | -              |
|                  | N | 4       | 1             | 3        | 0           | 0     | 1     | 3     | 0     | 0                | 0                | 4     | 0               | 0              |
| 20 to 39 times   | % | 0.1     | 0.0           | 0.3      | 0.0         | 0.0   | 0.2   | 0.4   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N | 3       | 0             | 3        | 0           | 0     | 1     | 2     | 0     | 0                | 1                | 2     | 0               | 0              |
| 40 or more times | % | 0.2     | 0.0           | 0.4      | 0.0         | 0.0   | 0.4   | 0.4   | 0.0   | -                | -                | 0.2   | -               | -              |
|                  | N | 4       | 0             | 4        | 0           | 0     | 2     | 2     | 0     | 0                | 0                | 3     | 1               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 2,089   | 662           | 1,072    | 354         | 531   | 529   | 530   | 495   | 26               | 71               | 1,913 | 51              | 16             |

Note: There were 9 students who did not provide usable data for Q49.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q49. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

| Males            |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 97.5      | 98.7          | 97.1     | 96.4        | 99.6  | 96.1  | 97.2  | 96.8  | -  | -                | 97.8            | -     | -               | -              |
|                  | N | 966       | 308           | 498      | 160         | 264   | 245   | 246   | 210   | 14 | 32               | 884             | 22    | 8               | 8              |
| 1 or 2 times     | % | 1.2       | 1.0           | 0.8      | 3.0         | 0.4   | 1.6   | 0.8   | 2.3   | -  | -                | 1.1             | -     | -               | -              |
|                  | N | 12        | 3             | 4        | 5           | 1     | 4     | 2     | 5     | 0  | 1                | 10              | 1     | 0               | 0              |
| 3 to 9 times     | % | 0.6       | 0.0           | 1.0      | 0.6         | 0.0   | 1.2   | 0.4   | 0.9   | -  | -                | 0.4             | -     | -               | -              |
|                  | N | 6         | 0             | 5        | 1           | 0     | 3     | 1     | 2     | 1  | 0                | 4               | 1     | 0               | 0              |
| 10 to 19 times   | % | 0.2       | 0.3           | 0.2      | 0.0         | 0.0   | 0.4   | 0.4   | 0.0   | -  | -                | 0.2             | -     | -               | -              |
|                  | N | 2         | 1             | 1        | 0           | 0     | 1     | 1     | 0     | 0  | 0                | 2               | 0     | 0               | 0              |
| 20 to 39 times   | % | 0.2       | 0.0           | 0.4      | 0.0         | 0.0   | 0.0   | 0.8   | 0.0   | -  | -                | 0.2             | -     | -               | -              |
|                  | N | 2         | 0             | 2        | 0           | 0     | 0     | 2     | 0     | 0  | 0                | 2               | 0     | 0               | 0              |
| 40 or more times | % | 0.3       | 0.0           | 0.6      | 0.0         | 0.0   | 0.8   | 0.4   | 0.0   | -  | -                | 0.2             | -     | -               | -              |
|                  | N | 3         | 0             | 3        | 0           | 0     | 2     | 1     | 0     | 0  | 0                | 2               | 1     | 0               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                  | N | 991       | 312           | 513      | 166         | 265   | 255   | 253   | 217   | 15 | 33               | 904             | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q49. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 97.8        | 98.0          | 97.1     | 99.5        | 97.7  | 97.8  | 96.4  | 99.3  | -                | -                | 98.1  | -               | -              |
|                  | N   | 1,071       | 342           | 543      | 186         | 260   | 268   | 267   | 276   | 11               | 35               | 989   | 25              | 6              |
| 1 or 2 times     | %   | 1.6         | 2.0           | 1.8      | 0.0         | 2.3   | 1.5   | 2.5   | 0.0   | -                | -                | 1.3   | -               | -              |
|                  | N   | 17          | 7             | 10       | 0           | 6     | 4     | 7     | 0     | 0                | 2                | 13    | 0               | 2              |
| 3 to 9 times     | %   | 0.3         | 0.0           | 0.4      | 0.5         | 0.0   | 0.4   | 0.0   | 0.7   | -                | -                | 0.3   | -               | -              |
|                  | N   | 3           | 0             | 2        | 1           | 0     | 1     | 0     | 2     | 0                | 0                | 3     | 0               | 0              |
| 10 to 19 times   | %   | 0.2         | 0.0           | 0.4      | 0.0         | 0.0   | 0.0   | 0.7   | 0.0   | -                | -                | 0.2   | -               | -              |
|                  | N   | 2           | 0             | 2        | 0           | 0     | 0     | 2     | 0     | 0                | 0                | 2     | 0               | 0              |
| 20 to 39 times   | %   | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 1                | 0     | 0               | 0              |
| 40 or more times | %   | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.0   | 0.4   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N   | 1           | 0             | 1        | 0           | 0     | 0     | 1     | 0     | 0                | 0                | 1     | 0               | 0              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 1,095       | 349           | 559      | 187         | 266   | 274   | 277   | 278   | 11               | 38               | 1,008 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q50. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Overall          | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 87.1    | 88.4          | 85.6     | 89.3        | 87.4  | 84.5  | 86.6  | 90.1  | -                | -                | 87.8  | -               | -              |
|                  | N   | 1,822   | 586           | 917      | 318         | 464   | 448   | 459   | 447   | 24               | 54               | 1,681 | 39              | 12             |
| 1 or 2 times     | %   | 6.9     | 6.5           | 7.7      | 5.6         | 7.3   | 8.5   | 6.8   | 5.0   | -                | -                | 6.6   | -               | -              |
|                  | N   | 145     | 43            | 82       | 20          | 39    | 45    | 36    | 25    | 0                | 12               | 127   | 5               | 1              |
| 3 to 9 times     | %   | 3.6     | 3.2           | 3.9      | 3.4         | 3.6   | 3.6   | 4.0   | 3.2   | -                | -                | 3.4   | -               | -              |
|                  | N   | 75      | 21            | 42       | 12          | 19    | 19    | 21    | 16    | 1                | 4                | 65    | 3               | 2              |
| 10 to 19 times   | %   | 1.2     | 0.9           | 1.6      | 0.6         | 0.9   | 1.5   | 1.9   | 0.4   | -                | -                | 1.1   | -               | -              |
|                  | N   | 25      | 6             | 17       | 2           | 5     | 8     | 10    | 2     | 1                | 0                | 21    | 2               | 1              |
| 20 to 39 times   | %   | 0.6     | 0.6           | 0.7      | 0.3         | 0.6   | 1.1   | 0.2   | 0.6   | -                | -                | 0.5   | -               | -              |
|                  | N   | 13      | 4             | 8        | 1           | 3     | 6     | 1     | 3     | 0                | 2                | 10    | 1               | 0              |
| 40 or more times | %   | 0.5     | 0.5           | 0.5      | 0.8         | 0.2   | 0.8   | 0.6   | 0.6   | -                | -                | 0.5   | -               | -              |
|                  | N   | 11      | 3             | 5        | 3           | 1     | 4     | 3     | 3     | 0                | 0                | 10    | 1               | 0              |
| Total            | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 2,091   | 663           | 1,071    | 356         | 531   | 530   | 530   | 496   | 26               | 72               | 1,914 | 51              | 16             |

Note: There were 7 students who did not provide usable data for Q50.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q50. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Males            |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 85.0      | 89.2          | 82.8     | 83.9        | 89.1  | 80.5  | 84.2  | 86.2  | -                | -                | 85.7  | -               | -              |
|                  | N | 845       | 280           | 424      | 141         | 237   | 206   | 213   | 188   | 14               | 25               | 776   | 17              | 7              |
| 1 or 2 times     | % | 7.1       | 4.1           | 8.4      | 8.9         | 4.9   | 9.4   | 7.5   | 6.9   | -                | -                | 7.1   | -               | -              |
|                  | N | 71        | 13            | 43       | 15          | 13    | 24    | 19    | 15    | 0                | 5                | 64    | 2               | 0              |
| 3 to 9 times     | % | 4.4       | 4.5           | 4.5      | 4.2         | 4.9   | 4.3   | 4.7   | 3.7   | -                | -                | 4.2   | -               | -              |
|                  | N | 44        | 14            | 23       | 7           | 13    | 11    | 12    | 8     | 0                | 3                | 38    | 2               | 1              |
| 10 to 19 times   | % | 1.6       | 1.3           | 2.0      | 1.2         | 1.1   | 2.3   | 2.0   | 0.9   | -                | -                | 1.4   | -               | -              |
|                  | N | 16        | 4             | 10       | 2           | 3     | 6     | 5     | 2     | 1                | 0                | 13    | 2               | 0              |
| 20 to 39 times   | % | 0.9       | 0.3           | 1.4      | 0.6         | 0.0   | 2.0   | 0.4   | 1.4   | -                | -                | 0.8   | -               | -              |
|                  | N | 9         | 1             | 7        | 1           | 0     | 5     | 1     | 3     | 0                | 1                | 7     | 1               | 0              |
| 40 or more times | % | 0.9       | 0.6           | 1.0      | 1.2         | 0.0   | 1.6   | 1.2   | 0.9   | -                | -                | 0.9   | -               | -              |
|                  | N | 9         | 2             | 5        | 2           | 0     | 4     | 3     | 2     | 0                | 0                | 8     | 1               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 994       | 314           | 512      | 168         | 266   | 256   | 253   | 218   | 15               | 34               | 906   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q50. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Females          |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                  |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| 0 times          | % | 89.0        | 87.6          | 88.2     | 94.1        | 85.7  | 88.3  | 88.8  | 93.2  | -                | -                | 89.8  | -               | -              |  |
|                  | N | 974         | 305           | 493      | 176         | 227   | 242   | 246   | 259   | 10               | 29               | 904   | 21              | 5              |  |
| 1 or 2 times     | % | 6.8         | 8.6           | 7.0      | 2.7         | 9.8   | 7.7   | 6.1   | 3.6   | -                | -                | 6.3   | -               | -              |  |
|                  | N | 74          | 30            | 39       | 5           | 26    | 21    | 17    | 10    | 0                | 7                | 63    | 3               | 1              |  |
| 3 to 9 times     | % | 2.8         | 2.0           | 3.4      | 2.7         | 2.3   | 2.9   | 3.2   | 2.9   | -                | -                | 2.7   | -               | -              |  |
|                  | N | 31          | 7             | 19       | 5           | 6     | 8     | 9     | 8     | 1                | 1                | 27    | 1               | 1              |  |
| 10 to 19 times   | % | 0.8         | 0.6           | 1.3      | 0.0         | 0.8   | 0.7   | 1.8   | 0.0   | -                | -                | 0.8   | -               | -              |  |
|                  | N | 9           | 2             | 7        | 0           | 2     | 2     | 5     | 0     | 0                | 0                | 8     | 0               | 1              |  |
| 20 to 39 times   | % | 0.4         | 0.9           | 0.2      | 0.0         | 1.1   | 0.4   | 0.0   | 0.0   | -                | -                | 0.3   | -               | -              |  |
|                  | N | 4           | 3             | 1        | 0           | 3     | 1     | 0     | 0     | 0                | 1                | 3     | 0               | 0              |  |
| 40 or more times | % | 0.2         | 0.3           | 0.0      | 0.5         | 0.4   | 0.0   | 0.0   | 0.4   | -                | -                | 0.2   | -               | -              |  |
|                  | N | 2           | 1             | 0        | 1           | 1     | 0     | 0     | 1     | 0                | 0                | 2     | 0               | 0              |  |
| Total            | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                  | N | 1,094       | 348           | 559      | 187         | 265   | 274   | 277   | 278   | 11               | 38               | 1,007 | 25              | 8              |  |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q51. During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Overall          | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 96.5    | 95.6          | 96.8     | 96.9        | 94.9  | 97.0  | 97.4  | 96.6  | -                | -                | 96.8  | -               | -              |
|                  | N   | 2,016   | 634           | 1,037    | 344         | 504   | 514   | 515   | 479   | 25               | 69               | 1,851 | 45              | 14             |
| 1 or 2 times     | %   | 2.4     | 3.5           | 1.7      | 2.5         | 4.5   | 1.1   | 1.7   | 2.2   | -                | -                | 2.3   | -               | -              |
|                  | N   | 50      | 23            | 18       | 9           | 24    | 6     | 9     | 11    | 0                | 1                | 44    | 3               | 2              |
| 3 to 9 times     | %   | 0.7     | 0.5           | 0.9      | 0.6         | 0.6   | 0.8   | 0.6   | 1.0   | -                | -                | 0.5   | -               | -              |
|                  | N   | 15      | 3             | 10       | 2           | 3     | 4     | 3     | 5     | 1                | 2                | 10    | 2               | 0              |
| 10 to 19 times   | %   | 0.2     | 0.2           | 0.3      | 0.0         | 0.0   | 0.6   | 0.0   | 0.2   | -                | -                | 0.2   | -               | -              |
|                  | N   | 4       | 1             | 3        | 0           | 0     | 3     | 0     | 1     | 0                | 0                | 4     | 0               | 0              |
| 20 to 39 times   | %   | 0.0     | 0.0           | 0.1      | 0.0         | 0.0   | 0.0   | 0.2   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N   | 1       | 0             | 1        | 0           | 0     | 0     | 1     | 0     | 0                | 0                | 1     | 0               | 0              |
| 40 or more times | %   | 0.2     | 0.3           | 0.2      | 0.0         | 0.0   | 0.6   | 0.2   | 0.0   | -                | -                | 0.2   | -               | -              |
|                  | N   | 4       | 2             | 2        | 0           | 0     | 3     | 1     | 0     | 0                | 0                | 3     | 1               | 0              |
| Total            | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 2,090   | 663           | 1,071    | 355         | 531   | 530   | 529   | 496   | 26               | 72               | 1,913 | 51              | 16             |

Note: There were 8 students who did not provide usable data for Q51.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q51. During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Males            |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 95.6      | 95.5          | 95.5     | 95.8        | 95.1  | 94.9  | 96.8  | 95.4  | -  | -                | -               | 96.0  | -               | -              |
|                  | N | 949       | 300           | 489      | 160         | 253   | 243   | 244   | 208   | 14 | 33               | 869             | 19    | 8               |                |
| 1 or 2 times     | % | 2.4       | 2.9           | 2.0      | 3.0         | 4.1   | 1.6   | 1.6   | 2.3   | -  | -                | -               | 2.3   | -               | -              |
|                  | N | 24        | 9             | 10       | 5           | 11    | 4     | 4     | 5     | 0  | 0                | 21              | 3     | 0               |                |
| 3 to 9 times     | % | 1.1       | 0.6           | 1.4      | 1.2         | 0.8   | 1.2   | 0.8   | 1.8   | -  | -                | -               | 0.8   | -               | -              |
|                  | N | 11        | 2             | 7        | 2           | 2     | 3     | 2     | 4     | 1  | 1                | 7               | 2     | 0               |                |
| 10 to 19 times   | % | 0.4       | 0.3           | 0.6      | 0.0         | 0.0   | 1.2   | 0.0   | 0.5   | -  | -                | -               | 0.4   | -               | -              |
|                  | N | 4         | 1             | 3        | 0           | 0     | 3     | 0     | 1     | 0  | 0                | 4               | 0     | 0               |                |
| 20 to 39 times   | % | 0.1       | 0.0           | 0.2      | 0.0         | 0.0   | 0.0   | 0.4   | 0.0   | -  | -                | -               | 0.1   | -               | -              |
|                  | N | 1         | 0             | 1        | 0           | 0     | 0     | 1     | 0     | 0  | 0                | 1               | 0     | 0               |                |
| 40 or more times | % | 0.4       | 0.6           | 0.4      | 0.0         | 0.0   | 1.2   | 0.4   | 0.0   | -  | -                | -               | 0.3   | -               | -              |
|                  | N | 4         | 2             | 2        | 0           | 0     | 3     | 1     | 0     | 0  | 0                | 3               | 1     | 0               |                |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | -               | 100.0 | -               | -              |
|                  | N | 993       | 314           | 512      | 167         | 266   | 256   | 252   | 218   | 15 | 34               | 905             | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q51. During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 97.3        | 95.7          | 98.0     | 97.9        | 94.7  | 98.9  | 97.8  | 97.5  | -                | -                | 97.4  | -               | -              |
|                  | N   | 1,064       | 333           | 548      | 183         | 251   | 271   | 271   | 271   | 11               | 36               | 981   | 25              | 6              |
| 1 or 2 times     | %   | 2.4         | 4.0           | 1.4      | 2.1         | 4.9   | 0.7   | 1.8   | 2.2   | -                | -                | 2.3   | -               | -              |
|                  | N   | 26          | 14            | 8        | 4           | 13    | 2     | 5     | 6     | 0                | 1                | 23    | 0               | 2              |
| 3 to 9 times     | %   | 0.4         | 0.3           | 0.5      | 0.0         | 0.4   | 0.4   | 0.4   | 0.4   | -                | -                | 0.3   | -               | -              |
|                  | N   | 4           | 1             | 3        | 0           | 1     | 1     | 1     | 1     | 0                | 1                | 3     | 0               | 0              |
| 10 to 19 times   | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 20 to 39 times   | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| 40 or more times | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -                | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0                | 0     | 0               | 0              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 1,094       | 348           | 559      | 187         | 265   | 274   | 277   | 278   | 11               | 38               | 1,007 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q52. During your life, how many times have you used heroin (also called smack, junk, or China White)?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 98.1    | 98.6          | 97.7     | 98.6        | 99.2  | 97.0  | 98.3  | 98.0  | -                | -               | 98.4  | -               | -              |
|                  | N | 2,056   | 655           | 1,049    | 351         | 528   | 515   | 523   | 486   | 25               | 69              | 1,887 | 47              | 16             |
| 1 or 2 times     | % | 1.1     | 1.1           | 1.0      | 1.1         | 0.8   | 1.1   | 0.8   | 1.6   | -                | -               | 1.0   | -               | -              |
|                  | N | 22      | 7             | 11       | 4           | 4     | 6     | 4     | 8     | 0                | 1               | 20    | 1               | 0              |
| 3 to 9 times     | % | 0.3     | 0.0           | 0.6      | 0.3         | 0.0   | 0.8   | 0.4   | 0.2   | -                | -               | 0.3   | -               | -              |
|                  | N | 7       | 0             | 6        | 1           | 0     | 4     | 2     | 1     | 1                | 0               | 6     | 0               | 0              |
| 10 to 19 times   | % | 0.2     | 0.2           | 0.3      | 0.0         | 0.0   | 0.4   | 0.2   | 0.2   | -                | -               | 0.1   | -               | -              |
|                  | N | 4       | 1             | 3        | 0           | 0     | 2     | 1     | 1     | 0                | 1               | 2     | 1               | 0              |
| 20 to 39 times   | % | 0.1     | 0.2           | 0.1      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -               | 0.1   | -               | -              |
|                  | N | 2       | 1             | 1        | 0           | 0     | 2     | 0     | 0     | 0                | 0               | 1     | 1               | 0              |
| 40 or more times | % | 0.2     | 0.0           | 0.4      | 0.0         | 0.0   | 0.4   | 0.4   | 0.0   | -                | -               | 0.1   | -               | -              |
|                  | N | 4       | 0             | 4        | 0           | 0     | 2     | 2     | 0     | 0                | 1               | 2     | 1               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N | 2,095   | 664           | 1,074    | 356         | 532   | 531   | 532   | 496   | 26               | 72              | 1,918 | 51              | 16             |

Note: There were 3 students who did not provide usable data for Q52.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q52. During your life, how many times have you used heroin (also called smack, junk, or China White)?

| Males            |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 97.5      | 98.4          | 97.1     | 97.0        | 99.6  | 95.7  | 98.0  | 96.3  | -                | -                | 97.9  | -               | -              |
|                  | N | 972       | 309           | 500      | 163         | 265   | 246   | 250   | 210   | 14               | 32               | 890   | 22              | 8              |
| 1 or 2 times     | % | 1.4       | 1.0           | 1.4      | 2.4         | 0.4   | 1.6   | 1.2   | 2.8   | -                | -                | 1.3   | -               | -              |
|                  | N | 14        | 3             | 7        | 4           | 1     | 4     | 3     | 6     | 0                | 1                | 12    | 1               | 0              |
| 3 to 9 times     | % | 0.4       | 0.0           | 0.6      | 0.6         | 0.0   | 1.2   | 0.0   | 0.5   | -                | -                | 0.3   | -               | -              |
|                  | N | 4         | 0             | 3        | 1           | 0     | 3     | 0     | 1     | 1                | 0                | 3     | 0               | 0              |
| 10 to 19 times   | % | 0.4       | 0.3           | 0.6      | 0.0         | 0.0   | 0.8   | 0.4   | 0.5   | -                | -                | 0.2   | -               | -              |
|                  | N | 4         | 1             | 3        | 0           | 0     | 2     | 1     | 1     | 0                | 1                | 2     | 1               | 0              |
| 20 to 39 times   | % | 0.1       | 0.3           | 0.0      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N | 1         | 1             | 0        | 0           | 0     | 1     | 0     | 0     | 0                | 0                | 1     | 0               | 0              |
| 40 or more times | % | 0.2       | 0.0           | 0.4      | 0.0         | 0.0   | 0.4   | 0.4   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N | 2         | 0             | 2        | 0           | 0     | 1     | 1     | 0     | 0                | 0                | 1     | 1               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 997       | 314           | 515      | 168         | 266   | 257   | 255   | 218   | 15               | 34               | 909   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q52. During your life, how many times have you used heroin (also called smack, junk, or China White)?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | %   | 98.7        | 98.9          | 98.2     | 100.0       | 98.9  | 98.2  | 98.6  | 99.3  | -                | -               | 98.8  | -               | -              |
|                  | N   | 1,081       | 345           | 549      | 187         | 263   | 269   | 273   | 276   | 11               | 37              | 996   | 24              | 8              |
| 1 or 2 times     | %   | 0.7         | 1.1           | 0.7      | 0.0         | 1.1   | 0.7   | 0.4   | 0.7   | -                | -               | 0.8   | -               | -              |
|                  | N   | 8           | 4             | 4        | 0           | 3     | 2     | 1     | 2     | 0                | 0               | 8     | 0               | 0              |
| 3 to 9 times     | %   | 0.3         | 0.0           | 0.5      | 0.0         | 0.0   | 0.4   | 0.7   | 0.0   | -                | -               | 0.3   | -               | -              |
|                  | N   | 3           | 0             | 3        | 0           | 0     | 1     | 2     | 0     | 0                | 0               | 3     | 0               | 0              |
| 10 to 19 times   | %   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | -                | -               | 0.0   | -               | -              |
|                  | N   | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0     | 0                | 0               | 0     | 0               | 0              |
| 20 to 39 times   | %   | 0.1         | 0.0           | 0.2      | 0.0         | 0.0   | 0.4   | 0.0   | 0.0   | -                | -               | 0.0   | -               | -              |
|                  | N   | 1           | 0             | 1        | 0           | 0     | 1     | 0     | 0     | 0                | 0               | 0     | 1               | 0              |
| 40 or more times | %   | 0.2         | 0.0           | 0.4      | 0.0         | 0.0   | 0.4   | 0.4   | 0.0   | -                | -               | 0.1   | -               | -              |
|                  | N   | 2           | 0             | 2        | 0           | 0     | 1     | 1     | 0     | 0                | 1               | 1     | 0               | 0              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N   | 1,095       | 349           | 559      | 187         | 266   | 274   | 277   | 278   | 11               | 38              | 1,008 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q53. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 92.2    | 95.6          | 90.3     | 91.3        | 96.4  | 90.4  | 91.0  | 90.7  | -                | -                | 92.6  | -               | -              |
|                  | N | 1,931   | 635           | 970      | 325         | 513   | 480   | 484   | 450   | 24               | 63               | 1,777 | 43              | 12             |
| 1 or 2 times     | % | 3.4     | 2.4           | 4.1      | 3.4         | 1.5   | 4.5   | 3.8   | 4.0   | -                | -                | 3.2   | -               | -              |
|                  | N | 72      | 16            | 44       | 12          | 8     | 24    | 20    | 20    | 1                | 3                | 62    | 3               | 3              |
| 3 to 9 times     | % | 1.5     | 1.1           | 1.8      | 1.7         | 0.9   | 1.5   | 2.1   | 1.6   | -                | -                | 1.6   | -               | -              |
|                  | N | 32      | 7             | 19       | 6           | 5     | 8     | 11    | 8     | 0                | 1                | 30    | 1               | 0              |
| 10 to 19 times   | % | 1.0     | 0.5           | 1.2      | 1.1         | 0.4   | 1.1   | 1.1   | 1.2   | -                | -                | 0.8   | -               | -              |
|                  | N | 20      | 3             | 13       | 4           | 2     | 6     | 6     | 6     | 0                | 2                | 16    | 1               | 1              |
| 20 to 39 times   | % | 0.6     | 0.2           | 0.8      | 0.8         | 0.4   | 0.8   | 0.6   | 0.8   | -                | -                | 0.6   | -               | -              |
|                  | N | 13      | 1             | 9        | 3           | 2     | 4     | 3     | 4     | 1                | 1                | 11    | 0               | 0              |
| 40 or more times | % | 1.3     | 0.3           | 1.8      | 1.7         | 0.4   | 1.7   | 1.5   | 1.6   | -                | -                | 1.1   | -               | -              |
|                  | N | 27      | 2             | 19       | 6           | 2     | 9     | 8     | 8     | 0                | 2                | 22    | 3               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 2,095   | 664           | 1,074    | 356         | 532   | 531   | 532   | 496   | 26               | 72               | 1,918 | 51              | 16             |

Note: There were 3 students who did not provide usable data for Q53.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q53. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

| Males            |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| 0 times          | % | 91.7      | 95.9          | 90.1     | 88.7        | 97.4  | 89.1  | 90.6  | 89.0  | -                | -                | 92.0  | -               | -              |  |
|                  | N | 914       | 301           | 464      | 149         | 259   | 229   | 231   | 194   | 14               | 29               | 836   | 21              | 8              |  |
| 1 or 2 times     | % | 3.6       | 2.5           | 4.3      | 3.6         | 1.1   | 5.1   | 4.3   | 4.1   | -                | -                | 3.7   | -               | -              |  |
|                  | N | 36        | 8             | 22       | 6           | 3     | 13    | 11    | 9     | 0                | 1                | 34    | 1               | 0              |  |
| 3 to 9 times     | % | 1.5       | 1.0           | 1.6      | 2.4         | 0.8   | 1.6   | 2.0   | 1.8   | -                | -                | 1.5   | -               | -              |  |
|                  | N | 15        | 3             | 8        | 4           | 2     | 4     | 5     | 4     | 0                | 1                | 14    | 0               | 0              |  |
| 10 to 19 times   | % | 1.1       | 0.3           | 1.4      | 1.8         | 0.4   | 0.8   | 1.6   | 1.8   | -                | -                | 0.9   | -               | -              |  |
|                  | N | 11        | 1             | 7        | 3           | 1     | 2     | 4     | 4     | 0                | 2                | 8     | 1               | 0              |  |
| 20 to 39 times   | % | 0.7       | 0.0           | 0.8      | 1.8         | 0.0   | 1.2   | 0.4   | 1.4   | -                | -                | 0.7   | -               | -              |  |
|                  | N | 7         | 0             | 4        | 3           | 0     | 3     | 1     | 3     | 1                | 0                | 6     | 0               | 0              |  |
| 40 or more times | % | 1.4       | 0.3           | 1.9      | 1.8         | 0.4   | 2.3   | 1.2   | 1.8   | -                | -                | 1.2   | -               | -              |  |
|                  | N | 14        | 1             | 10       | 3           | 1     | 6     | 3     | 4     | 0                | 1                | 11    | 2               | 0              |  |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                  | N | 997       | 314           | 515      | 168         | 266   | 257   | 255   | 218   | 15               | 34               | 909   | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q53. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

| Females          |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                  |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 92.6  | 95.4        | 90.5          | 93.6     | 95.5        | 91.6  | 91.3  | 92.1  | -    | -                | 93.3             | -     | -               |                |
|                  | N | 1,014 | 333         | 506           | 175      | 254         | 251   | 253   | 256   | 10   | 34               | 940              | 21    | 4               |                |
| 1 or 2 times     | % | 3.3   | 2.3         | 3.9           | 3.2      | 1.9         | 4.0   | 3.2   | 4.0   | -    | -                | 2.8              | -     | -               |                |
|                  | N | 36    | 8           | 22            | 6        | 5           | 11    | 9     | 11    | 1    | 2                | 28               | 2     | 3               |                |
| 3 to 9 times     | % | 1.6   | 1.1         | 2.0           | 1.1      | 1.1         | 1.5   | 2.2   | 1.4   | -    | -                | 1.6              | -     | -               |                |
|                  | N | 17    | 4           | 11            | 2        | 3           | 4     | 6     | 4     | 0    | 0                | 16               | 1     | 0               |                |
| 10 to 19 times   | % | 0.8   | 0.6         | 1.1           | 0.5      | 0.4         | 1.5   | 0.7   | 0.7   | -    | -                | 0.8              | -     | -               |                |
|                  | N | 9     | 2           | 6             | 1        | 1           | 4     | 2     | 2     | 0    | 0                | 8                | 0     | 1               |                |
| 20 to 39 times   | % | 0.5   | 0.3         | 0.9           | 0.0      | 0.8         | 0.4   | 0.7   | 0.4   | -    | -                | 0.5              | -     | -               |                |
|                  | N | 6     | 1           | 5             | 0        | 2           | 1     | 2     | 1     | 0    | 1                | 5                | 0     | 0               |                |
| 40 or more times | % | 1.2   | 0.3         | 1.6           | 1.6      | 0.4         | 1.1   | 1.8   | 1.4   | -    | -                | 1.1              | -     | -               |                |
|                  | N | 13    | 1           | 9             | 3        | 1           | 3     | 5     | 4     | 0    | 1                | 11               | 1     | 0               |                |
| Total            | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                  | N | 1,095 | 349         | 559           | 187      | 266         | 274   | 277   | 278   | 11   | 38               | 1,008            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q54. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

| Overall          |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                  |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times          | % | 97.4    | 97.9          | 97.0     | 97.5        | 98.1  | 96.0  | 97.2  | 98.2  | -                | -               | 97.7  | -               | -              |
|                  | N | 2,039   | 649           | 1,042    | 347         | 521   | 510   | 517   | 487   | 25               | 69              | 1,873 | 45              | 15             |
| 1 or 2 times     | % | 1.1     | 0.6           | 1.3      | 1.7         | 0.8   | 1.3   | 1.5   | 1.0   | -                | -               | 1.1   | -               | -              |
|                  | N | 24      | 4             | 14       | 6           | 4     | 7     | 8     | 5     | 0                | 1               | 21    | 2               | 0              |
| 3 to 9 times     | % | 0.7     | 0.9           | 0.7      | 0.3         | 0.9   | 0.8   | 0.8   | 0.2   | -                | -               | 0.7   | -               | -              |
|                  | N | 14      | 6             | 7        | 1           | 5     | 4     | 4     | 1     | 0                | 0               | 13    | 1               | 0              |
| 10 to 19 times   | % | 0.3     | 0.2           | 0.4      | 0.3         | 0.0   | 0.8   | 0.2   | 0.2   | -                | -               | 0.2   | -               | -              |
|                  | N | 6       | 1             | 4        | 1           | 0     | 4     | 1     | 1     | 1                | 0               | 4     | 1               | 0              |
| 20 to 39 times   | % | 0.2     | 0.3           | 0.3      | 0.0         | 0.0   | 0.8   | 0.2   | 0.0   | -                | -               | 0.2   | -               | -              |
|                  | N | 5       | 2             | 3        | 0           | 0     | 4     | 1     | 0     | 0                | 1               | 3     | 0               | 1              |
| 40 or more times | % | 0.3     | 0.2           | 0.4      | 0.3         | 0.2   | 0.4   | 0.2   | 0.4   | -                | -               | 0.2   | -               | -              |
|                  | N | 6       | 1             | 4        | 1           | 1     | 2     | 1     | 2     | 0                | 1               | 3     | 2               | 0              |
| Total            | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                  | N | 2,094   | 663           | 1,074    | 356         | 531   | 531   | 532   | 496   | 26               | 72              | 1,917 | 51              | 16             |

Note: There were 4 students who did not provide usable data for Q54.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q54. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

| Males            |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | % | 96.5      | 97.4          | 96.3     | 95.2        | 97.7  | 95.3  | 96.1  | 96.8  | -                | -                | 96.8  | -               | -              |
|                  | N | 961       | 305           | 496      | 160         | 259   | 245   | 245   | 211   | 14               | 33               | 879   | 21              | 8              |
| 1 or 2 times     | % | 1.5       | 1.0           | 1.4      | 3.0         | 1.1   | 1.6   | 2.0   | 1.4   | -                | -                | 1.5   | -               | -              |
|                  | N | 15        | 3             | 7        | 5           | 3     | 4     | 5     | 3     | 0                | 0                | 14    | 1               | 0              |
| 3 to 9 times     | % | 0.9       | 1.0           | 1.0      | 0.6         | 1.1   | 1.2   | 0.8   | 0.5   | -                | -                | 0.9   | -               | -              |
|                  | N | 9         | 3             | 5        | 1           | 3     | 3     | 2     | 1     | 0                | 0                | 8     | 1               | 0              |
| 10 to 19 times   | % | 0.4       | 0.3           | 0.4      | 0.6         | 0.0   | 0.8   | 0.4   | 0.5   | -                | -                | 0.3   | -               | -              |
|                  | N | 4         | 1             | 2        | 1           | 0     | 2     | 1     | 1     | 1                | 0                | 3     | 0               | 0              |
| 20 to 39 times   | % | 0.3       | 0.3           | 0.4      | 0.0         | 0.0   | 0.8   | 0.4   | 0.0   | -                | -                | 0.2   | -               | -              |
|                  | N | 3         | 1             | 2        | 0           | 0     | 2     | 1     | 0     | 0                | 1                | 2     | 0               | 0              |
| 40 or more times | % | 0.4       | 0.0           | 0.6      | 0.6         | 0.0   | 0.4   | 0.4   | 0.9   | -                | -                | 0.2   | -               | -              |
|                  | N | 4         | 0             | 3        | 1           | 0     | 1     | 1     | 2     | 0                | 0                | 2     | 2               | 0              |
| Total            | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N | 996       | 313           | 515      | 168         | 265   | 257   | 255   | 218   | 15               | 34               | 908   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q54. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

| Females          | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                  |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times          | %   | 98.2        | 98.3          | 97.7     | 99.5        | 98.5  | 96.7  | 98.2  | 99.3  | -                | -                | 98.5  | -               | -              |
|                  | N   | 1,075       | 343           | 546      | 186         | 262   | 265   | 272   | 276   | 11               | 36               | 993   | 23              | 7              |
| 1 or 2 times     | %   | 0.8         | 0.3           | 1.3      | 0.5         | 0.4   | 1.1   | 1.1   | 0.7   | -                | -                | 0.7   | -               | -              |
|                  | N   | 9           | 1             | 7        | 1           | 1     | 3     | 3     | 2     | 0                | 1                | 7     | 1               | 0              |
| 3 to 9 times     | %   | 0.5         | 0.9           | 0.4      | 0.0         | 0.8   | 0.4   | 0.7   | 0.0   | -                | -                | 0.5   | -               | -              |
|                  | N   | 5           | 3             | 2        | 0           | 2     | 1     | 2     | 0     | 0                | 0                | 5     | 0               | 0              |
| 10 to 19 times   | %   | 0.2         | 0.0           | 0.4      | 0.0         | 0.0   | 0.7   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N   | 2           | 0             | 2        | 0           | 0     | 2     | 0     | 0     | 0                | 0                | 1     | 1               | 0              |
| 20 to 39 times   | %   | 0.2         | 0.3           | 0.2      | 0.0         | 0.0   | 0.7   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N   | 2           | 1             | 1        | 0           | 0     | 2     | 0     | 0     | 0                | 0                | 1     | 0               | 1              |
| 40 or more times | %   | 0.2         | 0.3           | 0.2      | 0.0         | 0.4   | 0.4   | 0.0   | 0.0   | -                | -                | 0.1   | -               | -              |
|                  | N   | 2           | 1             | 1        | 0           | 1     | 1     | 0     | 0     | 0                | 1                | 1     | 0               | 0              |
| Total            | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                  | N   | 1,095       | 349           | 559      | 187         | 266   | 274   | 277   | 278   | 11               | 38               | 1,008 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q55. During your life, how many times have you used a needle to inject any illegal drug into your body?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times         | % | 98.2    | 98.9          | 98.0     | 97.2        | 99.2  | 97.5  | 98.5  | 97.4  | -                | -               | 98.4  | -               | -              |
|                 | N | 2,054   | 656           | 1,050    | 347         | 527   | 517   | 523   | 483   | 25               | 69              | 1,884 | 48              | 16             |
| 1 time          | % | 0.6     | 0.3           | 0.7      | 0.6         | 0.4   | 0.8   | 0.6   | 0.6   | -                | -               | 0.6   | -               | -              |
|                 | N | 12      | 2             | 8        | 2           | 2     | 4     | 3     | 3     | 0                | 0               | 12    | 0               | 0              |
| 2 or more times | % | 1.2     | 0.8           | 1.2      | 2.2         | 0.4   | 1.7   | 0.9   | 2.0   | -                | -               | 1.0   | -               | -              |
|                 | N | 26      | 5             | 13       | 8           | 2     | 9     | 5     | 10    | 1                | 3               | 19    | 3               | 0              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                 | N | 2,092   | 663           | 1,071    | 357         | 531   | 530   | 531   | 496   | 26               | 72              | 1,915 | 51              | 16             |

Note: There were 6 students who did not provide usable data for Q55.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q55. During your life, how many times have you used a needle to inject any illegal drug into your body?

| Males           |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                 |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times         | % | 97.4  | 98.4      | 97.7          | 94.7     | 99.2        | 96.1  | 98.4  | 95.4  | -    | -                | 97.6            | -     | -               |                |
|                 | N | 970   | 308       | 502           | 160      | 263         | 247   | 251   | 208   | 14   | 33               | 886             | 23    | 8               |                |
| 1 time          | % | 0.8   | 0.3       | 1.0           | 1.2      | 0.4         | 1.6   | 0.4   | 0.9   | -    | -                | 0.9             | -     | -               |                |
|                 | N | 8     | 1         | 5             | 2        | 1           | 4     | 1     | 2     | 0    | 0                | 8               | 0     | 0               |                |
| 2 or more times | % | 1.8   | 1.3       | 1.4           | 4.1      | 0.4         | 2.3   | 1.2   | 3.7   | -    | -                | 1.5             | -     | -               |                |
|                 | N | 18    | 4         | 7             | 7        | 1           | 6     | 3     | 8     | 1    | 1                | 14              | 2     | 0               |                |
| Total           | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                 | N | 996   | 313       | 514           | 169      | 265         | 257   | 255   | 218   | 15   | 34               | 908             | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q55. During your life, how many times have you used a needle to inject any illegal drug into your body?

| Females         |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                 |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times         | % | 98.9        | 99.4          | 98.4     | 99.5        | 99.2  | 98.9  | 98.6  | 98.9  | -  | -                | -               | 99.1  | -               | -              |
|                 | N | 1,081       | 347           | 548      | 186         | 264   | 270   | 272   | 275   | 11 | 36               | 997             | 24    | 8               |                |
| 1 time          | % | 0.4         | 0.3           | 0.5      | 0.0         | 0.4   | 0.0   | 0.7   | 0.4   | -  | -                | -               | 0.4   | -               | -              |
|                 | N | 4           | 1             | 3        | 0           | 1     | 0     | 2     | 1     | 0  | 0                | 4               | 0     | 0               |                |
| 2 or more times | % | 0.7         | 0.3           | 1.1      | 0.5         | 0.4   | 1.1   | 0.7   | 0.7   | -  | -                | -               | 0.5   | -               | -              |
|                 | N | 8           | 1             | 6        | 1           | 1     | 3     | 2     | 2     | 0  | 2                | 5               | 1     | 0               |                |
| Total           | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | -               | 100.0 | -               | -              |
|                 | N | 1,093       | 349           | 557      | 187         | 266   | 273   | 276   | 278   | 11 | 38               | 1,006           | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q56. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 17.2    | 17.0          | 18.4     | 13.8        | 16.8  | 20.2  | 18.0  | 13.1  | -                | -               | 16.4  | -               | -              |
|         | N | 359     | 113           | 197      | 49          | 89    | 107   | 96    | 65    | 8                | 20              | 314   | 10              | 5              |
| No      | % | 82.8    | 83.0          | 81.6     | 86.2        | 83.2  | 79.8  | 82.0  | 86.9  | -                | -               | 83.6  | -               | -              |
|         | N | 1,732   | 550           | 875      | 306         | 442   | 422   | 436   | 430   | 18               | 52              | 1,600 | 41              | 11             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,091   | 663           | 1,072    | 355         | 531   | 529   | 532   | 495   | 26               | 72              | 1,914 | 51              | 16             |

Note: There were 7 students who did not provide usable data for Q56.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q56. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

| Males |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes   | % | 21.6      | 19.7          | 23.7     | 18.5        | 18.8  | 27.0  | 22.0  | 17.9  | -  | -                | 20.2            | -     | -               | -              |
|       | N | 215       | 62            | 122      | 31          | 50    | 69    | 56    | 39    | 7  | 14               | 183             | 9     | 1               | 1              |
| No    | % | 78.4      | 80.3          | 76.3     | 81.5        | 81.2  | 73.0  | 78.0  | 82.1  | -  | -                | 79.8            | -     | -               | -              |
|       | N | 781       | 252           | 392      | 137         | 216   | 187   | 199   | 179   | 8  | 20               | 725             | 16    | 7               | 7              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|       | N | 996       | 314           | 514      | 168         | 266   | 256   | 255   | 218   | 15 | 34               | 908             | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q56. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

| Females |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 13.1        | 14.4          | 13.4     | 9.7         | 14.7  | 13.9  | 14.4  | 9.4   | -  | -                | 12.9            | -     | -               | -              |
|         | N | 143         | 50            | 75       | 18          | 39    | 38    | 40    | 26    | 1  | 6                | 130             | 1     | 4               | 4              |
| No      | % | 86.9        | 85.6          | 86.6     | 90.3        | 85.3  | 86.1  | 85.6  | 90.6  | -  | -                | 87.1            | -     | -               | -              |
|         | N | 949         | 298           | 483      | 168         | 226   | 235   | 237   | 251   | 10 | 32               | 875             | 24    | 4               | 4              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|         | N | 1,092       | 348           | 558      | 186         | 265   | 273   | 277   | 277   | 11 | 38               | 1,005           | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q57. Have you ever had sexual intercourse?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 38.1    | 19.7          | 42.5     | 59.8        | 16.8  | 34.8  | 44.0  | 58.0  | -                | -               | 36.7  | -               | -              |
|         | N | 736     | 123           | 416      | 196         | 84    | 165   | 217   | 267   | 12               | 41              | 649   | 22              | 10             |
| No      | % | 61.9    | 80.3          | 57.5     | 40.2        | 83.2  | 65.2  | 56.0  | 42.0  | -                | -               | 63.3  | -               | -              |
|         | N | 1,195   | 501           | 562      | 132         | 417   | 309   | 276   | 193   | 12               | 29              | 1,117 | 25              | 6              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 1,931   | 624           | 978      | 328         | 501   | 474   | 493   | 460   | 24               | 70              | 1,766 | 47              | 16             |

Note: There were 167 students who did not provide usable data for Q57.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q57. Have you ever had sexual intercourse?

| Males |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Yes   | % | 37.9      | 19.0          | 42.1     | 60.3        | 18.0  | 33.8  | 44.3  | 58.9  | -                | -                | 36.0  | -               | -              |  |
|       | N | 346       | 55            | 197      | 94          | 44    | 77    | 105   | 119   | 7                | 26               | 299   | 12              | 2              |  |
| No    | % | 62.1      | 81.0          | 57.9     | 39.7        | 82.0  | 66.2  | 55.7  | 41.1  | -                | -                | 64.0  | -               | -              |  |
|       | N | 567       | 234           | 271      | 62          | 201   | 151   | 132   | 83    | 6                | 7                | 531   | 13              | 6              |  |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|       | N | 913       | 289           | 468      | 156         | 245   | 228   | 237   | 202   | 13               | 33               | 830   | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q57. Have you ever had sexual intercourse?

| Females |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 38.2        | 20.1          | 42.9     | 59.3        | 15.6  | 35.8  | 43.8  | 57.4  | -                | -               | 37.3  | -               | -              |
|         | N | 388         | 67            | 219      | 102         | 40    | 88    | 112   | 148   | 5                | 15              | 349   | 10              | 8              |
| No      | % | 61.8        | 79.9          | 57.1     | 40.7        | 84.4  | 64.2  | 56.3  | 42.6  | -                | -               | 62.7  | -               | -              |
|         | N | 628         | 267           | 291      | 70          | 216   | 158   | 144   | 110   | 6                | 22              | 586   | 12              | 0              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 1,016       | 334           | 510      | 172         | 256   | 246   | 256   | 258   | 11               | 37              | 935   | 22              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q58. How old were you when you had sexual intercourse for the first time?

| Overall                      |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.0    | 80.5          | 57.6     | 40.2        | 83.7  | 65.3  | 56.0  | 42.0  | -                | -                | 63.3  | -               | -              |
|                              | N | 1,195   | 501           | 562      | 132         | 417   | 309   | 276   | 193   | 12               | 29               | 1,117 | 25              | 6              |
| 11 years old or younger      | % | 1.8     | 2.1           | 1.4      | 2.1         | 1.8   | 1.7   | 1.6   | 2.0   | -                | -                | 1.6   | -               | -              |
|                              | N | 34      | 13            | 14       | 7           | 9     | 8     | 8     | 9     | 1                | 1                | 29    | 1               | 2              |
| 12 years old                 | % | 1.5     | 1.8           | 1.3      | 1.2         | 2.2   | 1.5   | 0.8   | 1.3   | -                | -                | 1.2   | -               | -              |
|                              | N | 28      | 11            | 13       | 4           | 11    | 7     | 4     | 6     | 0                | 3                | 22    | 3               | 0              |
| 13 years old                 | % | 3.1     | 2.7           | 3.6      | 2.4         | 2.4   | 5.1   | 2.8   | 2.2   | -                | -                | 2.7   | -               | -              |
|                              | N | 60      | 17            | 35       | 8           | 12    | 24    | 14    | 10    | 2                | 8                | 47    | 2               | 1              |
| 14 years old                 | % | 7.0     | 8.0           | 6.9      | 5.2         | 7.0   | 8.5   | 5.9   | 6.3   | -                | -                | 6.7   | -               | -              |
|                              | N | 134     | 50            | 67       | 17          | 35    | 40    | 29    | 29    | 2                | 6                | 119   | 4               | 3              |
| 15 years old                 | % | 9.1     | 4.8           | 11.9     | 9.1         | 2.8   | 13.7  | 10.5  | 9.8   | -                | -                | 8.7   | -               | -              |
|                              | N | 176     | 30            | 116      | 30          | 14    | 65    | 52    | 45    | 4                | 12               | 153   | 4               | 3              |
| 16 years old                 | % | 10.8    | 0.0           | 13.5     | 23.2        | 0.0   | 4.0   | 18.7  | 20.9  | -                | -                | 10.9  | -               | -              |
|                              | N | 209     | 0             | 132      | 76          | 0     | 19    | 92    | 96    | 2                | 8                | 192   | 4               | 1              |
| 17 years old or older        | % | 4.7     | 0.0           | 3.8      | 16.5        | 0.0   | 0.2   | 3.7   | 15.7  | -                | -                | 4.8   | -               | -              |
|                              | N | 91      | 0             | 37       | 54          | 0     | 1     | 18    | 72    | 1                | 2                | 85    | 3               | 0              |
| Total                        | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N | 1,927   | 622           | 976      | 328         | 498   | 473   | 493   | 460   | 24               | 69               | 1,764 | 46              | 16             |

Note: There were 171 students who did not provide usable data for Q58.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q58. How old were you when you had sexual intercourse for the first time?

| Males                        | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                              |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never had sexual intercourse | %   | 62.2      | 81.3          | 58.0     | 39.7        | 82.7  | 66.2  | 55.7  | 41.1  | -                | -               | 64.1  | -               | -              |
|                              | N   | 567       | 234           | 271      | 62          | 201   | 151   | 132   | 83    | 6                | 7               | 531   | 13              | 6              |
| 11 years old or younger      | %   | 2.3       | 2.8           | 2.1      | 1.9         | 1.6   | 3.1   | 2.5   | 2.0   | -                | -               | 2.1   | -               | -              |
|                              | N   | 21        | 8             | 10       | 3           | 4     | 7     | 6     | 4     | 1                | 1               | 17    | 1               | 1              |
| 12 years old                 | %   | 1.5       | 1.7           | 1.1      | 2.6         | 2.1   | 1.8   | 0.4   | 2.0   | -                | -               | 1.2   | -               | -              |
|                              | N   | 14        | 5             | 5        | 4           | 5     | 4     | 1     | 4     | 0                | 2               | 10    | 2               | 0              |
| 13 years old                 | %   | 3.6       | 2.8           | 4.5      | 2.6         | 2.1   | 7.0   | 3.0   | 2.5   | -                | -               | 2.9   | -               | -              |
|                              | N   | 33        | 8             | 21       | 4           | 5     | 16    | 7     | 5     | 1                | 6               | 24    | 2               | 0              |
| 14 years old                 | %   | 7.7       | 8.0           | 8.1      | 5.8         | 7.8   | 9.2   | 6.8   | 6.9   | -                | -               | 7.8   | -               | -              |
|                              | N   | 70        | 23            | 38       | 9           | 19    | 21    | 16    | 14    | 1                | 3               | 65    | 1               | 0              |
| 15 years old                 | %   | 7.7       | 3.5           | 10.5     | 7.1         | 3.7   | 9.6   | 9.7   | 7.9   | -                | -               | 7.1   | -               | -              |
|                              | N   | 70        | 10            | 49       | 11          | 9     | 22    | 23    | 16    | 2                | 6               | 59    | 2               | 1              |
| 16 years old                 | %   | 10.5      | 0.0           | 12.4     | 24.4        | 0.0   | 2.6   | 19.4  | 21.3  | -                | -               | 10.4  | -               | -              |
|                              | N   | 96        | 0             | 58       | 38          | 0     | 6     | 46    | 43    | 2                | 6               | 86    | 2               | 0              |
| 17 years old or older        | %   | 4.4       | 0.0           | 3.2      | 16.0        | 0.0   | 0.4   | 2.5   | 16.3  | -                | -               | 4.5   | -               | -              |
|                              | N   | 40        | 0             | 15       | 25          | 0     | 1     | 6     | 33    | 0                | 2               | 37    | 1               | 0              |
| Total                        | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                              | N   | 911       | 288           | 467      | 156         | 243   | 228   | 237   | 202   | 13               | 33              | 829   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q58. How old were you when you had sexual intercourse for the first time?

| Females                      | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                              |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never had sexual intercourse | %   | 61.9        | 80.2          | 57.2     | 40.7        | 84.7  | 64.5  | 56.3  | 42.6  | -                | -               | 62.7  | -               | -              |
|                              | N   | 628         | 267           | 291      | 70          | 216   | 158   | 144   | 110   | 6                | 22              | 586   | 12              | 0              |
| 11 years old or younger      | %   | 1.3         | 1.5           | 0.8      | 2.3         | 2.0   | 0.4   | 0.8   | 1.9   | -                | -               | 1.3   | -               | -              |
|                              | N   | 13          | 5             | 4        | 4           | 5     | 1     | 2     | 5     | 0                | 0               | 12    | 0               | 1              |
| 12 years old                 | %   | 1.4         | 1.8           | 1.6      | 0.0         | 2.4   | 1.2   | 1.2   | 0.8   | -                | -               | 1.3   | -               | -              |
|                              | N   | 14          | 6             | 8        | 0           | 6     | 3     | 3     | 2     | 0                | 1               | 12    | 1               | 0              |
| 13 years old                 | %   | 2.7         | 2.7           | 2.8      | 2.3         | 2.7   | 3.3   | 2.7   | 1.9   | -                | -               | 2.5   | -               | -              |
|                              | N   | 27          | 9             | 14       | 4           | 7     | 8     | 7     | 5     | 1                | 2               | 23    | 0               | 1              |
| 14 years old                 | %   | 6.2         | 7.8           | 5.7      | 4.7         | 6.3   | 7.8   | 5.1   | 5.8   | -                | -               | 5.7   | -               | -              |
|                              | N   | 63          | 26            | 29       | 8           | 16    | 19    | 13    | 15    | 1                | 3               | 53    | 3               | 3              |
| 15 years old                 | %   | 10.5        | 6.0           | 13.2     | 11.0        | 2.0   | 17.6  | 11.3  | 11.2  | -                | -               | 10.1  | -               | -              |
|                              | N   | 106         | 20            | 67       | 19          | 5     | 43    | 29    | 29    | 2                | 6               | 94    | 2               | 2              |
| 16 years old                 | %   | 11.0        | 0.0           | 14.5     | 22.1        | 0.0   | 5.3   | 18.0  | 20.5  | -                | -               | 11.3  | -               | -              |
|                              | N   | 112         | 0             | 74       | 38          | 0     | 13    | 46    | 53    | 0                | 2               | 106   | 2               | 1              |
| 17 years old or older        | %   | 5.0         | 0.0           | 4.3      | 16.9        | 0.0   | 0.0   | 4.7   | 15.1  | -                | -               | 5.1   | -               | -              |
|                              | N   | 51          | 0             | 22       | 29          | 0     | 0     | 12    | 39    | 1                | 0               | 48    | 2               | 0              |
| Total                        | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                              | N   | 1,014       | 333           | 509      | 172         | 255   | 245   | 256   | 258   | 11               | 36              | 934   | 22              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q59. During your life, with how many people have you had sexual intercourse?

| Overall                      |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 61.9    | 80.3          | 57.6     | 40.2        | 83.4  | 65.3  | 56.0  | 42.0  | -                | -                | 63.3  | -               | -              |
|                              | N | 1,195   | 501           | 562      | 132         | 417   | 309   | 276   | 193   | 12               | 29               | 1,117 | 25              | 6              |
| 1 person                     | % | 16.0    | 8.5           | 19.0     | 21.6        | 7.8   | 11.2  | 21.5  | 23.9  | -                | -                | 16.0  | -               | -              |
|                              | N | 309     | 53            | 185      | 71          | 39    | 53    | 106   | 110   | 5                | 10               | 283   | 9               | 1              |
| 2 people                     | % | 8.0     | 5.0           | 8.1      | 13.4        | 3.6   | 8.2   | 9.1   | 11.3  | -                | -                | 7.6   | -               | -              |
|                              | N | 154     | 31            | 79       | 44          | 18    | 39    | 45    | 52    | 3                | 11               | 134   | 2               | 4              |
| 3 people                     | % | 4.2     | 2.1           | 4.8      | 6.1         | 1.8   | 4.0   | 3.9   | 7.2   | -                | -                | 3.9   | -               | -              |
|                              | N | 81      | 13            | 47       | 20          | 9     | 19    | 19    | 33    | 1                | 7                | 69    | 2               | 1              |
| 4 people                     | % | 3.1     | 1.3           | 3.7      | 4.6         | 1.0   | 3.8   | 3.4   | 4.1   | -                | -                | 2.8   | -               | -              |
|                              | N | 59      | 8             | 36       | 15          | 5     | 18    | 17    | 19    | 0                | 5                | 50    | 1               | 3              |
| 5 people                     | % | 1.6     | 0.3           | 1.4      | 4.3         | 0.4   | 1.1   | 1.6   | 3.3   | -                | -                | 1.4   | -               | -              |
|                              | N | 30      | 2             | 14       | 14          | 2     | 5     | 8     | 15    | 0                | 4                | 24    | 2               | 0              |
| 6 or more people             | % | 5.2     | 2.6           | 5.4      | 9.8         | 2.0   | 6.3   | 4.5   | 8.3   | -                | -                | 5.0   | -               | -              |
|                              | N | 101     | 16            | 53       | 32          | 10    | 30    | 22    | 38    | 3                | 4                | 88    | 5               | 1              |
| Total                        | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N | 1,929   | 624           | 976      | 328         | 500   | 473   | 493   | 460   | 24               | 70               | 1,765 | 46              | 16             |

Note: There were 169 students who did not provide usable data for Q59.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q59. During your life, with how many people have you had sexual intercourse?

| Males                        | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | %   | 62.2      | 81.0          | 58.0     | 39.7        | 82.4  | 66.2  | 55.7  | 41.1  | -                | -                | 64.0  | -               | -              |
|                              | N   | 567       | 234           | 271      | 62          | 201   | 151   | 132   | 83    | 6                | 7                | 531   | 13              | 6              |
| 1 person                     | %   | 14.6      | 8.0           | 16.3     | 21.8        | 8.2   | 9.2   | 18.1  | 23.8  | -                | -                | 14.6  | -               | -              |
|                              | N   | 133       | 23            | 76       | 34          | 20    | 21    | 43    | 48    | 2                | 8                | 121   | 2               | 0              |
| 2 people                     | %   | 8.2       | 4.5           | 8.8      | 13.5        | 4.5   | 7.0   | 11.4  | 10.4  | -                | -                | 8.0   | -               | -              |
|                              | N   | 75        | 13            | 41       | 21          | 11    | 16    | 27    | 21    | 2                | 5                | 66    | 1               | 1              |
| 3 people                     | %   | 4.7       | 1.7           | 6.2      | 5.8         | 1.6   | 5.3   | 4.2   | 8.4   | -                | -                | 4.5   | -               | -              |
|                              | N   | 43        | 5             | 29       | 9           | 4     | 12    | 10    | 17    | 1                | 3                | 37    | 2               | 0              |
| 4 people                     | %   | 2.7       | 1.0           | 3.4      | 3.8         | 0.4   | 3.1   | 4.2   | 3.5   | -                | -                | 2.4   | -               | -              |
|                              | N   | 25        | 3             | 16       | 6           | 1     | 7     | 10    | 7     | 0                | 4                | 20    | 1               | 0              |
| 5 people                     | %   | 1.1       | 0.3           | 1.1      | 2.6         | 0.4   | 0.9   | 0.8   | 2.5   | -                | -                | 0.7   | -               | -              |
|                              | N   | 10        | 1             | 5        | 4           | 1     | 2     | 2     | 5     | 0                | 2                | 6     | 2               | 0              |
| 6 or more people             | %   | 6.5       | 3.5           | 6.2      | 12.8        | 2.5   | 8.3   | 5.5   | 10.4  | -                | -                | 5.9   | -               | -              |
|                              | N   | 59        | 10            | 29       | 20          | 6     | 19    | 13    | 21    | 2                | 4                | 49    | 3               | 1              |
| Total                        | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N   | 912       | 289           | 467      | 156         | 244   | 228   | 237   | 202   | 13               | 33               | 830   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q59. During your life, with how many people have you had sexual intercourse?

| Females                      | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | %   | 61.9        | 79.9          | 57.2     | 40.7        | 84.4  | 64.5  | 56.3  | 42.6  | -                | -                | 62.7  | -               | -              |
|                              | N   | 628         | 267           | 291      | 70          | 216   | 158   | 144   | 110   | 6                | 22               | 586   | 12              | 0              |
| 1 person                     | %   | 17.3        | 9.0           | 21.4     | 21.5        | 7.4   | 13.1  | 24.6  | 24.0  | -                | -                | 17.3  | -               | -              |
|                              | N   | 176         | 30            | 109      | 37          | 19    | 32    | 63    | 62    | 3                | 2                | 162   | 7               | 1              |
| 2 people                     | %   | 7.8         | 5.4           | 7.5      | 13.4        | 2.7   | 9.4   | 7.0   | 12.0  | -                | -                | 7.3   | -               | -              |
|                              | N   | 79          | 18            | 38       | 23          | 7     | 23    | 18    | 31    | 1                | 6                | 68    | 1               | 3              |
| 3 people                     | %   | 3.6         | 2.4           | 3.5      | 6.4         | 2.0   | 2.9   | 3.5   | 6.2   | -                | -                | 3.4   | -               | -              |
|                              | N   | 37          | 8             | 18       | 11          | 5     | 7     | 9     | 16    | 0                | 4                | 32    | 0               | 1              |
| 4 people                     | %   | 3.3         | 1.5           | 3.9      | 5.2         | 1.6   | 4.5   | 2.7   | 4.7   | -                | -                | 3.2   | -               | -              |
|                              | N   | 34          | 5             | 20       | 9           | 4     | 11    | 7     | 12    | 0                | 1                | 30    | 0               | 3              |
| 5 people                     | %   | 2.0         | 0.3           | 1.8      | 5.8         | 0.4   | 1.2   | 2.3   | 3.9   | -                | -                | 1.9   | -               | -              |
|                              | N   | 20          | 1             | 9        | 10          | 1     | 3     | 6     | 10    | 0                | 2                | 18    | 0               | 0              |
| 6 or more people             | %   | 4.0         | 1.5           | 4.7      | 7.0         | 1.6   | 4.5   | 3.5   | 6.6   | -                | -                | 4.1   | -               | -              |
|                              | N   | 41          | 5             | 24       | 12          | 4     | 11    | 9     | 17    | 1                | 0                | 38    | 2               | 0              |
| Total                        | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N   | 1,015       | 334           | 509      | 172         | 256   | 245   | 256   | 258   | 11               | 37               | 934   | 22              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q60. During the past three months, with how many people did you have sexual intercourse?

| Overall                      |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 61.9    | 80.2          | 57.6     | 40.2        | 83.2  | 65.3  | 56.0  | 42.0  | -                | -                | 63.3  | -               | -              |
|                              | N | 1,195   | 501           | 562      | 132         | 417   | 309   | 276   | 193   | 12               | 29               | 1,117 | 25              | 6              |
| None during past 3 months    | % | 12.0    | 6.7           | 13.1     | 18.6        | 7.0   | 9.1   | 14.2  | 17.8  | -                | -                | 11.3  | -               | -              |
|                              | N | 232     | 42            | 128      | 61          | 35    | 43    | 70    | 82    | 6                | 15               | 199   | 8               | 2              |
| 1 person                     | % | 20.9    | 9.9           | 23.9     | 32.9        | 7.8   | 18.6  | 24.9  | 33.3  | -                | -                | 20.6  | -               | -              |
|                              | N | 403     | 62            | 233      | 108         | 39    | 88    | 123   | 153   | 4                | 21               | 364   | 8               | 6              |
| 2 people                     | % | 2.5     | 1.1           | 2.7      | 4.6         | 0.8   | 3.0   | 2.8   | 3.5   | -                | -                | 2.5   | -               | -              |
|                              | N | 48      | 7             | 26       | 15          | 4     | 14    | 14    | 16    | 1                | 2                | 44    | 1               | 0              |
| 3 people                     | % | 1.2     | 1.0           | 1.2      | 1.8         | 0.6   | 1.9   | 0.8   | 1.7   | -                | -                | 1.1   | -               | -              |
|                              | N | 24      | 6             | 12       | 6           | 3     | 9     | 4     | 8     | 0                | 2                | 20    | 1               | 1              |
| 4 people                     | % | 0.4     | 0.2           | 0.4      | 0.9         | 0.2   | 0.0   | 0.4   | 1.1   | -                | -                | 0.3   | -               | -              |
|                              | N | 8       | 1             | 4        | 3           | 1     | 0     | 2     | 5     | 0                | 0                | 6     | 2               | 0              |
| 5 people                     | % | 0.2     | 0.0           | 0.2      | 0.3         | 0.0   | 0.2   | 0.2   | 0.2   | -                | -                | 0.2   | -               | -              |
|                              | N | 3       | 0             | 2        | 1           | 0     | 1     | 1     | 1     | 0                | 0                | 3     | 0               | 0              |
| 6 or more people             | % | 0.9     | 1.0           | 0.9      | 0.6         | 0.4   | 1.9   | 0.6   | 0.4   | -                | -                | 0.7   | -               | -              |
|                              | N | 17      | 6             | 9        | 2           | 2     | 9     | 3     | 2     | 1                | 1                | 13    | 1               | 1              |
| Total                        | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N | 1,930   | 625           | 976      | 328         | 501   | 473   | 493   | 460   | 24               | 70               | 1,766 | 46              | 16             |

Note: There were 168 students who did not provide usable data for Q60.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q60. During the past three months, with how many people did you have sexual intercourse?

| Males                        | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | %   | 62.1      | 80.7          | 58.0     | 39.7        | 82.0  | 66.2  | 55.7  | 41.1  | -                | -                | 63.9  | -               | -              |
|                              | N   | 567       | 234           | 271      | 62          | 201   | 151   | 132   | 83    | 6                | 7                | 531   | 13              | 6              |
| None during past 3 months    | %   | 13.3      | 8.6           | 15.0     | 16.7        | 9.4   | 10.5  | 16.5  | 16.8  | -                | -                | 12.5  | -               | -              |
|                              | N   | 121       | 25            | 70       | 26          | 23    | 24    | 39    | 34    | 4                | 10               | 104   | 3               | 0              |
| 1 person                     | %   | 18.2      | 7.2           | 20.6     | 31.4        | 6.1   | 14.0  | 22.8  | 32.2  | -                | -                | 17.8  | -               | -              |
|                              | N   | 166       | 21            | 96       | 49          | 15    | 32    | 54    | 65    | 2                | 12               | 148   | 3               | 1              |
| 2 people                     | %   | 2.7       | 0.7           | 2.8      | 6.4         | 0.8   | 3.1   | 3.0   | 4.5   | -                | -                | 2.6   | -               | -              |
|                              | N   | 25        | 2             | 13       | 10          | 2     | 7     | 7     | 9     | 0                | 2                | 22    | 1               | 0              |
| 3 people                     | %   | 1.3       | 1.0           | 1.1      | 2.6         | 0.8   | 2.2   | 0.4   | 2.0   | -                | -                | 1.2   | -               | -              |
|                              | N   | 12        | 3             | 5        | 4           | 2     | 5     | 1     | 4     | 0                | 1                | 10    | 1               | 0              |
| 4 people                     | %   | 0.4       | 0.0           | 0.4      | 1.3         | 0.0   | 0.0   | 0.0   | 2.0   | -                | -                | 0.2   | -               | -              |
|                              | N   | 4         | 0             | 2        | 2           | 0     | 0     | 0     | 4     | 0                | 0                | 2     | 2               | 0              |
| 5 people                     | %   | 0.3       | 0.0           | 0.4      | 0.6         | 0.0   | 0.4   | 0.4   | 0.5   | -                | -                | 0.4   | -               | -              |
|                              | N   | 3         | 0             | 2        | 1           | 0     | 1     | 1     | 1     | 0                | 0                | 3     | 0               | 0              |
| 6 or more people             | %   | 1.6       | 1.7           | 1.7      | 1.3         | 0.8   | 3.5   | 1.3   | 1.0   | -                | -                | 1.3   | -               | -              |
|                              | N   | 15        | 5             | 8        | 2           | 2     | 8     | 3     | 2     | 1                | 1                | 11    | 1               | 1              |
| Total                        | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N   | 913       | 290           | 467      | 156         | 245   | 228   | 237   | 202   | 13               | 33               | 831   | 24              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q60. During the past three months, with how many people did you have sexual intercourse?

| Females                      |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                              |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 61.9  | 79.9        | 57.2          | 40.7     | 84.4        | 64.5  | 56.3  | 42.6  | -    | -                | 62.7             | -     | -               |                |
|                              | N | 628   | 267         | 291           | 70       | 216         | 158   | 144   | 110   | 6    | 22               | 586              | 12    | 0               |                |
| None during past 3 months    | % | 10.8  | 5.1         | 11.4          | 20.3     | 4.7         | 7.8   | 12.1  | 18.6  | -    | -                | 10.2             | -     | -               |                |
|                              | N | 110   | 17          | 58            | 35       | 12          | 19    | 31    | 48    | 2    | 5                | 95               | 5     | 2               |                |
| 1 person                     | % | 23.3  | 12.3        | 26.9          | 34.3     | 9.4         | 22.9  | 27.0  | 34.1  | -    | -                | 23.1             | -     | -               |                |
|                              | N | 237   | 41          | 137           | 59       | 24          | 56    | 69    | 88    | 2    | 9                | 216              | 5     | 5               |                |
| 2 people                     | % | 2.3   | 1.5         | 2.6           | 2.9      | 0.8         | 2.9   | 2.7   | 2.7   | -    | -                | 2.4              | -     | -               |                |
|                              | N | 23    | 5           | 13            | 5        | 2           | 7     | 7     | 7     | 1    | 0                | 22               | 0     | 0               |                |
| 3 people                     | % | 1.2   | 0.9         | 1.4           | 1.2      | 0.4         | 1.6   | 1.2   | 1.6   | -    | -                | 1.1              | -     | -               |                |
|                              | N | 12    | 3           | 7             | 2        | 1           | 4     | 3     | 4     | 0    | 1                | 10               | 0     | 1               |                |
| 4 people                     | % | 0.4   | 0.3         | 0.4           | 0.6      | 0.4         | 0.0   | 0.8   | 0.4   | -    | -                | 0.4              | -     | -               |                |
|                              | N | 4     | 1           | 2             | 1        | 1           | 0     | 2     | 1     | 0    | 0                | 4                | 0     | 0               |                |
| 5 people                     | % | 0.0   | 0.0         | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | -    | -                | 0.0              | -     | -               |                |
|                              | N | 0     | 0           | 0             | 0        | 0           | 0     | 0     | 0     | 0    | 0                | 0                | 0     | 0               |                |
| 6 or more people             | % | 0.1   | 0.0         | 0.2           | 0.0      | 0.0         | 0.4   | 0.0   | 0.0   | -    | -                | 0.1              | -     | -               |                |
|                              | N | 1     | 0           | 1             | 0        | 0           | 1     | 0     | 0     | 0    | 0                | 1                | 0     | 0               |                |
| Total                        | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                              | N | 1,015 | 334         | 509           | 172      | 256         | 245   | 256   | 258   | 11   | 37               | 934              | 22    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q61. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

| Overall                      |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                              |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.0    | 80.3          | 57.6     | 40.2        | 83.4  | 65.3  | 56.0  | 42.0  | -                | -               | 63.3  | -               | -              |
|                              | N | 1,194   | 501           | 561      | 132         | 417   | 309   | 275   | 193   | 12               | 29              | 1,116 | 25              | 6              |
| Yes                          | % | 12.0    | 4.6           | 14.2     | 19.5        | 3.8   | 10.6  | 14.1  | 19.8  | -                | -               | 11.6  | -               | -              |
|                              | N | 231     | 29            | 138      | 64          | 19    | 50    | 69    | 91    | 1                | 17              | 204   | 7               | 2              |
| No                           | % | 26.1    | 15.1          | 28.2     | 40.2        | 12.8  | 24.1  | 29.9  | 38.3  | -                | -               | 25.2  | -               | -              |
|                              | N | 502     | 94            | 275      | 132         | 64    | 114   | 147   | 176   | 11               | 24              | 444   | 13              | 8              |
| Total                        | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                              | N | 1,927   | 624           | 974      | 328         | 500   | 473   | 491   | 460   | 24               | 70              | 1,764 | 45              | 16             |

Note: There were 171 students who did not provide usable data for Q61.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q61. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

| Males                        |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                              |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.1  | 80.7      | 58.1          | 39.7     | 82.0        | 66.2  | 55.7  | 41.1  | -    | -                | 63.9             | -     | -               |                |
|                              | N | 566   | 234       | 270           | 62       | 201         | 151   | 131   | 83    | 6    | 7                | 530              | 13    | 6               |                |
| Yes                          | % | 13.8  | 4.1       | 16.1          | 25.0     | 3.3         | 13.2  | 15.3  | 25.2  | -    | -                | 12.8             | -     | -               |                |
|                              | N | 126   | 12        | 75            | 39       | 8           | 30    | 36    | 51    | 1    | 13               | 106              | 5     | 1               |                |
| No                           | % | 24.0  | 15.2      | 25.8          | 35.3     | 14.7        | 20.6  | 28.9  | 33.7  | -    | -                | 23.3             | -     | -               |                |
|                              | N | 219   | 44        | 120           | 55       | 36          | 47    | 68    | 68    | 6    | 13               | 193              | 6     | 1               |                |
| Total                        | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                              | N | 911   | 290       | 465           | 156      | 245         | 228   | 235   | 202   | 13   | 33               | 829              | 24    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q61. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

| Females                      |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                              |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 61.9  | 80.2        | 57.2          | 40.7     | 84.7        | 64.5  | 56.3  | 42.6  | -    | -                | 62.7             | -     | -               |                |
|                              | N | 628   | 267         | 291           | 70       | 216         | 158   | 144   | 110   | 6    | 22               | 586              | 12    | 0               |                |
| Yes                          | % | 10.3  | 4.8         | 12.4          | 14.5     | 4.3         | 8.2   | 12.9  | 15.5  | -    | -                | 10.4             | -     | -               |                |
|                              | N | 104   | 16          | 63            | 25       | 11          | 20    | 33    | 40    | 0    | 4                | 97               | 2     | 1               |                |
| No                           | % | 27.8  | 15.0        | 30.5          | 44.8     | 11.0        | 27.3  | 30.9  | 41.9  | -    | -                | 26.9             | -     | -               |                |
|                              | N | 282   | 50          | 155           | 77       | 28          | 67    | 79    | 108   | 5    | 11               | 251              | 7     | 7               |                |
| Total                        | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                              | N | 1,014 | 333         | 509           | 172      | 255         | 245   | 256   | 258   | 11   | 37               | 934              | 21    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q62. The last time you had sexual intercourse, did you or your partner use a condom?

| Overall                      |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|------------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                              |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.0    | 80.4          | 57.6     | 40.4        | 83.4  | 65.5  | 56.0  | 42.0  | -                | -               | 63.3  | -               | -              |
|                              | N | 1,194   | 501           | 561      | 132         | 417   | 308   | 276   | 193   | 12               | 29              | 1,116 | 25              | 6              |
| Yes                          | % | 23.7    | 13.2          | 27.6     | 32.1        | 11.0  | 24.0  | 28.0  | 32.5  | -                | -               | 22.6  | -               | -              |
|                              | N | 457     | 82            | 269      | 105         | 55    | 113   | 138   | 149   | 9                | 25              | 399   | 15              | 7              |
| No                           | % | 14.2    | 6.4           | 14.8     | 27.5        | 5.6   | 10.4  | 16.0  | 25.5  | -                | -               | 14.0  | -               | -              |
|                              | N | 274     | 40            | 144      | 90          | 28    | 49    | 79    | 117   | 3                | 14              | 247   | 7               | 3              |
| Total                        | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                              | N | 1,925   | 623           | 974      | 327         | 500   | 470   | 493   | 459   | 24               | 68              | 1,762 | 47              | 16             |

Note: There were 173 students who did not provide usable data for Q62.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q62. The last time you had sexual intercourse, did you or your partner use a condom?

| Males                        |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                              |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.2  | 81.0      | 58.1          | 39.7     | 82.0        | 66.7  | 55.7  | 41.1  | -    | -                | 64.0             | -     | -               |                |
|                              | N | 566   | 234       | 270           | 62       | 201         | 150   | 132   | 83    | 6    | 7                | 530              | 13    | 6               |                |
| Yes                          | % | 25.4  | 14.9      | 29.0          | 34.0     | 13.5        | 24.0  | 30.8  | 35.1  | -    | -                | 23.8             | -     | -               |                |
|                              | N | 231   | 43        | 135           | 53       | 33          | 54    | 73    | 71    | 6    | 18               | 197              | 8     | 2               |                |
| No                           | % | 12.4  | 4.2       | 12.9          | 26.3     | 4.5         | 9.3   | 13.5  | 23.8  | -    | -                | 12.2             | -     | -               |                |
|                              | N | 113   | 12        | 60            | 41       | 11          | 21    | 32    | 48    | 1    | 7                | 101              | 4     | 0               |                |
| Total                        | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                              | N | 910   | 289       | 465           | 156      | 245         | 225   | 237   | 202   | 13   | 32               | 828              | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q62. The last time you had sexual intercourse, did you or your partner use a condom?

| Females                      |   | Age         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.0        | 80.2          | 57.2     | 40.9        | 84.7  | 64.5  | 56.3  | 42.8  | -                | -                | 62.8  | -               | -              |
|                              | N | 628         | 267           | 291      | 70          | 216   | 158   | 144   | 110   | 6                | 22               | 586   | 12              | 0              |
| Yes                          | % | 22.1        | 11.4          | 26.3     | 30.4        | 8.6   | 24.1  | 25.4  | 30.4  | -                | -                | 21.5  | -               | -              |
|                              | N | 224         | 38            | 134      | 52          | 22    | 59    | 65    | 78    | 3                | 7                | 201   | 7               | 5              |
| No                           | % | 15.9        | 8.4           | 16.5     | 28.7        | 6.7   | 11.4  | 18.4  | 26.8  | -                | -                | 15.6  | -               | -              |
|                              | N | 161         | 28            | 84       | 49          | 17    | 28    | 47    | 69    | 2                | 7                | 146   | 3               | 3              |
| Total                        | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N | 1,013       | 333           | 509      | 171         | 255   | 245   | 256   | 257   | 11               | 36               | 933   | 22              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q63. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

| Overall                      | Age |         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|-----|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                              |     | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | %   | 62.3    | 80.8          | 57.9     | 40.5        | 83.6  | 66.2  | 56.2  | 42.2  | -                | -                | 63.7  | -               | -              |
|                              | N   | 1,195   | 501           | 562      | 132         | 417   | 309   | 276   | 193   | 12               | 29               | 1,117 | 25              | 6              |
| No method was used           | %   | 4.6     | 3.9           | 4.0      | 8.0         | 3.6   | 3.9   | 3.7   | 7.7   | -                | -                | 4.2   | -               | -              |
|                              | N   | 89      | 24            | 39       | 26          | 18    | 18    | 18    | 35    | 4                | 5                | 74    | 4               | 2              |
| Birth control pills          | %   | 6.9     | 1.3           | 6.8      | 17.8        | 1.6   | 2.6   | 7.5   | 16.4  | -                | -                | 7.1   | -               | -              |
|                              | N   | 132     | 8             | 66       | 58          | 8     | 12    | 37    | 75    | 1                | 6                | 124   | 0               | 1              |
| Condoms                      | %   | 20.6    | 11.6          | 24.5     | 25.5        | 9.6   | 20.8  | 25.7  | 26.5  | -                | -                | 19.6  | -               | -              |
|                              | N   | 394     | 72            | 238      | 83          | 48    | 97    | 126   | 121   | 5                | 24               | 343   | 13              | 7              |
| Depo-Provera                 | %   | 1.0     | 0.3           | 0.7      | 3.4         | 0.2   | 1.5   | 0.2   | 2.4   | -                | -                | 1.0   | -               | -              |
|                              | N   | 20      | 2             | 7        | 11          | 1     | 7     | 1     | 11    | 0                | 1                | 18    | 1               | 0              |
| Withdrawal                   | %   | 3.2     | 1.6           | 4.3      | 3.1         | 1.0   | 3.2   | 4.9   | 3.7   | -                | -                | 3.3   | -               | -              |
|                              | N   | 62      | 10            | 42       | 10          | 5     | 15    | 24    | 17    | 1                | 2                | 58    | 1               | 0              |
| Some other method            | %   | 0.6     | 0.0           | 0.8      | 1.2         | 0.0   | 0.4   | 1.4   | 0.7   | -                | -                | 0.5   | -               | -              |
|                              | N   | 12      | 0             | 8        | 4           | 0     | 2     | 7     | 3     | 0                | 1                | 9     | 2               | 0              |
| Not sure                     | %   | 0.7     | 0.5           | 0.8      | 0.6         | 0.4   | 1.5   | 0.4   | 0.4   | -                | -                | 0.6   | -               | -              |
|                              | N   | 13      | 3             | 8        | 2           | 2     | 7     | 2     | 2     | 0                | 1                | 11    | 1               | 0              |
| Total                        | %   | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                              | N   | 1,917   | 620           | 970      | 326         | 499   | 467   | 491   | 457   | 23               | 69               | 1,754 | 47              | 16             |

Note: There were 181 students who did not provide usable data for Q63.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q63. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

| Males                        |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|------------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                              |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.7      | 81.8          | 58.5     | 39.7        | 82.7  | 67.7  | 55.9  | 41.1  | -  | -                | 64.4            | -     | -               | -              |
|                              | N | 567       | 234           | 271      | 62          | 201   | 151   | 132   | 83    | 6  | 7                | 531             | 13    | 6               | 6              |
| No method was used           | % | 3.6       | 2.8           | 3.0      | 7.1         | 2.5   | 4.5   | 1.7   | 6.4   | -  | -                | 3.3             | -     | -               | -              |
|                              | N | 33        | 8             | 14       | 11          | 6     | 10    | 4     | 13    | 2  | 2                | 27              | 2     | 0               | 0              |
| Birth control pills          | % | 6.0       | 1.0           | 5.6      | 16.0        | 2.5   | 0.9   | 7.2   | 14.4  | -  | -                | 5.9             | -     | -               | -              |
|                              | N | 54        | 3             | 26       | 25          | 6     | 2     | 17    | 29    | 1  | 4                | 49              | 0     | 0               | 0              |
| Condoms                      | % | 22.2      | 12.9          | 26.1     | 27.6        | 11.5  | 20.6  | 28.8  | 29.2  | -  | -                | 21.0            | -     | -               | -              |
|                              | N | 201       | 37            | 121      | 43          | 28    | 46    | 68    | 59    | 2  | 17               | 173             | 7     | 2               | 2              |
| Depo-Provera                 | % | 0.7       | 0.0           | 0.2      | 3.2         | 0.0   | 0.4   | 0.0   | 2.5   | -  | -                | 0.7             | -     | -               | -              |
|                              | N | 6         | 0             | 1        | 5           | 0     | 1     | 0     | 5     | 0  | 0                | 6               | 0     | 0               | 0              |
| Withdrawal                   | % | 2.8       | 0.7           | 3.9      | 3.2         | 0.4   | 2.7   | 3.4   | 4.5   | -  | -                | 2.7             | -     | -               | -              |
|                              | N | 25        | 2             | 18       | 5           | 1     | 6     | 8     | 9     | 1  | 1                | 22              | 1     | 0               | 0              |
| Some other method            | % | 0.9       | 0.0           | 1.1      | 1.9         | 0.0   | 0.4   | 2.1   | 1.0   | -  | -                | 0.7             | -     | -               | -              |
|                              | N | 8         | 0             | 5        | 3           | 0     | 1     | 5     | 2     | 0  | 1                | 6               | 1     | 0               | 0              |
| Not sure                     | % | 1.2       | 0.7           | 1.5      | 1.3         | 0.4   | 2.7   | 0.8   | 1.0   | -  | -                | 1.2             | -     | -               | -              |
|                              | N | 11        | 2             | 7        | 2           | 1     | 6     | 2     | 2     | 0  | 0                | 10              | 1     | 0               | 0              |
| Total                        | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                              | N | 905       | 286           | 463      | 156         | 243   | 223   | 236   | 202   | 12 | 32               | 824             | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q63. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

| Females                      |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                              |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Never had sexual intercourse | % | 62.2  | 80.2        | 57.4          | 41.2     | 84.4        | 64.8  | 56.5  | 43.1  | -    | -                | 63.1             | -     | -               |                |
|                              | N | 628   | 267         | 291           | 70       | 216         | 158   | 144   | 110   | 6    | 22               | 586              | 12    | 0               |                |
| No method was used           | % | 5.5   | 4.8         | 4.9           | 8.8      | 4.7         | 3.3   | 5.5   | 8.6   | -    | -                | 5.1              | -     | -               |                |
|                              | N | 56    | 16          | 25            | 15       | 12          | 8     | 14    | 22    | 2    | 3                | 47               | 2     | 2               |                |
| Birth control pills          | % | 7.7   | 1.5         | 7.9           | 19.4     | 0.8         | 4.1   | 7.8   | 18.0  | -    | -                | 8.1              | -     | -               |                |
|                              | N | 78    | 5           | 40            | 33       | 2           | 10    | 20    | 46    | 0    | 2                | 75               | 0     | 1               |                |
| Condoms                      | % | 18.9  | 10.2        | 23.1          | 23.5     | 7.8         | 20.9  | 22.7  | 24.3  | -    | -                | 18.2             | -     | -               |                |
|                              | N | 191   | 34          | 117           | 40       | 20          | 51    | 58    | 62    | 3    | 7                | 169              | 6     | 5               |                |
| Depo-Provera                 | % | 1.4   | 0.6         | 1.2           | 3.5      | 0.4         | 2.5   | 0.4   | 2.4   | -    | -                | 1.3              | -     | -               |                |
|                              | N | 14    | 2           | 6             | 6        | 1           | 6     | 1     | 6     | 0    | 1                | 12               | 1     | 0               |                |
| Withdrawal                   | % | 3.7   | 2.4         | 4.7           | 2.9      | 1.6         | 3.7   | 6.3   | 3.1   | -    | -                | 3.9              | -     | -               |                |
|                              | N | 37    | 8           | 24            | 5        | 4           | 9     | 16    | 8     | 0    | 1                | 36               | 0     | 0               |                |
| Some other method            | % | 0.4   | 0.0         | 0.6           | 0.6      | 0.0         | 0.4   | 0.8   | 0.4   | -    | -                | 0.3              | -     | -               |                |
|                              | N | 4     | 0           | 3             | 1        | 0           | 1     | 2     | 1     | 0    | 0                | 3                | 1     | 0               |                |
| Not sure                     | % | 0.2   | 0.3         | 0.2           | 0.0      | 0.4         | 0.4   | 0.0   | 0.0   | -    | -                | 0.1              | -     | -               |                |
|                              | N | 2     | 1           | 1             | 0        | 1           | 1     | 0     | 0     | 0    | 1                | 1                | 0     | 0               |                |
| Total                        | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                              | N | 1,010 | 333         | 507           | 170      | 256         | 244   | 255   | 255   | 11   | 37               | 929              | 22    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q64. How many times have you been pregnant or gotten someone pregnant?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 95.9    | 98.7          | 95.6     | 91.5        | 98.4  | 97.1  | 96.0  | 92.0  | -                | -                | 96.6  | -               | -              |
|                 | N | 1,869   | 625           | 942      | 301         | 501   | 464   | 477   | 424   | 22               | 62               | 1,721 | 42              | 14             |
| 1 time          | % | 2.6     | 0.6           | 2.6      | 6.4         | 1.2   | 1.3   | 2.6   | 5.6   | -                | -                | 2.5   | -               | -              |
|                 | N | 51      | 4             | 26       | 21          | 6     | 6     | 13    | 26    | 2                | 4                | 44    | 0               | 1              |
| 2 or more times | % | 0.2     | 0.0           | 0.3      | 0.3         | 0.0   | 0.0   | 0.2   | 0.7   | -                | -                | 0.2   | -               | -              |
|                 | N | 4       | 0             | 3        | 1           | 0     | 0     | 1     | 3     | 0                | 1                | 3     | 0               | 0              |
| Not sure        | % | 1.2     | 0.6           | 1.4      | 1.8         | 0.4   | 1.7   | 1.2   | 1.7   | -                | -                | 0.8   | -               | -              |
|                 | N | 24      | 4             | 14       | 6           | 2     | 8     | 6     | 8     | 1                | 4                | 14    | 4               | 1              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 1,948   | 633           | 985      | 329         | 509   | 478   | 497   | 461   | 25               | 71               | 1,782 | 46              | 16             |

Note: There were 150 students who did not provide usable data for Q64.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q64. How many times have you been pregnant or gotten someone pregnant?

| Males           |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                 |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 times         | % | 95.4  | 99.3      | 95.3          | 88.5     | 98.8        | 97.4  | 95.0  | 89.6  | -    | -                | 96.1            | -     | -               |                |
|                 | N | 878   | 290       | 450           | 138      | 245         | 225   | 227   | 180   | 12   | 30               | 804             | 20    | 8               |                |
| 1 time          | % | 2.5   | 0.0       | 2.3           | 7.7      | 0.8         | 0.4   | 2.9   | 6.5   | -    | -                | 2.4             | -     | -               |                |
|                 | N | 23    | 0         | 11            | 12       | 2           | 1     | 7     | 13    | 1    | 2                | 20              | 0     | 0               |                |
| 2 or more times | % | 0.0   | 0.0       | 0.0           | 0.0      | 0.0         | 0.0   | 0.0   | 0.0   | -    | -                | 0.0             | -     | -               |                |
|                 | N | 0     | 0         | 0             | 0        | 0           | 0     | 0     | 0     | 0    | 0                | 0               | 0     | 0               |                |
| Not sure        | % | 2.1   | 0.7       | 2.3           | 3.8      | 0.4         | 2.2   | 2.1   | 4.0   | -    | -                | 1.6             | -     | -               |                |
|                 | N | 19    | 2         | 11            | 6        | 1           | 5     | 5     | 8     | 1    | 1                | 13              | 4     | 0               |                |
| Total           | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                 | N | 920   | 292       | 472           | 156      | 248         | 231   | 239   | 201   | 14   | 33               | 837             | 24    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q64. How many times have you been pregnant or gotten someone pregnant?

| Females         |   |       | Age         |               |          |             | Grade |       |       | Race/Ethnicity |                  |                 |       |                 |
|-----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|----------------|------------------|-----------------|-------|-----------------|
|                 |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th           | African American | Hispanic/Latino | White | All other races |
| 0 times         | % | 96.4  | 98.2        | 95.9          | 94.2     | 98.1        | 96.8  | 96.9  | 93.8  | -              | -                | 97.0            | -     | -               |
|                 | N | 989   | 334         | 492           | 163      | 256         | 239   | 250   | 244   | 10             | 32               | 916             | 22    | 6               |
| 1 time          | % | 2.7   | 1.2         | 2.9           | 5.2      | 1.5         | 2.0   | 2.3   | 5.0   | -              | -                | 2.5             | -     | -               |
|                 | N | 28    | 4           | 15            | 9        | 4           | 5     | 6     | 13    | 1              | 2                | 24              | 0     | 1               |
| 2 or more times | % | 0.4   | 0.0         | 0.6           | 0.6      | 0.0         | 0.0   | 0.4   | 1.2   | -              | -                | 0.3             | -     | -               |
|                 | N | 4     | 0           | 3             | 1        | 0           | 0     | 1     | 3     | 0              | 1                | 3               | 0     | 0               |
| Not sure        | % | 0.5   | 0.6         | 0.6           | 0.0      | 0.4         | 1.2   | 0.4   | 0.0   | -              | -                | 0.1             | -     | -               |
|                 | N | 5     | 2           | 3             | 0        | 1           | 3     | 1     | 0     | 0              | 3                | 1               | 0     | 1               |
| Total           | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -              | -                | 100.0           | -     | -               |
|                 | N | 1,026 | 340         | 513           | 173      | 261         | 247   | 258   | 260   | 11             | 38               | 944             | 22    | 8               |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q65. How do you describe your weight?

| Overall                |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                        |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Very underweight       | % | 1.6     | 1.7           | 1.3      | 2.2         | 1.9   | 1.5   | 1.3   | 1.4   | -                | -                | 1.5   | -               | -              |
|                        | N | 33      | 11            | 14       | 8           | 10    | 8     | 7     | 7     | 0                | 1                | 29    | 2               | 1              |
| Slightly underweight   | % | 14.4    | 16.4          | 13.7     | 12.9        | 15.2  | 16.1  | 14.8  | 11.5  | -                | -                | 14.7  | -               | -              |
|                        | N | 302     | 109           | 147      | 46          | 81    | 85    | 79    | 57    | 2                | 6                | 281   | 9               | 3              |
| About the right weight | % | 51.6    | 49.0          | 52.1     | 55.2        | 50.6  | 49.7  | 50.7  | 55.8  | -                | -                | 51.4  | -               | -              |
|                        | N | 1,081   | 325           | 558      | 197         | 269   | 263   | 270   | 276   | 14               | 36               | 985   | 30              | 7              |
| Slightly overweight    | % | 28.4    | 28.5          | 28.7     | 27.5        | 27.4  | 28.7  | 29.3  | 28.5  | -                | -                | 28.8  | -               | -              |
|                        | N | 595     | 189           | 308      | 98          | 146   | 152   | 156   | 141   | 9                | 20               | 552   | 9               | 4              |
| Very overweight        | % | 3.9     | 4.4           | 4.2      | 2.2         | 4.9   | 4.0   | 3.9   | 2.8   | -                | -                | 3.6   | -               | -              |
|                        | N | 82      | 29            | 45       | 8           | 26    | 21    | 21    | 14    | 1                | 9                | 68    | 2               | 1              |
| Total                  | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                        | N | 2,093   | 663           | 1,072    | 357         | 532   | 529   | 533   | 495   | 26               | 72               | 1,915 | 52              | 16             |

Note: There were 5 students who did not provide usable data for Q65.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q65. How do you describe your weight?

| Males                  |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                        |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Very underweight       | % | 1.7   | 2.2       | 1.0           | 3.0      | 3.0         | 0.8   | 1.2   | 1.8   | -    | -                | 1.5              | -     | -               |                |
|                        | N | 17    | 7         | 5             | 5        | 8           | 2     | 3     | 4     | 0    | 0                | 14               | 2     | 1               |                |
| Slightly underweight   | % | 18.8  | 20.4      | 18.6          | 16.6     | 18.0        | 21.8  | 19.1  | 16.1  | -    | -                | 19.1             | -     | -               |                |
|                        | N | 188   | 64        | 96            | 28       | 48          | 56    | 49    | 35    | 2    | 4                | 174              | 5     | 2               |                |
| About the right weight | % | 57.3  | 56.7      | 56.5          | 60.9     | 58.8        | 54.9  | 55.9  | 59.9  | -    | -                | 56.9             | -     | -               |                |
|                        | N | 572   | 178       | 291           | 103      | 157         | 141   | 143   | 130   | 11   | 20               | 517              | 17    | 3               |                |
| Slightly overweight    | % | 20.1  | 19.1      | 21.2          | 18.9     | 18.0        | 20.2  | 21.5  | 21.2  | -    | -                | 20.7             | -     | -               |                |
|                        | N | 201   | 60        | 109           | 32       | 48          | 52    | 55    | 46    | 1    | 7                | 188              | 2     | 2               |                |
| Very overweight        | % | 2.0   | 1.6       | 2.7           | 0.6      | 2.2         | 2.3   | 2.3   | 0.9   | -    | -                | 1.8              | -     | -               |                |
|                        | N | 20    | 5         | 14            | 1        | 6           | 6     | 6     | 2     | 1    | 3                | 16               | 0     | 0               |                |
| Total                  | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                        | N | 998   | 314       | 515           | 169      | 267         | 257   | 256   | 217   | 15   | 34               | 909              | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q65. How do you describe your weight?

| Females                |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                        |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Very underweight       | % | 1.4   | 0.9         | 1.6           | 1.6      | 0.8         | 2.2   | 1.4   | 1.1   | -    | -                | 1.4              | -     | -               |                |
|                        | N | 15    | 3           | 9             | 3        | 2           | 6     | 4     | 3     | 0    | 1                | 14               | 0     | 0               |                |
| Slightly underweight   | % | 10.4  | 12.9        | 9.2           | 9.6      | 12.5        | 10.7  | 10.8  | 7.9   | -    | -                | 10.6             | -     | -               |                |
|                        | N | 114   | 45          | 51            | 18       | 33          | 29    | 30    | 22    | 0    | 2                | 107              | 4     | 1               |                |
| About the right weight | % | 46.4  | 42.2        | 47.9          | 49.7     | 42.3        | 44.9  | 45.8  | 52.5  | -    | -                | 46.6             | -     | -               |                |
|                        | N | 507   | 147         | 267           | 93       | 112         | 122   | 127   | 146   | 3    | 16               | 468              | 12    | 4               |                |
| Slightly overweight    | % | 36.1  | 37.1        | 35.7          | 35.3     | 37.0        | 36.8  | 36.5  | 34.2  | -    | -                | 36.2             | -     | -               |                |
|                        | N | 394   | 129         | 199           | 66       | 98          | 100   | 101   | 95    | 8    | 13               | 364              | 7     | 2               |                |
| Very overweight        | % | 5.7   | 6.9         | 5.6           | 3.7      | 7.5         | 5.5   | 5.4   | 4.3   | -    | -                | 5.2              | -     | -               |                |
|                        | N | 62    | 24          | 31            | 7        | 20          | 15    | 15    | 12    | 0    | 6                | 52               | 2     | 1               |                |
| Total                  | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                        | N | 1,092 | 348         | 557           | 187      | 265         | 272   | 277   | 278   | 11   | 38               | 1,005            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q66. Which of the following are you trying to do about your weight?

| Overall                   |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                           |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Lose weight               | % | 44.6    | 41.6          | 47.7     | 40.6        | 41.0  | 47.8  | 43.7  | 46.0  | -                | -               | 44.4  | -               | -              |
|                           | N | 934     | 276           | 512      | 145         | 218   | 253   | 233   | 228   | 13               | 39              | 851   | 18              | 8              |
| Gain weight               | % | 18.1    | 15.2          | 20.7     | 16.0        | 14.7  | 20.2  | 22.1  | 15.1  | -                | -               | 18.1  | -               | -              |
|                           | N | 380     | 101           | 222      | 57          | 78    | 107   | 118   | 75    | 6                | 8               | 347   | 15              | 3              |
| Stay the same weight      | % | 16.7    | 19.8          | 14.4     | 18.2        | 21.6  | 12.3  | 16.5  | 16.5  | -                | -               | 16.9  | -               | -              |
|                           | N | 350     | 131           | 154      | 65          | 115   | 65    | 88    | 82    | 4                | 11              | 323   | 10              | 1              |
| Not trying to do anything | % | 20.5    | 23.4          | 17.2     | 25.2        | 22.7  | 19.7  | 17.6  | 22.4  | -                | -               | 20.6  | -               | -              |
|                           | N | 430     | 155           | 185      | 90          | 121   | 104   | 94    | 111   | 3                | 14              | 395   | 9               | 4              |
| Total                     | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                           | N | 2,094   | 663           | 1,073    | 357         | 532   | 529   | 533   | 496   | 26               | 72              | 1,916 | 52              | 16             |

Note: There were 4 students who did not provide usable data for Q66.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q66. Which of the following are you trying to do about your weight?

| Males                     |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                           |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Lose weight               | % | 24.1      | 23.9          | 26.9     | 16.0        | 24.7  | 25.3  | 25.4  | 20.6  | -  | -                | 23.4            | -     | -               | -              |
|                           | N | 241       | 75            | 139      | 27          | 66    | 65    | 65    | 45    | 5  | 16               | 213             | 3     | 3               | 3              |
| Gain weight               | % | 34.0      | 28.0          | 38.8     | 30.8        | 25.8  | 38.1  | 40.6  | 31.2  | -  | -                | 34.2            | -     | -               | -              |
|                           | N | 340       | 88            | 200      | 52          | 69    | 98    | 104   | 68    | 6  | 6                | 311             | 13    | 3               | 3              |
| Stay the same weight      | % | 17.3      | 19.1          | 15.3     | 20.1        | 21.3  | 14.8  | 15.2  | 17.9  | -  | -                | 17.5            | -     | -               | -              |
|                           | N | 173       | 60            | 79       | 34          | 57    | 38    | 39    | 39    | 3  | 7                | 159             | 4     | 0               | 0              |
| Not trying to do anything | % | 24.5      | 29.0          | 19.0     | 33.1        | 28.1  | 21.8  | 18.8  | 30.3  | -  | -                | 24.9            | -     | -               | -              |
|                           | N | 245       | 91            | 98       | 56          | 75    | 56    | 48    | 66    | 1  | 5                | 227             | 6     | 2               | 2              |
| Total                     | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                           | N | 999       | 314           | 516      | 169         | 267   | 257   | 256   | 218   | 15 | 34               | 910             | 26    | 8               | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q66. Which of the following are you trying to do about your weight?

| Females                   |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|---------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                           |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| Lose weight               | % | 63.3  | 57.8        | 67.0          | 62.6     | 57.4        | 69.1  | 60.6  | 65.8  | -    | -                | 63.5            | -     | -               |                |
|                           | N | 691   | 201         | 373           | 117      | 152         | 188   | 168   | 183   | 8    | 23               | 638             | 14    | 5               |                |
| Gain weight               | % | 3.6   | 3.4         | 3.9           | 2.7      | 3.4         | 3.3   | 5.1   | 2.5   | -    | -                | 3.5             | -     | -               |                |
|                           | N | 39    | 12          | 22            | 5        | 9           | 9     | 14    | 7     | 0    | 2                | 35              | 2     | 0               |                |
| Stay the same weight      | % | 16.2  | 20.4        | 13.5          | 16.6     | 21.9        | 9.9   | 17.7  | 15.5  | -    | -                | 16.3            | -     | -               |                |
|                           | N | 177   | 71          | 75            | 31       | 58          | 27    | 49    | 43    | 1    | 4                | 164             | 6     | 1               |                |
| Not trying to do anything | % | 16.9  | 18.4        | 15.6          | 18.2     | 17.4        | 17.6  | 16.6  | 16.2  | -    | -                | 16.7            | -     | -               |                |
|                           | N | 185   | 64          | 87            | 34       | 46          | 48    | 46    | 45    | 2    | 9                | 168             | 3     | 2               |                |
| Total                     | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                           | N | 1,092 | 348         | 557           | 187      | 265         | 272   | 277   | 278   | 11   | 38               | 1,005           | 25    | 8               |                |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q67. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 62.3    | 65.4          | 61.6     | 58.5        | 66.2  | 61.0  | 61.7  | 60.1  | -                | -               | 62.7  | -               | -              |
|         | N | 1,295   | 429           | 656      | 209         | 348   | 320   | 326   | 298   | 14               | 48              | 1,193 | 25              | 9              |
| No      | % | 37.7    | 34.6          | 38.4     | 41.5        | 33.8  | 39.0  | 38.3  | 39.9  | -                | -               | 37.3  | -               | -              |
|         | N | 784     | 227           | 409      | 148         | 178   | 205   | 202   | 198   | 12               | 23              | 711   | 25              | 7              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,079   | 656           | 1,065    | 357         | 526   | 525   | 528   | 496   | 26               | 71              | 1,904 | 50              | 16             |

Note: There were 19 students who did not provide usable data for Q67.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q67. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?

| Males |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Yes   | % | 47.3      | 52.1          | 47.1     | 39.1        | 55.1  | 42.7  | 48.6  | 41.7  | -                | -                | 47.6  | -               | -              |  |
|       | N | 467       | 161           | 240      | 66          | 145   | 108   | 123   | 91    | 7                | 21               | 429   | 7               | 2              |  |
| No    | % | 52.7      | 47.9          | 52.9     | 60.9        | 44.9  | 57.3  | 51.4  | 58.3  | -                | -                | 52.4  | -               | -              |  |
|       | N | 521       | 148           | 270      | 103         | 118   | 145   | 130   | 127   | 8                | 13               | 472   | 17              | 6              |  |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|       | N | 988       | 309           | 510      | 169         | 263   | 253   | 253   | 218   | 15               | 34               | 901   | 24              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q67. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?

| Females |   |             | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 75.8        | 77.2          | 75.0     | 75.9        | 77.2  | 77.9  | 73.8  | 74.5  | -  | -                | 76.1            | -     | -               | -              |
|         | N | 825         | 267           | 416      | 142         | 203   | 212   | 203   | 207   | 7  | 27               | 763             | 17    | 7               | 7              |
| No      | % | 24.2        | 22.8          | 25.0     | 24.1        | 22.8  | 22.1  | 26.2  | 25.5  | -  | -                | 23.9            | -     | -               | -              |
|         | N | 263         | 79            | 139      | 45          | 60    | 60    | 72    | 71    | 4  | 10               | 239             | 8     | 1               | 1              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|         | N | 1,088       | 346           | 555      | 187         | 263   | 272   | 275   | 278   | 11 | 37               | 1,002           | 25    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q68. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 42.2    | 40.2          | 43.3     | 42.6        | 40.5  | 42.0  | 42.4  | 44.4  | -                | -               | 42.5  | -               | -              |
|         | N | 883     | 266           | 465      | 152         | 215   | 222   | 226   | 220   | 9                | 32              | 813   | 18              | 7              |
| No      | % | 57.8    | 59.8          | 56.7     | 57.4        | 59.5  | 58.0  | 57.6  | 55.6  | -                | -               | 57.5  | -               | -              |
|         | N | 1,210   | 396           | 608      | 205         | 316   | 307   | 307   | 276   | 17               | 40              | 1,102 | 34              | 9              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,093   | 662           | 1,073    | 357         | 531   | 529   | 533   | 496   | 26               | 72              | 1,915 | 52              | 16             |

Note: There were 5 students who did not provide usable data for Q68.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q68. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?

| Males |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes   | % | 19.8      | 17.9          | 21.9     | 17.2        | 20.7  | 19.1  | 20.7  | 18.8  | -                | -               | 19.8  | -               | -              |
|       | N | 198       | 56            | 113      | 29          | 55    | 49    | 53    | 41    | 3                | 9               | 180   | 4               | 2              |
| No    | % | 80.2      | 82.1          | 78.1     | 82.8        | 79.3  | 80.9  | 79.3  | 81.2  | -                | -               | 80.2  | -               | -              |
|       | N | 800       | 257           | 403      | 140         | 211   | 208   | 203   | 177   | 12               | 25              | 729   | 22              | 6              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|       | N | 998       | 313           | 516      | 169         | 266   | 257   | 256   | 218   | 15               | 34              | 909   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q68. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?

| Females |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Yes     | % | 62.7        | 60.3          | 63.2     | 65.8        | 60.4  | 63.6  | 62.5  | 64.4  | -                | -                | 63.0  | -               | -              |  |
|         | N | 685         | 210           | 352      | 123         | 160   | 173   | 173   | 179   | 6                | 23               | 633   | 14              | 5              |  |
| No      | % | 37.3        | 39.7          | 36.8     | 34.2        | 39.6  | 36.4  | 37.5  | 35.6  | -                | -                | 37.0  | -               | -              |  |
|         | N | 407         | 138           | 205      | 64          | 105   | 99    | 104   | 99    | 5                | 15               | 372   | 11              | 3              |  |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|         | N | 1,092       | 348           | 557      | 187         | 265   | 272   | 277   | 278   | 11               | 38               | 1,005 | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q69. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 12.1    | 12.4          | 12.6     | 10.1        | 12.8  | 13.8  | 11.8  | 9.9   | -                | -               | 12.0  | -               | -              |
|         | N | 253     | 82            | 135      | 36          | 68    | 73    | 63    | 49    | 1                | 10              | 230   | 8               | 4              |
| No      | % | 87.9    | 87.6          | 87.4     | 89.9        | 87.2  | 86.2  | 88.2  | 90.1  | -                | -               | 88.0  | -               | -              |
|         | N | 1,839   | 580           | 938      | 320         | 463   | 456   | 470   | 446   | 25               | 62              | 1,684 | 44              | 12             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,092   | 662           | 1,073    | 356         | 531   | 529   | 533   | 495   | 26               | 72              | 1,914 | 52              | 16             |

Note: There were 6 students who did not provide usable data for Q69.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q69. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 5.6       | 3.2           | 7.8      | 3.6         | 4.1   | 6.6   | 7.0   | 4.6   | -                | -                | 5.4   | -               | -              |
|       | N | 56        | 10            | 40       | 6           | 11    | 17    | 18    | 10    | 0                | 4                | 49    | 2               | 1              |
| No    | % | 94.4      | 96.8          | 92.2     | 96.4        | 95.9  | 93.4  | 93.0  | 95.4  | -                | -                | 94.6  | -               | -              |
|       | N | 942       | 303           | 476      | 163         | 255   | 240   | 238   | 208   | 15               | 30               | 860   | 24              | 7              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 998       | 313           | 516      | 169         | 266   | 257   | 256   | 218   | 15               | 34               | 909   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q69. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 18.1        | 20.7          | 17.1     | 16.1        | 21.5  | 20.6  | 16.2  | 14.1  | -                | -                | 18.0  | -               | -              |
|         | N | 197         | 72            | 95       | 30          | 57    | 56    | 45    | 39    | 1                | 6                | 181   | 6               | 3              |
| No      | % | 81.9        | 79.3          | 82.9     | 83.9        | 78.5  | 79.4  | 83.8  | 85.9  | -                | -                | 82.0  | -               | -              |
|         | N | 894         | 276           | 462      | 156         | 208   | 216   | 232   | 238   | 10               | 32               | 823   | 19              | 5              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,091       | 348           | 557      | 186         | 265   | 272   | 277   | 277   | 11               | 38               | 1,004 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q70. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 6.5     | 4.7           | 7.0      | 8.4         | 5.3   | 7.4   | 6.0   | 7.5   | -                | -               | 6.3   | -               | -              |
|         | N | 136     | 31            | 75       | 30          | 28    | 39    | 32    | 37    | 3                | 8               | 120   | 2               | 3              |
| No      | % | 93.5    | 95.3          | 93.0     | 91.6        | 94.7  | 92.6  | 94.0  | 92.5  | -                | -               | 93.7  | -               | -              |
|         | N | 1,955   | 630           | 997      | 327         | 502   | 490   | 500   | 459   | 23               | 64              | 1,793 | 50              | 13             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,091   | 661           | 1,072    | 357         | 530   | 529   | 532   | 496   | 26               | 72              | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q70.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q70. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 2.8       | 1.3           | 3.7      | 3.0         | 1.9   | 5.1   | 2.4   | 1.8   | -                | -                | 2.8   | -               | -              |
|       | N | 28        | 4             | 19       | 5           | 5     | 13    | 6     | 4     | 0                | 3                | 25    | 0               | 0              |
| No    | % | 97.2      | 98.7          | 96.3     | 97.0        | 98.1  | 94.9  | 97.6  | 98.2  | -                | -                | 97.2  | -               | -              |
|       | N | 968       | 308           | 496      | 164         | 260   | 244   | 249   | 214   | 15               | 31               | 882   | 26              | 8              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 996       | 312           | 515      | 169         | 265   | 257   | 255   | 218   | 15               | 34               | 907   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q70. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight?

| Females |   |             | Age           |          |             |       | Grade |       |       |  | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|--|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 9.9         | 7.8           | 10.1     | 13.4        | 8.7   | 9.6   | 9.4   | 11.9  |  | -                | -               | 9.5   | -               | -              |
|         | N | 108         | 27            | 56       | 25          | 23    | 26    | 26    | 33    |  | 3                | 5               | 95    | 2               | 3              |
| No      | % | 90.1        | 92.2          | 89.9     | 86.6        | 91.3  | 90.4  | 90.6  | 88.1  |  | -                | -               | 90.5  | -               | -              |
|         | N | 984         | 321           | 501      | 162         | 242   | 246   | 251   | 245   |  | 8                | 33              | 910   | 23              | 5              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 |  | -                | -               | 100.0 | -               | -              |
|         | N | 1,092       | 348           | 557      | 187         | 265   | 272   | 277   | 278   |  | 11               | 38              | 1,005 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q71. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes     | % | 4.7     | 5.0           | 4.4      | 5.1         | 5.1   | 5.5   | 3.8   | 4.4   | -                | -               | 4.7   | -               | -              |
|         | N | 99      | 33            | 47       | 18          | 27    | 29    | 20    | 22    | 1                | 5               | 89    | 3               | 0              |
| No      | % | 95.3    | 95.0          | 95.6     | 94.9        | 94.9  | 94.5  | 96.2  | 95.6  | -                | -               | 95.3  | -               | -              |
|         | N | 1,989   | 627           | 1,024    | 338         | 503   | 500   | 510   | 473   | 25               | 67              | 1,822 | 49              | 16             |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,088   | 660           | 1,071    | 356         | 530   | 529   | 530   | 495   | 26               | 72              | 1,911 | 52              | 16             |

Note: There were 10 students who did not provide usable data for Q71.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q71. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

| Males |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|       |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes   | % | 1.7       | 1.0           | 2.3      | 1.2         | 1.1   | 3.1   | 1.2   | 1.4   | -                | -                | 1.5   | -               | -              |
|       | N | 17        | 3             | 12       | 2           | 3     | 8     | 3     | 3     | 0                | 2                | 14    | 1               | 0              |
| No    | % | 98.3      | 99.0          | 97.7     | 98.8        | 98.9  | 96.9  | 98.8  | 98.6  | -                | -                | 98.5  | -               | -              |
|       | N | 979       | 310           | 503      | 166         | 263   | 249   | 252   | 214   | 15               | 32               | 894   | 25              | 8              |
| Total | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|       | N | 996       | 313           | 515      | 168         | 266   | 257   | 255   | 217   | 15               | 34               | 908   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q71. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

| Females |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes     | % | 7.4         | 8.7           | 6.3      | 8.6         | 9.1   | 7.7   | 6.2   | 6.8   | -                | -                | 7.5   | -               | -              |
|         | N | 81          | 30            | 35       | 16          | 24    | 21    | 17    | 19    | 1                | 3                | 75    | 2               | 0              |
| No      | % | 92.6        | 91.3          | 93.7     | 91.4        | 90.9  | 92.3  | 93.8  | 93.2  | -                | -                | 92.5  | -               | -              |
|         | N | 1,008       | 316           | 521      | 171         | 240   | 251   | 258   | 259   | 10               | 35               | 927   | 23              | 8              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,089       | 346           | 556      | 187         | 264   | 272   | 275   | 278   | 11               | 38               | 1,002 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q72. During the past seven days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 16.1    | 16.1          | 15.4     | 18.2        | 14.7  | 17.0  | 14.7  | 18.1  | -                | -                | 16.0  | -               | -              |
|                            | N | 337     | 107           | 165      | 65          | 78    | 90    | 78    | 90    | 5                | 8                | 306   | 14              | 1              |
| 1 to 3 times past 7 days   | % | 36.3    | 33.8          | 37.3     | 38.4        | 32.3  | 39.0  | 37.3  | 36.9  | -                | -                | 35.8  | -               | -              |
|                            | N | 760     | 224           | 399      | 137         | 172   | 206   | 198   | 183   | 7                | 34               | 685   | 24              | 7              |
| 4 to 6 times past 7 days   | % | 17.9    | 17.6          | 18.6     | 16.2        | 16.9  | 18.6  | 19.2  | 16.9  | -                | -                | 18.2  | -               | -              |
|                            | N | 375     | 117           | 199      | 58          | 90    | 98    | 102   | 84    | 7                | 9                | 348   | 5               | 4              |
| 1 time per day             | % | 11.0    | 10.7          | 10.3     | 13.4        | 11.5  | 8.9   | 10.5  | 13.1  | -                | -                | 11.2  | -               | -              |
|                            | N | 229     | 71            | 110      | 48          | 61    | 47    | 56    | 65    | 1                | 6                | 215   | 4               | 2              |
| 2 times per day            | % | 11.0    | 12.8          | 11.0     | 7.6         | 14.5  | 8.5   | 11.5  | 9.5   | -                | -                | 11.1  | -               | -              |
|                            | N | 230     | 85            | 118      | 27          | 77    | 45    | 61    | 47    | 5                | 6                | 212   | 3               | 2              |
| 3 times per day            | % | 3.8     | 5.3           | 3.1      | 3.1         | 6.0   | 3.6   | 2.3   | 3.2   | -                | -                | 3.8   | -               | -              |
|                            | N | 79      | 35            | 33       | 11          | 32    | 19    | 12    | 16    | 1                | 4                | 73    | 0               | 0              |
| 4 or more times per day    | % | 3.9     | 3.6           | 4.3      | 3.1         | 4.1   | 4.4   | 4.5   | 2.2   | -                | -                | 3.9   | -               | -              |
|                            | N | 81      | 24            | 46       | 11          | 22    | 23    | 24    | 11    | 0                | 5                | 74    | 2               | 0              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N | 2,091   | 663           | 1,070    | 357         | 532   | 528   | 531   | 496   | 26               | 72               | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q72.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q72. During the past seven days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?

| Males                      |   |           | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|----------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|                            |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Not during the past 7 days | % | 15.2      | 15.6          | 14.6     | 16.6        | 13.1  | 16.7  | 15.0  | 16.5  | -                | -                | 14.6  | -               | -              |  |
|                            | N | 152       | 49            | 75       | 28          | 35    | 43    | 38    | 36    | 4                | 6                | 133   | 8               | 0              |  |
| 1 to 3 times past 7 days   | % | 35.3      | 34.1          | 35.6     | 36.7        | 32.2  | 39.7  | 33.5  | 35.8  | -                | -                | 35.5  | -               | -              |  |
|                            | N | 352       | 107           | 183      | 62          | 86    | 102   | 85    | 78    | 3                | 11               | 322   | 11              | 4              |  |
| 4 to 6 times past 7 days   | % | 18.4      | 16.9          | 19.5     | 17.8        | 16.9  | 17.5  | 21.3  | 17.9  | -                | -                | 18.4  | -               | -              |  |
|                            | N | 183       | 53            | 100      | 30          | 45    | 45    | 54    | 39    | 4                | 7                | 167   | 2               | 2              |  |
| 1 time per day             | % | 10.7      | 11.5          | 9.5      | 13.0        | 13.1  | 8.6   | 9.4   | 11.9  | -                | -                | 10.8  | -               | -              |  |
|                            | N | 107       | 36            | 49       | 22          | 35    | 22    | 24    | 26    | 0                | 4                | 98    | 3               | 1              |  |
| 2 times per day            | % | 11.6      | 10.8          | 12.8     | 9.5         | 12.4  | 8.6   | 13.8  | 11.9  | -                | -                | 11.9  | -               | -              |  |
|                            | N | 116       | 34            | 66       | 16          | 33    | 22    | 35    | 26    | 3                | 1                | 108   | 1               | 1              |  |
| 3 times per day            | % | 4.1       | 6.4           | 2.9      | 3.6         | 6.7   | 3.1   | 2.8   | 3.7   | -                | -                | 4.2   | -               | -              |  |
|                            | N | 41        | 20            | 15       | 6           | 18    | 8     | 7     | 8     | 1                | 2                | 38    | 0               | 0              |  |
| 4 or more times per day    | % | 4.6       | 4.8           | 5.1      | 3.0         | 5.6   | 5.8   | 4.3   | 2.3   | -                | -                | 4.6   | -               | -              |  |
|                            | N | 46        | 15            | 26       | 5           | 15    | 15    | 11    | 5     | 0                | 3                | 42    | 1               | 0              |  |
| Total                      | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|                            | N | 997       | 314           | 514      | 169         | 267   | 257   | 254   | 218   | 15               | 34               | 908   | 26              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q72. During the past seven days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?

| Females                    |   | Age         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 16.9        | 16.7          | 16.2     | 19.3        | 16.2  | 17.3  | 14.4  | 19.4  | -                | -                | 17.2  | -               | -              |
|                            | N | 184         | 58            | 90       | 36          | 43    | 47    | 40    | 54    | 1                | 2                | 173   | 5               | 1              |
| 1 to 3 times past 7 days   | % | 37.4        | 33.6          | 38.8     | 40.1        | 32.5  | 38.4  | 40.8  | 37.8  | -                | -                | 36.2  | -               | -              |
|                            | N | 408         | 117           | 216      | 75          | 86    | 104   | 113   | 105   | 4                | 23               | 363   | 13              | 3              |
| 4 to 6 times past 7 days   | % | 17.5        | 18.4          | 17.8     | 15.0        | 17.0  | 19.6  | 17.3  | 16.2  | -                | -                | 18.0  | -               | -              |
|                            | N | 191         | 64            | 99       | 28          | 45    | 53    | 48    | 45    | 3                | 2                | 181   | 3               | 2              |
| 1 time per day             | % | 11.2        | 10.1          | 11.0     | 13.9        | 9.8   | 9.2   | 11.6  | 14.0  | -                | -                | 11.7  | -               | -              |
|                            | N | 122         | 35            | 61       | 26          | 26    | 25    | 32    | 39    | 1                | 2                | 117   | 1               | 1              |
| 2 times per day            | % | 10.4        | 14.7          | 9.4      | 5.9         | 16.6  | 8.5   | 9.4   | 7.6   | -                | -                | 10.4  | -               | -              |
|                            | N | 114         | 51            | 52       | 11          | 44    | 23    | 26    | 21    | 2                | 5                | 104   | 2               | 1              |
| 3 times per day            | % | 3.5         | 4.3           | 3.2      | 2.7         | 5.3   | 4.1   | 1.8   | 2.9   | -                | -                | 3.5   | -               | -              |
|                            | N | 38          | 15            | 18       | 5           | 14    | 11    | 5     | 8     | 0                | 2                | 35    | 0               | 0              |
| 4 or more times per day    | % | 3.1         | 2.3           | 3.6      | 3.2         | 2.6   | 3.0   | 4.7   | 2.2   | -                | -                | 3.1   | -               | -              |
|                            | N | 34          | 8             | 20       | 6           | 7     | 8     | 13    | 6     | 0                | 2                | 31    | 1               | 0              |
| Total                      | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N | 1,091       | 348           | 556      | 187         | 265   | 271   | 277   | 278   | 11               | 38               | 1,004 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q73. During the past seven days, how many times did you eat fruit?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 10.0    | 8.9           | 10.1     | 11.5        | 7.9   | 10.0  | 10.4  | 11.5  | -                | -               | 10.1  | -               | -              |
|                            | N | 209     | 59            | 108      | 41          | 42    | 53    | 55    | 57    | 2                | 7               | 192   | 5               | 1              |
| 1 to 3 times past 7 days   | % | 42.3    | 39.4          | 42.9     | 45.8        | 37.7  | 41.8  | 46.4  | 43.3  | -                | -               | 42.0  | -               | -              |
|                            | N | 883     | 261           | 459      | 163         | 200   | 221   | 246   | 214   | 10               | 36              | 802   | 23              | 7              |
| 4 to 6 times past 7 days   | % | 20.4    | 20.4          | 21.1     | 18.3        | 20.7  | 22.1  | 19.4  | 19.4  | -                | -               | 20.6  | -               | -              |
|                            | N | 426     | 135           | 226      | 65          | 110   | 117   | 103   | 96    | 10               | 7               | 394   | 11              | 2              |
| 1 time per day             | % | 12.1    | 12.5          | 12.3     | 10.7        | 13.4  | 11.7  | 10.9  | 12.3  | -                | -               | 12.4  | -               | -              |
|                            | N | 252     | 83            | 131      | 38          | 71    | 62    | 58    | 61    | 0                | 5               | 237   | 4               | 4              |
| 2 times per day            | % | 9.6     | 11.2          | 8.5      | 9.8         | 12.4  | 8.7   | 8.1   | 9.1   | -                | -               | 9.5   | -               | -              |
|                            | N | 200     | 74            | 91       | 35          | 66    | 46    | 43    | 45    | 3                | 9               | 182   | 4               | 1              |
| 3 times per day            | % | 3.3     | 3.9           | 3.1      | 2.5         | 4.3   | 2.8   | 3.0   | 2.8   | -                | -               | 3.2   | -               | -              |
|                            | N | 68      | 26            | 33       | 9           | 23    | 15    | 16    | 14    | 0                | 4               | 61    | 3               | 0              |
| 4 or more times per day    | % | 2.4     | 3.6           | 2.0      | 1.4         | 3.6   | 2.8   | 1.7   | 1.4   | -                | -               | 2.2   | -               | -              |
|                            | N | 50      | 24            | 21       | 5           | 19    | 15    | 9     | 7     | 1                | 4               | 42    | 2               | 1              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                            | N | 2,088   | 662           | 1,069    | 356         | 531   | 529   | 530   | 494   | 26               | 72              | 1,910 | 52              | 16             |

Note: There were 10 students who did not provide usable data for Q73.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q73. During the past seven days, how many times did you eat fruit?

| Males                      | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                            |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 10.2      | 8.9           | 10.1     | 12.5        | 7.9   | 9.7   | 10.6  | 13.0  | -                | -               | 10.1  | -               | -              |
|                            | N   | 101       | 28            | 52       | 21          | 21    | 25    | 27    | 28    | 1                | 3               | 91    | 5               | 0              |
| 1 to 3 times past 7 days   | %   | 43.9      | 39.9          | 44.8     | 48.2        | 38.0  | 42.0  | 50.8  | 44.9  | -                | -               | 43.6  | -               | -              |
|                            | N   | 436       | 125           | 230      | 81          | 101   | 108   | 129   | 97    | 6                | 21              | 395   | 10              | 3              |
| 4 to 6 times past 7 days   | %   | 20.2      | 22.7          | 19.9     | 16.7        | 23.3  | 21.8  | 18.5  | 16.7  | -                | -               | 20.6  | -               | -              |
|                            | N   | 201       | 71            | 102      | 28          | 62    | 56    | 47    | 36    | 6                | 3               | 186   | 3               | 2              |
| 1 time per day             | %   | 12.5      | 12.5          | 12.7     | 11.9        | 13.2  | 11.7  | 11.8  | 13.4  | -                | -               | 12.5  | -               | -              |
|                            | N   | 124       | 39            | 65       | 20          | 35    | 30    | 30    | 29    | 0                | 3               | 113   | 3               | 3              |
| 2 times per day            | %   | 7.7       | 9.3           | 7.2      | 6.5         | 10.2  | 8.9   | 4.3   | 7.4   | -                | -               | 7.6   | -               | -              |
|                            | N   | 77        | 29            | 37       | 11          | 27    | 23    | 11    | 16    | 2                | 2               | 69    | 3               | 0              |
| 3 times per day            | %   | 3.3       | 3.5           | 3.3      | 3.0         | 4.5   | 2.7   | 2.4   | 3.7   | -                | -               | 3.3   | -               | -              |
|                            | N   | 33        | 11            | 17       | 5           | 12    | 7     | 6     | 8     | 0                | 2               | 30    | 1               | 0              |
| 4 or more times per day    | %   | 2.2       | 3.2           | 1.9      | 1.2         | 3.0   | 3.1   | 1.6   | 0.9   | -                | -               | 2.3   | -               | -              |
|                            | N   | 22        | 10            | 10       | 2           | 8     | 8     | 4     | 2     | 0                | 0               | 21    | 1               | 0              |
| Total                      | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                            | N   | 994       | 313           | 513      | 168         | 266   | 257   | 254   | 216   | 15               | 34              | 905   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q73. During the past seven days, how many times did you eat fruit?

| Females                    |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 9.7         | 8.6           | 10.1     | 10.7        | 7.9   | 10.3  | 10.1  | 10.4  | -                | -                | 10.0  | -               | -              |
|                            | N | 106         | 30            | 56       | 20          | 21    | 28    | 28    | 29    | 1                | 4                | 100   | 0               | 1              |
| 1 to 3 times past 7 days   | % | 40.9        | 39.1          | 41.2     | 43.3        | 37.4  | 41.5  | 42.4  | 42.1  | -                | -                | 40.5  | -               | -              |
|                            | N | 446         | 136           | 229      | 81          | 99    | 113   | 117   | 117   | 4                | 15               | 407   | 12              | 4              |
| 4 to 6 times past 7 days   | % | 20.6        | 18.4          | 22.3     | 19.8        | 18.1  | 22.4  | 20.3  | 21.6  | -                | -                | 20.7  | -               | -              |
|                            | N | 225         | 64            | 124      | 37          | 48    | 61    | 56    | 60    | 4                | 4                | 208   | 8               | 0              |
| 1 time per day             | % | 11.7        | 12.6          | 11.9     | 9.6         | 13.6  | 11.8  | 10.1  | 11.5  | -                | -                | 12.4  | -               | -              |
|                            | N | 128         | 44            | 66       | 18          | 36    | 32    | 28    | 32    | 0                | 2                | 124   | 1               | 1              |
| 2 times per day            | % | 11.3        | 12.9          | 9.7      | 12.8        | 14.7  | 8.5   | 11.6  | 10.4  | -                | -                | 11.3  | -               | -              |
|                            | N | 123         | 45            | 54       | 24          | 39    | 23    | 32    | 29    | 1                | 7                | 113   | 1               | 1              |
| 3 times per day            | % | 3.2         | 4.3           | 2.9      | 2.1         | 4.2   | 2.9   | 3.6   | 2.2   | -                | -                | 3.1   | -               | -              |
|                            | N | 35          | 15            | 16       | 4           | 11    | 8     | 10    | 6     | 0                | 2                | 31    | 2               | 0              |
| 4 or more times per day    | % | 2.6         | 4.0           | 2.0      | 1.6         | 4.2   | 2.6   | 1.8   | 1.8   | -                | -                | 2.1   | -               | -              |
|                            | N | 28          | 14            | 11       | 3           | 11    | 7     | 5     | 5     | 1                | 4                | 21    | 1               | 1              |
| Total                      | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N | 1,091       | 348           | 556      | 187         | 265   | 272   | 276   | 278   | 11               | 38               | 1,004 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q74. During the past seven days, how many times did you eat green salad?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 28.6    | 28.4          | 28.9     | 27.7        | 27.9  | 28.2  | 30.5  | 27.4  | -                | -                | 28.5  | -               | -              |
|                            | N | 598     | 188           | 310      | 99          | 148   | 149   | 162   | 136   | 13               | 18               | 545   | 12              | 5              |
| 1 to 3 times past 7 days   | % | 45.5    | 46.4          | 43.7     | 49.6        | 45.8  | 44.4  | 43.3  | 49.2  | -                | -                | 45.6  | -               | -              |
|                            | N | 952     | 307           | 468      | 177         | 243   | 235   | 230   | 244   | 11               | 37               | 873   | 21              | 5              |
| 4 to 6 times past 7 days   | % | 15.4    | 12.4          | 17.4     | 14.8        | 12.4  | 16.1  | 16.8  | 16.3  | -                | -                | 15.5  | -               | -              |
|                            | N | 321     | 82            | 186      | 53          | 66    | 85    | 89    | 81    | 2                | 7                | 296   | 11              | 3              |
| 1 time per day             | % | 7.2     | 8.8           | 6.8      | 5.6         | 9.0   | 8.1   | 6.8   | 4.8   | -                | -                | 7.1   | -               | -              |
|                            | N | 151     | 58            | 73       | 20          | 48    | 43    | 36    | 24    | 0                | 10               | 136   | 3               | 2              |
| 2 times per day            | % | 2.2     | 2.6           | 2.1      | 2.2         | 3.0   | 1.9   | 2.1   | 2.0   | -                | -                | 2.2   | -               | -              |
|                            | N | 47      | 17            | 22       | 8           | 16    | 10    | 11    | 10    | 0                | 0                | 42    | 4               | 1              |
| 3 times per day            | % | 0.4     | 0.8           | 0.4      | 0.0         | 0.9   | 0.6   | 0.2   | 0.0   | -                | -                | 0.4   | -               | -              |
|                            | N | 9       | 5             | 4        | 0           | 5     | 3     | 1     | 0     | 0                | 0                | 8     | 1               | 0              |
| 4 or more times per day    | % | 0.6     | 0.8           | 0.7      | 0.0         | 0.9   | 0.8   | 0.4   | 0.2   | -                | -                | 0.7   | -               | -              |
|                            | N | 13      | 5             | 8        | 0           | 5     | 4     | 2     | 1     | 0                | 0                | 13    | 0               | 0              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N | 2,091   | 662           | 1,071    | 357         | 531   | 529   | 531   | 496   | 26               | 72               | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q74.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q74. During the past seven days, how many times did you eat green salad?

| Males                      | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 31.6      | 31.3          | 32.7     | 29.0        | 30.8  | 31.5  | 34.3  | 29.4  | -                | -                | 32.0  | -               | -              |
|                            | N   | 315       | 98            | 168      | 49          | 82    | 81    | 87    | 64    | 7                | 8                | 290   | 6               | 3              |
| 1 to 3 times past 7 days   | %   | 43.0      | 44.7          | 41.1     | 45.6        | 46.2  | 40.5  | 40.6  | 45.0  | -                | -                | 42.3  | -               | -              |
|                            | N   | 428       | 140           | 211      | 77          | 123   | 104   | 103   | 98    | 7                | 19               | 384   | 12              | 2              |
| 4 to 6 times past 7 days   | %   | 14.0      | 10.9          | 15.6     | 14.8        | 9.4   | 15.2  | 15.0  | 17.0  | -                | -                | 14.0  | -               | -              |
|                            | N   | 139       | 34            | 80       | 25          | 25    | 39    | 38    | 37    | 1                | 3                | 127   | 5               | 2              |
| 1 time per day             | %   | 7.9       | 8.6           | 7.4      | 8.3         | 7.9   | 10.5  | 7.1   | 6.0   | -                | -                | 7.9   | -               | -              |
|                            | N   | 79        | 27            | 38       | 14          | 21    | 27    | 18    | 13    | 0                | 4                | 72    | 2               | 1              |
| 2 times per day            | %   | 2.5       | 3.2           | 2.1      | 2.4         | 3.8   | 1.2   | 2.8   | 2.3   | -                | -                | 2.6   | -               | -              |
|                            | N   | 25        | 10            | 11       | 4           | 10    | 3     | 7     | 5     | 0                | 0                | 24    | 1               | 0              |
| 3 times per day            | %   | 0.3       | 0.6           | 0.2      | 0.0         | 0.8   | 0.4   | 0.0   | 0.0   | -                | -                | 0.3   | -               | -              |
|                            | N   | 3         | 2             | 1        | 0           | 2     | 1     | 0     | 0     | 0                | 0                | 3     | 0               | 0              |
| 4 or more times per day    | %   | 0.7       | 0.6           | 1.0      | 0.0         | 1.1   | 0.8   | 0.4   | 0.5   | -                | -                | 0.8   | -               | -              |
|                            | N   | 7         | 2             | 5        | 0           | 3     | 2     | 1     | 1     | 0                | 0                | 7     | 0               | 0              |
| Total                      | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N   | 996       | 313           | 514      | 169         | 266   | 257   | 254   | 218   | 15               | 34               | 907   | 26              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q74. During the past seven days, how many times did you eat green salad?

| Females                    |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                            |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 25.7  | 25.9        | 25.5          | 26.2     | 24.9        | 25.0  | 27.1  | 25.9  | -    | -                | 25.4             | -     | -               |                |
|                            | N | 281   | 90          | 142           | 49       | 66          | 68    | 75    | 72    | 6    | 10               | 255              | 5     | 2               |                |
| 1 to 3 times past 7 days   | % | 48.0  | 48.0        | 46.1          | 53.5     | 45.3        | 48.2  | 45.8  | 52.5  | -    | -                | 48.7             | -     | -               |                |
|                            | N | 524   | 167         | 257           | 100      | 120         | 131   | 127   | 146   | 4    | 18               | 489              | 9     | 3               |                |
| 4 to 6 times past 7 days   | % | 16.7  | 13.8        | 19.0          | 15.0     | 15.5        | 16.9  | 18.4  | 15.8  | -    | -                | 16.8             | -     | -               |                |
|                            | N | 182   | 48          | 106           | 28       | 41          | 46    | 51    | 44    | 1    | 4                | 169              | 6     | 1               |                |
| 1 time per day             | % | 6.6   | 8.9         | 6.3           | 3.2      | 10.2        | 5.9   | 6.5   | 4.0   | -    | -                | 6.4              | -     | -               |                |
|                            | N | 72    | 31          | 35            | 6        | 27          | 16    | 18    | 11    | 0    | 6                | 64               | 1     | 1               |                |
| 2 times per day            | % | 2.0   | 2.0         | 2.0           | 2.1      | 2.3         | 2.6   | 1.4   | 1.8   | -    | -                | 1.8              | -     | -               |                |
|                            | N | 22    | 7           | 11            | 4        | 6           | 7     | 4     | 5     | 0    | 0                | 18               | 3     | 1               |                |
| 3 times per day            | % | 0.5   | 0.9         | 0.5           | 0.0      | 1.1         | 0.7   | 0.4   | 0.0   | -    | -                | 0.5              | -     | -               |                |
|                            | N | 6     | 3           | 3             | 0        | 3           | 2     | 1     | 0     | 0    | 0                | 5                | 1     | 0               |                |
| 4 or more times per day    | % | 0.5   | 0.6         | 0.5           | 0.0      | 0.8         | 0.7   | 0.4   | 0.0   | -    | -                | 0.5              | -     | -               |                |
|                            | N | 5     | 2           | 3             | 0        | 2           | 2     | 1     | 0     | 0    | 0                | 5                | 0     | 0               |                |
| Total                      | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                            | N | 1,092 | 348         | 557           | 187      | 265         | 272   | 277   | 278   | 11   | 38               | 1,005            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q75. During the past seven days, how many times did you eat potatoes?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 17.3    | 17.5          | 17.6     | 16.0        | 17.3  | 18.7  | 16.2  | 16.9  | -                | -                | 16.6  | -               | -              |
|                            | N | 361     | 116           | 188      | 57          | 92    | 99    | 86    | 84    | 7                | 15               | 318   | 14              | 3              |
| 1 to 3 times past 7 days   | % | 53.5    | 54.5          | 52.0     | 56.0        | 52.9  | 53.1  | 52.4  | 55.8  | -                | -                | 53.7  | -               | -              |
|                            | N | 1,119   | 361           | 557      | 200         | 281   | 281   | 278   | 277   | 16               | 36               | 1,027 | 26              | 8              |
| 4 to 6 times past 7 days   | % | 19.6    | 17.4          | 20.5     | 20.7        | 18.8  | 18.0  | 21.5  | 20.0  | -                | -                | 19.9  | -               | -              |
|                            | N | 409     | 115           | 220      | 74          | 100   | 95    | 114   | 99    | 3                | 14               | 380   | 8               | 3              |
| 1 time per day             | % | 6.2     | 7.4           | 5.8      | 5.3         | 7.5   | 6.4   | 6.2   | 4.4   | -                | -                | 6.3   | -               | -              |
|                            | N | 130     | 49            | 62       | 19          | 40    | 34    | 33    | 22    | 0                | 5                | 120   | 2               | 2              |
| 2 times per day            | % | 2.5     | 2.0           | 3.2      | 1.4         | 2.1   | 2.5   | 2.8   | 2.6   | -                | -                | 2.6   | -               | -              |
|                            | N | 52      | 13            | 34       | 5           | 11    | 13    | 15    | 13    | 0                | 2                | 49    | 1               | 0              |
| 3 times per day            | % | 0.4     | 0.6           | 0.3      | 0.3         | 0.6   | 0.4   | 0.6   | 0.0   | -                | -                | 0.4   | -               | -              |
|                            | N | 8       | 4             | 3        | 1           | 3     | 2     | 3     | 0     | 0                | 0                | 8     | 0               | 0              |
| 4 or more times per day    | % | 0.6     | 0.6           | 0.7      | 0.3         | 0.8   | 0.9   | 0.4   | 0.2   | -                | -                | 0.6   | -               | -              |
|                            | N | 12      | 4             | 7        | 1           | 4     | 5     | 2     | 1     | 0                | 0                | 11    | 1               | 0              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N | 2,091   | 662           | 1,071    | 357         | 531   | 529   | 531   | 496   | 26               | 72               | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q75.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q75. During the past seven days, how many times did you eat potatoes?

| Males                      |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                            |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 16.5      | 17.3          | 16.5     | 14.8        | 17.7  | 18.3  | 15.0  | 14.7  | -                | -               | 15.9  | -               | -              |
|                            | N | 164       | 54            | 85       | 25          | 47    | 47    | 38    | 32    | 3                | 6               | 144   | 8               | 2              |
| 1 to 3 times past 7 days   | % | 51.9      | 52.4          | 51.2     | 53.3        | 51.5  | 51.0  | 51.6  | 54.1  | -                | -               | 52.1  | -               | -              |
|                            | N | 517       | 164           | 263      | 90          | 137   | 131   | 131   | 118   | 10               | 16              | 473   | 11              | 3              |
| 4 to 6 times past 7 days   | % | 20.2      | 18.5          | 20.0     | 23.7        | 18.4  | 18.3  | 22.0  | 22.0  | -                | -               | 20.4  | -               | -              |
|                            | N | 201       | 58            | 103      | 40          | 49    | 47    | 56    | 48    | 2                | 9               | 185   | 3               | 2              |
| 1 time per day             | % | 6.9       | 7.7           | 7.0      | 5.3         | 8.3   | 7.4   | 7.1   | 4.6   | -                | -               | 7.1   | -               | -              |
|                            | N | 69        | 24            | 36       | 9           | 22    | 19    | 18    | 10    | 0                | 1               | 64    | 2               | 1              |
| 2 times per day            | % | 3.2       | 2.6           | 4.1      | 1.8         | 2.3   | 3.5   | 3.1   | 4.1   | -                | -               | 3.2   | -               | -              |
|                            | N | 32        | 8             | 21       | 3           | 6     | 9     | 8     | 9     | 0                | 2               | 29    | 1               | 0              |
| 3 times per day            | % | 0.5       | 1.0           | 0.2      | 0.6         | 0.8   | 0.4   | 0.8   | 0.0   | -                | -               | 0.6   | -               | -              |
|                            | N | 5         | 3             | 1        | 1           | 2     | 1     | 2     | 0     | 0                | 0               | 5     | 0               | 0              |
| 4 or more times per day    | % | 0.8       | 0.6           | 1.0      | 0.6         | 1.1   | 1.2   | 0.4   | 0.5   | -                | -               | 0.8   | -               | -              |
|                            | N | 8         | 2             | 5        | 1           | 3     | 3     | 1     | 1     | 0                | 0               | 7     | 1               | 0              |
| Total                      | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                            | N | 996       | 313           | 514      | 169         | 266   | 257   | 254   | 218   | 15               | 34              | 907   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q75. During the past seven days, how many times did you eat potatoes?

| Females                    | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 18.0        | 17.8          | 18.5     | 17.1        | 17.0  | 19.1  | 17.3  | 18.7  | -                | -                | 17.3  | -               | -              |
|                            | N   | 197         | 62            | 103      | 32          | 45    | 52    | 48    | 52    | 4                | 9                | 174   | 6               | 1              |
| 1 to 3 times past 7 days   | %   | 54.9        | 56.6          | 52.8     | 58.3        | 54.3  | 55.1  | 53.1  | 57.2  | -                | -                | 55.1  | -               | -              |
|                            | N   | 600         | 197           | 294      | 109         | 144   | 150   | 147   | 159   | 6                | 20               | 554   | 14              | 5              |
| 4 to 6 times past 7 days   | %   | 19.0        | 16.4          | 21.0     | 18.2        | 19.2  | 17.6  | 20.9  | 18.3  | -                | -                | 19.4  | -               | -              |
|                            | N   | 208         | 57            | 117      | 34          | 51    | 48    | 58    | 51    | 1                | 5                | 195   | 5               | 1              |
| 1 time per day             | %   | 5.5         | 6.9           | 4.7      | 5.3         | 6.8   | 5.5   | 5.4   | 4.3   | -                | -                | 5.5   | -               | -              |
|                            | N   | 60          | 24            | 26       | 10          | 18    | 15    | 15    | 12    | 0                | 4                | 55    | 0               | 1              |
| 2 times per day            | %   | 1.8         | 1.4           | 2.3      | 1.1         | 1.9   | 1.5   | 2.5   | 1.4   | -                | -                | 2.0   | -               | -              |
|                            | N   | 20          | 5             | 13       | 2           | 5     | 4     | 7     | 4     | 0                | 0                | 20    | 0               | 0              |
| 3 times per day            | %   | 0.3         | 0.3           | 0.4      | 0.0         | 0.4   | 0.4   | 0.4   | 0.0   | -                | -                | 0.3   | -               | -              |
|                            | N   | 3           | 1             | 2        | 0           | 1     | 1     | 1     | 0     | 0                | 0                | 3     | 0               | 0              |
| 4 or more times per day    | %   | 0.4         | 0.6           | 0.4      | 0.0         | 0.4   | 0.7   | 0.4   | 0.0   | -                | -                | 0.4   | -               | -              |
|                            | N   | 4           | 2             | 2        | 0           | 1     | 2     | 1     | 0     | 0                | 0                | 4     | 0               | 0              |
| Total                      | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N   | 1,092       | 348           | 557      | 187         | 265   | 272   | 277   | 278   | 11               | 38               | 1,005 | 25              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q76. During the past seven days, how many times did you eat carrots?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 42.6    | 43.1          | 43.0     | 40.6        | 42.2  | 42.2  | 43.3  | 42.3  | -                | -               | 42.2  | -               | -              |
|                            | N | 891     | 285           | 460      | 145         | 224   | 223   | 230   | 210   | 15               | 33              | 808   | 25              | 3              |
| 1 to 3 times past 7 days   | % | 43.5    | 42.0          | 43.7     | 45.7        | 41.6  | 44.0  | 43.3  | 45.4  | -                | -               | 44.0  | -               | -              |
|                            | N | 909     | 278           | 468      | 163         | 221   | 233   | 230   | 225   | 9                | 29              | 841   | 17              | 9              |
| 4 to 6 times past 7 days   | % | 9.0     | 8.6           | 8.6      | 10.9        | 9.0   | 9.1   | 8.7   | 9.3   | -                | -               | 9.0   | -               | -              |
|                            | N | 188     | 57            | 92       | 39          | 48    | 48    | 46    | 46    | 1                | 5               | 172   | 6               | 3              |
| 1 time per day             | % | 2.9     | 3.9           | 2.6      | 1.7         | 4.3   | 2.6   | 2.4   | 2.0   | -                | -               | 2.8   | -               | -              |
|                            | N | 60      | 26            | 28       | 6           | 23    | 14    | 13    | 10    | 0                | 3               | 54    | 2               | 1              |
| 2 times per day            | % | 1.3     | 1.5           | 1.5      | 0.6         | 1.7   | 1.1   | 1.9   | 0.6   | -                | -               | 1.4   | -               | -              |
|                            | N | 28      | 10            | 16       | 2           | 9     | 6     | 10    | 3     | 0                | 1               | 26    | 1               | 0              |
| 3 times per day            | % | 0.2     | 0.3           | 0.1      | 0.6         | 0.4   | 0.2   | 0.0   | 0.4   | -                | -               | 0.2   | -               | -              |
|                            | N | 5       | 2             | 1        | 2           | 2     | 1     | 0     | 2     | 1                | 1               | 3     | 0               | 0              |
| 4 or more times per day    | % | 0.5     | 0.6           | 0.6      | 0.0         | 0.8   | 0.8   | 0.4   | 0.0   | -                | -               | 0.5   | -               | -              |
|                            | N | 10      | 4             | 6        | 0           | 4     | 4     | 2     | 0     | 0                | 0               | 9     | 1               | 0              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                            | N | 2,091   | 662           | 1,071    | 357         | 531   | 529   | 531   | 496   | 26               | 72              | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q76.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q76. During the past seven days, how many times did you eat carrots?

| Males                      |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                            |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 44.0  | 46.3      | 43.6          | 40.8     | 45.5        | 43.2  | 44.1  | 42.7  | -    | -                | 43.8             | -     | -               |                |
|                            | N | 438   | 145       | 224           | 69       | 121         | 111   | 112   | 93    | 8    | 15               | 397              | 14    | 2               |                |
| 1 to 3 times past 7 days   | % | 43.4  | 39.6      | 45.3          | 44.4     | 39.8        | 43.6  | 45.7  | 45.0  | -    | -                | 43.6             | -     | -               |                |
|                            | N | 432   | 124       | 233           | 75       | 106         | 112   | 116   | 98    | 6    | 15               | 395              | 7     | 6               |                |
| 4 to 6 times past 7 days   | % | 7.9   | 7.7       | 6.8           | 11.8     | 7.9         | 8.2   | 6.7   | 9.2   | -    | -                | 7.9              | -     | -               |                |
|                            | N | 79    | 24        | 35            | 20       | 21          | 21    | 17    | 20    | 1    | 2                | 72               | 3     | 0               |                |
| 1 time per day             | % | 2.5   | 3.8       | 1.8           | 2.4      | 3.8         | 2.3   | 1.2   | 2.8   | -    | -                | 2.6              | -     | -               |                |
|                            | N | 25    | 12        | 9             | 4        | 10          | 6     | 3     | 6     | 0    | 0                | 24               | 1     | 0               |                |
| 2 times per day            | % | 1.4   | 1.6       | 1.6           | 0.6      | 1.9         | 1.2   | 2.0   | 0.5   | -    | -                | 1.3              | -     | -               |                |
|                            | N | 14    | 5         | 8             | 1        | 5           | 3     | 5     | 1     | 0    | 1                | 12               | 1     | 0               |                |
| 3 times per day            | % | 0.3   | 0.6       | 0.2           | 0.0      | 0.8         | 0.4   | 0.0   | 0.0   | -    | -                | 0.2              | -     | -               |                |
|                            | N | 3     | 2         | 1             | 0        | 2           | 1     | 0     | 0     | 0    | 1                | 2                | 0     | 0               |                |
| 4 or more times per day    | % | 0.5   | 0.3       | 0.8           | 0.0      | 0.4         | 1.2   | 0.4   | 0.0   | -    | -                | 0.6              | -     | -               |                |
|                            | N | 5     | 1         | 4             | 0        | 1           | 3     | 1     | 0     | 0    | 0                | 5                | 0     | 0               |                |
| Total                      | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                            | N | 996   | 313       | 514           | 169      | 266         | 257   | 254   | 218   | 15   | 34               | 907              | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q76. During the past seven days, how many times did you eat carrots?

| Females                    | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 41.2        | 39.9          | 42.4     | 40.1        | 38.9  | 41.2  | 42.6  | 42.1  | -                | -                | 40.8  | -               | -              |
|                            | N   | 450         | 139           | 236      | 75          | 103   | 112   | 118   | 117   | 7                | 18               | 410   | 10              | 1              |
| 1 to 3 times past 7 days   | %   | 43.7        | 44.3          | 42.2     | 47.1        | 43.4  | 44.5  | 41.2  | 45.7  | -                | -                | 44.4  | -               | -              |
|                            | N   | 477         | 154           | 235      | 88          | 115   | 121   | 114   | 127   | 3                | 14               | 446   | 10              | 3              |
| 4 to 6 times past 7 days   | %   | 10.0        | 9.5           | 10.2     | 10.2        | 10.2  | 9.9   | 10.5  | 9.4   | -                | -                | 10.0  | -               | -              |
|                            | N   | 109         | 33            | 57       | 19          | 27    | 27    | 29    | 26    | 0                | 3                | 100   | 3               | 3              |
| 1 time per day             | %   | 3.2         | 4.0           | 3.4      | 1.1         | 4.9   | 2.9   | 3.6   | 1.4   | -                | -                | 3.0   | -               | -              |
|                            | N   | 35          | 14            | 19       | 2           | 13    | 8     | 10    | 4     | 0                | 3                | 30    | 1               | 1              |
| 2 times per day            | %   | 1.3         | 1.4           | 1.4      | 0.5         | 1.5   | 1.1   | 1.8   | 0.7   | -                | -                | 1.4   | -               | -              |
|                            | N   | 14          | 5             | 8        | 1           | 4     | 3     | 5     | 2     | 0                | 0                | 14    | 0               | 0              |
| 3 times per day            | %   | 0.2         | 0.0           | 0.0      | 1.1         | 0.0   | 0.0   | 0.0   | 0.7   | -                | -                | 0.1   | -               | -              |
|                            | N   | 2           | 0             | 0        | 2           | 0     | 0     | 0     | 2     | 1                | 0                | 1     | 0               | 0              |
| 4 or more times per day    | %   | 0.5         | 0.9           | 0.4      | 0.0         | 1.1   | 0.4   | 0.4   | 0.0   | -                | -                | 0.4   | -               | -              |
|                            | N   | 5           | 3             | 2        | 0           | 3     | 1     | 1     | 0     | 0                | 0                | 4     | 1               | 0              |
| Total                      | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N   | 1,092       | 348           | 557      | 187         | 265   | 272   | 277   | 278   | 11               | 38               | 1,005 | 25              | 8              |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q77. During the past seven days, how many times did you eat other vegetables?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 10.6    | 10.7          | 10.7     | 10.1        | 10.2  | 10.0  | 12.2  | 10.1  | -                | -               | 10.5  | -               | -              |
|                            | N | 222     | 71            | 115      | 36          | 54    | 53    | 65    | 50    | 3                | 12              | 200   | 5               | 2              |
| 1 to 3 times past 7 days   | % | 41.0    | 39.6          | 40.3     | 45.9        | 39.5  | 40.5  | 40.3  | 44.0  | -                | -               | 40.9  | -               | -              |
|                            | N | 858     | 262           | 432      | 164         | 210   | 214   | 214   | 218   | 10               | 32              | 783   | 19              | 7              |
| 4 to 6 times past 7 days   | % | 25.7    | 26.1          | 26.1     | 24.1        | 25.4  | 26.7  | 27.3  | 23.6  | -                | -               | 25.9  | -               | -              |
|                            | N | 538     | 173           | 279      | 86          | 135   | 141   | 145   | 117   | 5                | 16              | 495   | 14              | 5              |
| 1 time per day             | % | 11.7    | 11.3          | 12.3     | 10.1        | 11.7  | 11.9  | 11.1  | 11.9  | -                | -               | 11.8  | -               | -              |
|                            | N | 244     | 75            | 132      | 36          | 62    | 63    | 59    | 59    | 6                | 7               | 226   | 4               | 0              |
| 2 times per day            | % | 8.3     | 9.7           | 7.5      | 8.1         | 10.0  | 7.6   | 7.2   | 8.3   | -                | -               | 8.4   | -               | -              |
|                            | N | 173     | 64            | 80       | 29          | 53    | 40    | 38    | 41    | 1                | 3               | 161   | 5               | 2              |
| 3 times per day            | % | 1.8     | 1.8           | 2.1      | 0.8         | 2.4   | 1.9   | 1.3   | 1.4   | -                | -               | 1.7   | -               | -              |
|                            | N | 37      | 12            | 22       | 3           | 13    | 10    | 7     | 7     | 0                | 1               | 33    | 3               | 0              |
| 4 or more times per day    | % | 0.9     | 0.8           | 1.0      | 0.8         | 0.8   | 1.5   | 0.6   | 0.8   | -                | -               | 0.8   | -               | -              |
|                            | N | 19      | 5             | 11       | 3           | 4     | 8     | 3     | 4     | 1                | 1               | 15    | 2               | 0              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                            | N | 2,091   | 662           | 1,071    | 357         | 531   | 529   | 531   | 496   | 26               | 72              | 1,913 | 52              | 16             |

Note: There were 7 students who did not provide usable data for Q77.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q77. During the past seven days, how many times did you eat other vegetables?

| Males                      | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 12.0      | 13.1          | 11.9     | 10.7        | 12.4  | 11.7  | 13.8  | 10.1  | -                | -                | 11.9  | -               | -              |
|                            | N   | 120       | 41            | 61       | 18          | 33    | 30    | 35    | 22    | 2                | 4                | 108   | 5               | 1              |
| 1 to 3 times past 7 days   | %   | 42.3      | 40.3          | 40.7     | 50.9        | 39.8  | 42.4  | 40.2  | 47.2  | -                | -                | 41.6  | -               | -              |
|                            | N   | 421       | 126           | 209      | 86          | 106   | 109   | 102   | 103   | 7                | 18               | 377   | 7               | 6              |
| 4 to 6 times past 7 days   | %   | 24.8      | 25.9          | 25.7     | 20.1        | 26.3  | 24.1  | 28.0  | 20.2  | -                | -                | 25.4  | -               | -              |
|                            | N   | 247       | 81            | 132      | 34          | 70    | 62    | 71    | 44    | 3                | 7                | 230   | 6               | 1              |
| 1 time per day             | %   | 9.8       | 9.9           | 9.9      | 9.5         | 10.2  | 8.6   | 8.7   | 12.4  | -                | -                | 10.1  | -               | -              |
|                            | N   | 98        | 31            | 51       | 16          | 27    | 22    | 22    | 27    | 2                | 2                | 92    | 2               | 0              |
| 2 times per day            | %   | 7.6       | 7.0           | 8.2      | 7.1         | 6.8   | 8.2   | 7.9   | 7.8   | -                | -                | 7.7   | -               | -              |
|                            | N   | 76        | 22            | 42       | 12          | 18    | 21    | 20    | 17    | 1                | 2                | 70    | 3               | 0              |
| 3 times per day            | %   | 2.2       | 2.6           | 2.3      | 1.2         | 3.4   | 2.3   | 1.2   | 1.8   | -                | -                | 2.1   | -               | -              |
|                            | N   | 22        | 8             | 12       | 2           | 9     | 6     | 3     | 4     | 0                | 1                | 19    | 2               | 0              |
| 4 or more times per day    | %   | 1.2       | 1.3           | 1.4      | 0.6         | 1.1   | 2.7   | 0.4   | 0.5   | -                | -                | 1.2   | -               | -              |
|                            | N   | 12        | 4             | 7        | 1           | 3     | 7     | 1     | 1     | 0                | 0                | 11    | 1               | 0              |
| Total                      | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N   | 996       | 313           | 514      | 169         | 266   | 257   | 254   | 218   | 15               | 34               | 907   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q77. During the past seven days, how many times did you eat other vegetables?

| Females                    |   | Age         |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 9.3         | 8.6           | 9.7      | 9.6         | 7.9   | 8.5   | 10.8  | 10.1  | -                | -                | 9.2   | -               | -              |
|                            | N | 102         | 30            | 54       | 18          | 21    | 23    | 30    | 28    | 1                | 8                | 92    | 0               | 1              |
| 1 to 3 times past 7 days   | % | 39.9        | 39.1          | 40.0     | 41.2        | 39.2  | 38.6  | 40.4  | 41.4  | -                | -                | 40.4  | -               | -              |
|                            | N | 436         | 136           | 223      | 77          | 104   | 105   | 112   | 115   | 3                | 14               | 406   | 11              | 1              |
| 4 to 6 times past 7 days   | % | 26.6        | 26.4          | 26.4     | 27.8        | 24.5  | 29.0  | 26.7  | 26.3  | -                | -                | 26.4  | -               | -              |
|                            | N | 291         | 92            | 147      | 52          | 65    | 79    | 74    | 73    | 2                | 9                | 265   | 8               | 4              |
| 1 time per day             | % | 13.3        | 12.6          | 14.5     | 10.7        | 13.2  | 15.1  | 13.4  | 11.5  | -                | -                | 13.3  | -               | -              |
|                            | N | 145         | 44            | 81       | 20          | 35    | 41    | 37    | 32    | 4                | 5                | 134   | 2               | 0              |
| 2 times per day            | % | 8.8         | 11.8          | 6.8      | 9.1         | 13.2  | 7.0   | 6.5   | 8.6   | -                | -                | 9.0   | -               | -              |
|                            | N | 96          | 41            | 38       | 17          | 35    | 19    | 18    | 24    | 0                | 1                | 90    | 2               | 2              |
| 3 times per day            | % | 1.4         | 1.1           | 1.8      | 0.5         | 1.5   | 1.5   | 1.4   | 1.1   | -                | -                | 1.4   | -               | -              |
|                            | N | 15          | 4             | 10       | 1           | 4     | 4     | 4     | 3     | 0                | 0                | 14    | 1               | 0              |
| 4 or more times per day    | % | 0.6         | 0.3           | 0.7      | 1.1         | 0.4   | 0.4   | 0.7   | 1.1   | -                | -                | 0.4   | -               | -              |
|                            | N | 7           | 1             | 4        | 2           | 1     | 1     | 2     | 3     | 1                | 1                | 4     | 1               | 0              |
| Total                      | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N | 1,092       | 348           | 557      | 187         | 265   | 272   | 277   | 278   | 11               | 38               | 1,005 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q78. During the past seven days, how many glasses of milk did you drink?

| Overall                    |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                            |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Not during the past 7 days | % | 11.1    | 9.3           | 12.6     | 10.1        | 9.3   | 12.2  | 12.5  | 10.5  | -                | -               | 10.5  | -               | -              |
|                            | N | 232     | 61            | 135      | 36          | 49    | 64    | 66    | 52    | 8                | 11              | 201   | 11              | 1              |
| 1 to 3 glasses past 7 days | % | 14.0    | 11.6          | 14.5     | 16.8        | 11.5  | 14.1  | 14.2  | 16.3  | -                | -               | 13.6  | -               | -              |
|                            | N | 291     | 76            | 155      | 60          | 61    | 74    | 75    | 81    | 4                | 14              | 259   | 10              | 3              |
| 4 to 6 glasses past 7 days | % | 14.8    | 14.0          | 14.0     | 18.8        | 13.6  | 13.3  | 15.1  | 17.3  | -                | -               | 14.7  | -               | -              |
|                            | N | 309     | 92            | 150      | 67          | 72    | 70    | 80    | 86    | 2                | 16              | 281   | 5               | 3              |
| 1 glass per day            | % | 15.6    | 13.7          | 16.1     | 17.6        | 12.7  | 17.7  | 15.1  | 17.1  | -                | -               | 15.4  | -               | -              |
|                            | N | 325     | 90            | 172      | 63          | 67    | 93    | 80    | 85    | 2                | 14              | 294   | 10              | 3              |
| 2 glasses per day          | % | 19.0    | 19.6          | 18.3     | 19.9        | 19.1  | 17.3  | 19.2  | 20.4  | -                | -               | 19.5  | -               | -              |
|                            | N | 397     | 129           | 196      | 71          | 101   | 91    | 102   | 101   | 5                | 7               | 372   | 7               | 3              |
| 3 glasses per day          | % | 14.1    | 17.0          | 13.9     | 9.0         | 18.0  | 12.5  | 14.7  | 10.9  | -                | -               | 14.7  | -               | -              |
|                            | N | 293     | 112           | 149      | 32          | 95    | 66    | 78    | 54    | 3                | 5               | 280   | 1               | 2              |
| 4 or more glasses per day  | % | 11.4    | 14.9          | 10.5     | 7.8         | 15.9  | 12.9  | 9.2   | 7.5   | -                | -               | 11.5  | -               | -              |
|                            | N | 238     | 98            | 112      | 28          | 84    | 68    | 49    | 37    | 2                | 5               | 220   | 8               | 1              |
| Total                      | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                            | N | 2,085   | 658           | 1,069    | 357         | 529   | 526   | 530   | 496   | 26               | 72              | 1,907 | 52              | 16             |

Note: There were 13 students who did not provide usable data for Q78.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q78. During the past seven days, how many glasses of milk did you drink?

| Males                      | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 8.4       | 6.4           | 9.2      | 9.5         | 6.4   | 9.0   | 9.8   | 8.3   | -                | -                | 7.7   | -               | -              |
|                            | N   | 83        | 20            | 47       | 16          | 17    | 23    | 25    | 18    | 3                | 5                | 70    | 5               | 0              |
| 1 to 3 glasses past 7 days | %   | 9.8       | 8.0           | 10.1     | 11.8        | 9.1   | 8.2   | 10.6  | 11.5  | -                | -                | 9.2   | -               | -              |
|                            | N   | 97        | 25            | 52       | 20          | 24    | 21    | 27    | 25    | 2                | 5                | 83    | 5               | 2              |
| 4 to 6 glasses past 7 days | %   | 14.2      | 13.5          | 13.1     | 18.9        | 13.2  | 14.1  | 13.0  | 17.0  | -                | -                | 13.9  | -               | -              |
|                            | N   | 141       | 42            | 67       | 32          | 35    | 36    | 33    | 37    | 2                | 9                | 126   | 1               | 2              |
| 1 glass per day            | %   | 14.8      | 13.2          | 14.8     | 17.8        | 12.1  | 15.7  | 15.0  | 17.0  | -                | -                | 14.4  | -               | -              |
|                            | N   | 147       | 41            | 76       | 30          | 32    | 40    | 38    | 37    | 2                | 8                | 130   | 5               | 0              |
| 2 glasses per day          | %   | 19.7      | 21.5          | 18.1     | 21.3        | 21.1  | 17.6  | 19.3  | 20.6  | -                | -                | 20.4  | -               | -              |
|                            | N   | 196       | 67            | 93       | 36          | 56    | 45    | 49    | 45    | 3                | 3                | 184   | 2               | 3              |
| 3 glasses per day          | %   | 17.1      | 18.0          | 18.5     | 11.2        | 18.5  | 16.1  | 18.1  | 15.6  | -                | -                | 18.0  | -               | -              |
|                            | N   | 170       | 56            | 95       | 19          | 49    | 41    | 46    | 34    | 2                | 2                | 163   | 1               | 1              |
| 4 or more glasses per day  | %   | 16.0      | 19.3          | 16.2     | 9.5         | 19.6  | 19.2  | 14.2  | 10.1  | -                | -                | 16.4  | -               | -              |
|                            | N   | 159       | 60            | 83       | 16          | 52    | 49    | 36    | 22    | 1                | 2                | 148   | 7               | 0              |
| Total                      | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N   | 993       | 311           | 513      | 169         | 265   | 255   | 254   | 218   | 15               | 34               | 904   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q78. During the past seven days, how many glasses of milk did you drink?

| Females                    | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                            |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Not during the past 7 days | %   | 13.6        | 11.6          | 15.8     | 10.7        | 12.1  | 15.1  | 14.9  | 12.2  | -                | -                | 13.0  | -               | -              |
|                            | N   | 148         | 40            | 88       | 20          | 32    | 41    | 41    | 34    | 5                | 6                | 130   | 6               | 1              |
| 1 to 3 glasses past 7 days | %   | 17.8        | 14.7          | 18.5     | 21.4        | 14.0  | 19.6  | 17.4  | 20.1  | -                | -                | 17.6  | -               | -              |
|                            | N   | 194         | 51            | 103      | 40          | 37    | 53    | 48    | 56    | 2                | 9                | 176   | 5               | 1              |
| 4 to 6 glasses past 7 days | %   | 15.3        | 14.5          | 14.9     | 18.2        | 14.0  | 12.5  | 17.0  | 17.6  | -                | -                | 15.5  | -               | -              |
|                            | N   | 167         | 50            | 83       | 34          | 37    | 34    | 47    | 49    | 0                | 7                | 155   | 3               | 1              |
| 1 glass per day            | %   | 16.3        | 14.2          | 17.3     | 17.6        | 13.3  | 19.6  | 15.2  | 17.3  | -                | -                | 16.4  | -               | -              |
|                            | N   | 178         | 49            | 96       | 33          | 35    | 53    | 42    | 48    | 0                | 6                | 164   | 5               | 3              |
| 2 glasses per day          | %   | 18.4        | 17.9          | 18.5     | 18.7        | 17.0  | 17.0  | 19.2  | 20.1  | -                | -                | 18.8  | -               | -              |
|                            | N   | 200         | 62            | 103      | 35          | 45    | 46    | 53    | 56    | 2                | 4                | 188   | 5               | 0              |
| 3 glasses per day          | %   | 11.3        | 16.2          | 9.7      | 7.0         | 17.4  | 9.2   | 11.6  | 7.2   | -                | -                | 11.7  | -               | -              |
|                            | N   | 123         | 56            | 54       | 13          | 46    | 25    | 32    | 20    | 1                | 3                | 117   | 0               | 1              |
| 4 or more glasses per day  | %   | 7.3         | 11.0          | 5.2      | 6.4         | 12.1  | 7.0   | 4.7   | 5.4   | -                | -                | 7.2   | -               | -              |
|                            | N   | 79          | 38            | 29       | 12          | 32    | 19    | 13    | 15    | 1                | 3                | 72    | 1               | 1              |
| Total                      | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                            | N   | 1,089       | 346           | 556      | 187         | 264   | 271   | 276   | 278   | 11               | 38               | 1,002 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q79. On how many of the past seven days did you exercise or participate in physical activities for at least 20 minutes that made you sweat and breathe hard.

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days  | % | 13.2    | 6.7           | 16.7     | 14.6        | 5.1   | 14.6  | 16.0  | 17.3  | -                | -                | 13.2  | -               | -              |
|         | N | 276     | 44            | 179      | 52          | 27    | 77    | 85    | 86    | 4                | 11               | 251   | 6               | 1              |
| 1 day   | % | 8.4     | 6.7           | 8.9      | 10.4        | 5.9   | 8.5   | 10.5  | 8.9   | -                | -                | 8.4   | -               | -              |
|         | N | 176     | 44            | 95       | 37          | 31    | 45    | 56    | 44    | 0                | 7                | 161   | 7               | 0              |
| 2 days  | % | 9.5     | 6.8           | 10.0     | 12.9        | 5.5   | 10.1  | 10.5  | 12.1  | -                | -                | 9.4   | -               | -              |
|         | N | 198     | 45            | 107      | 46          | 29    | 53    | 56    | 60    | 1                | 9                | 180   | 4               | 2              |
| 3 days  | % | 11.5    | 10.0          | 11.1     | 15.1        | 10.8  | 9.5   | 12.2  | 13.3  | -                | -                | 11.1  | -               | -              |
|         | N | 239     | 66            | 119      | 54          | 57    | 50    | 65    | 66    | 3                | 12               | 211   | 10              | 3              |
| 4 days  | % | 7.3     | 8.2           | 6.8      | 7.3         | 8.7   | 7.8   | 6.0   | 6.9   | -                | -                | 7.3   | -               | -              |
|         | N | 153     | 54            | 73       | 26          | 46    | 41    | 32    | 34    | 1                | 4                | 139   | 4               | 3              |
| 5 days  | % | 16.2    | 20.6          | 15.3     | 10.6        | 20.5  | 15.4  | 16.8  | 12.1  | -                | -                | 16.5  | -               | -              |
|         | N | 338     | 136           | 164      | 38          | 108   | 81    | 89    | 60    | 4                | 12               | 314   | 5               | 1              |
| 6 days  | % | 11.6    | 13.2          | 11.2     | 9.8         | 13.6  | 12.0  | 10.0  | 10.9  | -                | -                | 11.8  | -               | -              |
|         | N | 242     | 87            | 120      | 35          | 72    | 63    | 53    | 54    | 5                | 7                | 226   | 2               | 1              |
| 7 days  | % | 22.2    | 27.8          | 19.8     | 19.3        | 29.9  | 22.2  | 17.9  | 18.5  | -                | -                | 22.3  | -               | -              |
|         | N | 464     | 183           | 212      | 69          | 158   | 117   | 95    | 92    | 8                | 10               | 426   | 14              | 5              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 2,086   | 659           | 1,069    | 357         | 528   | 527   | 531   | 496   | 26               | 72               | 1,908 | 52              | 16             |

Note: There were 12 students who did not provide usable data for Q79.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q79. On how many of the past seven days did you exercise or participate in physical activities for at least 20 minutes that made you sweat and breathe hard.

| Males  |   |           | Age           |          |             |  | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|--------|---|-----------|---------------|----------|-------------|--|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|        |   | All males | 15 or younger | 16 or 17 | 18 or older |  | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days | % | 9.4       | 4.8           | 12.9     | 7.1         |  | 4.5   | 12.5  | 12.5  | 7.8   | -                | -               | 9.2   | -               | -              |
|        | N | 93        | 15            | 66       | 12          |  | 12    | 32    | 32    | 17    | 2                | 2               | 83    | 4               | 1              |
| 1 day  | % | 6.2       | 3.5           | 6.6      | 10.1        |  | 3.0   | 7.0   | 7.5   | 7.8   | -                | -               | 6.2   | -               | -              |
|        | N | 62        | 11            | 34       | 17          |  | 8     | 18    | 19    | 17    | 0                | 4               | 56    | 2               | 0              |
| 2 days | % | 7.2       | 7.4           | 6.2      | 10.1        |  | 6.1   | 7.4   | 6.7   | 9.2   | -                | -               | 7.3   | -               | -              |
|        | N | 72        | 23            | 32       | 17          |  | 16    | 19    | 17    | 20    | 0                | 3               | 66    | 0               | 1              |
| 3 days | % | 11.5      | 9.3           | 11.9     | 14.2        |  | 10.6  | 9.4   | 12.5  | 13.8  | -                | -               | 11.4  | -               | -              |
|        | N | 114       | 29            | 61       | 24          |  | 28    | 24    | 32    | 30    | 1                | 6               | 103   | 4               | 0              |
| 4 days | % | 7.3       | 8.3           | 7.0      | 6.5         |  | 9.1   | 7.0   | 5.9   | 7.3   | -                | -               | 7.2   | -               | -              |
|        | N | 73        | 26            | 36       | 11          |  | 24    | 18    | 15    | 16    | 0                | 3               | 65    | 2               | 3              |
| 5 days | % | 17.9      | 21.2          | 17.7     | 12.4        |  | 19.7  | 16.0  | 20.0  | 15.6  | -                | -               | 18.1  | -               | -              |
|        | N | 178       | 66            | 91       | 21          |  | 52    | 41    | 51    | 34    | 2                | 7               | 164   | 3               | 1              |
| 6 days | % | 11.0      | 11.5          | 10.1     | 12.4        |  | 12.1  | 12.1  | 8.2   | 11.5  | -                | -               | 10.9  | -               | -              |
|        | N | 109       | 36            | 52       | 21          |  | 32    | 31    | 21    | 25    | 3                | 4               | 99    | 1               | 1              |
| 7 days | % | 29.5      | 34.0          | 27.5     | 27.2        |  | 34.8  | 28.5  | 26.7  | 27.1  | -                | -               | 29.7  | -               | -              |
|        | N | 293       | 106           | 141      | 46          |  | 92    | 73    | 68    | 59    | 7                | 5               | 269   | 10              | 1              |
| Total  | % | 100.0     | 100.0         | 100.0    | 100.0       |  | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|        | N | 994       | 312           | 513      | 169         |  | 264   | 256   | 255   | 218   | 15               | 34              | 905   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q79. On how many of the past seven days did you exercise or participate in physical activities for at least 20 minutes that made you sweat and breathe hard.

| Females |   |             | Age           |          |             |  | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|--|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older |  | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days  | % | 16.7        | 8.4           | 20.3     | 21.4        |  | 5.7   | 16.6  | 19.2  | 24.8  | -                | -               | 16.8  | -               | -              |
|         | N | 182         | 29            | 113      | 40          |  | 15    | 45    | 53    | 69    | 2                | 9               | 168   | 2               | 0              |
| 1 day   | % | 10.5        | 9.5           | 11.0     | 10.7        |  | 8.7   | 10.0  | 13.4  | 9.7   | -                | -               | 10.5  | -               | -              |
|         | N | 114         | 33            | 61       | 20          |  | 23    | 27    | 37    | 27    | 0                | 3               | 105   | 5               | 0              |
| 2 days  | % | 11.6        | 6.4           | 13.5     | 15.5        |  | 4.9   | 12.5  | 14.1  | 14.4  | -                | -               | 11.4  | -               | -              |
|         | N | 126         | 22            | 75       | 29          |  | 13    | 34    | 39    | 40    | 1                | 6               | 114   | 4               | 1              |
| 3 days  | % | 11.4        | 10.7          | 10.4     | 15.5        |  | 11.0  | 9.6   | 12.0  | 12.9  | -                | -               | 10.8  | -               | -              |
|         | N | 124         | 37            | 58       | 29          |  | 29    | 26    | 33    | 36    | 2                | 6               | 108   | 5               | 3              |
| 4 days  | % | 7.3         | 8.1           | 6.7      | 8.0         |  | 8.3   | 8.5   | 6.2   | 6.5   | -                | -               | 7.4   | -               | -              |
|         | N | 80          | 28            | 37       | 15          |  | 22    | 23    | 17    | 18    | 1                | 1               | 74    | 2               | 0              |
| 5 days  | % | 14.7        | 20.2          | 13.1     | 9.1         |  | 21.2  | 14.8  | 13.8  | 9.4   | -                | -               | 15.0  | -               | -              |
|         | N | 160         | 70            | 73       | 17          |  | 56    | 40    | 38    | 26    | 2                | 5               | 150   | 2               | 0              |
| 6 days  | % | 12.2        | 14.7          | 12.2     | 7.5         |  | 15.2  | 11.8  | 11.6  | 10.4  | -                | -               | 12.7  | -               | -              |
|         | N | 133         | 51            | 68       | 14          |  | 40    | 32    | 32    | 29    | 2                | 3               | 127   | 1               | 0              |
| 7 days  | % | 15.6        | 22.0          | 12.8     | 12.3        |  | 25.0  | 16.2  | 9.8   | 11.9  | -                | -               | 15.6  | -               | -              |
|         | N | 170         | 76            | 71       | 23          |  | 66    | 44    | 27    | 33    | 1                | 5               | 156   | 4               | 4              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       |  | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 1,089       | 346           | 556      | 187         |  | 264   | 271   | 276   | 278   | 11               | 38              | 1,002 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q80. On how many of the past seven days did you participate in physical activity for least 30 minutes that did not make you sweat or breathe hard.

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days  | % | 23.5    | 21.2          | 25.3     | 22.2        | 20.3  | 24.5  | 24.3  | 24.8  | -                | -               | 23.2  | -               | -              |
|         | N | 489     | 139           | 270      | 79          | 107   | 129   | 129   | 123   | 9                | 20              | 442   | 11              | 3              |
| 1 day   | % | 12.0    | 12.6          | 12.2     | 10.1        | 11.8  | 11.6  | 14.2  | 10.1  | -                | -               | 12.0  | -               | -              |
|         | N | 249     | 83            | 130      | 36          | 62    | 61    | 75    | 50    | 3                | 6               | 228   | 8               | 3              |
| 2 days  | % | 14.6    | 15.7          | 13.5     | 16.3        | 15.4  | 15.0  | 12.6  | 15.5  | -                | -               | 14.8  | -               | -              |
|         | N | 305     | 103           | 144      | 58          | 81    | 79    | 67    | 77    | 3                | 11              | 281   | 7               | 2              |
| 3 days  | % | 13.7    | 13.5          | 13.6     | 14.6        | 13.5  | 13.3  | 13.6  | 14.7  | -                | -               | 13.3  | -               | -              |
|         | N | 286     | 89            | 145      | 52          | 71    | 70    | 72    | 73    | 2                | 13              | 254   | 11              | 3              |
| 4 days  | % | 8.4     | 8.5           | 8.8      | 7.0         | 8.6   | 9.7   | 8.1   | 7.3   | -                | -               | 8.5   | -               | -              |
|         | N | 175     | 56            | 94       | 25          | 45    | 51    | 43    | 36    | 2                | 6               | 162   | 4               | 1              |
| 5 days  | % | 8.9     | 7.9           | 9.5      | 9.0         | 7.0   | 9.5   | 10.2  | 9.1   | -                | -               | 9.1   | -               | -              |
|         | N | 186     | 52            | 102      | 32          | 37    | 50    | 54    | 45    | 1                | 5               | 174   | 4               | 2              |
| 6 days  | % | 3.9     | 5.3           | 2.7      | 4.8         | 6.1   | 3.0   | 2.1   | 4.4   | -                | -               | 4.0   | -               | -              |
|         | N | 81      | 35            | 29       | 17          | 32    | 16    | 11    | 22    | 0                | 3               | 76    | 0               | 0              |
| 7 days  | % | 15.0    | 15.2          | 14.5     | 16.0        | 17.3  | 13.5  | 14.9  | 14.1  | -                | -               | 15.1  | -               | -              |
|         | N | 312     | 100           | 155      | 57          | 91    | 71    | 79    | 70    | 6                | 8               | 288   | 7               | 2              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 2,083   | 657           | 1,069    | 356         | 526   | 527   | 530   | 496   | 26               | 72              | 1,905 | 52              | 16             |

Note: There were 15 students who did not provide usable data for Q80.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q80. On how many of the past seven days did you participate in physical activity for least 30 minutes that did not make you sweat or breathe hard.

| Males  |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|--------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|        |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days | % | 24.5      | 21.3          | 27.1     | 22.6        | 20.6  | 25.8  | 28.3  | 23.4  | -                | -                | 24.4  | -               | -              |
|        | N | 243       | 66            | 139      | 38          | 54    | 66    | 72    | 51    | 5                | 10               | 220   | 6               | 0              |
| 1 day  | % | 10.4      | 13.5          | 9.2      | 8.3         | 13.0  | 10.2  | 8.7   | 9.6   | -                | -                | 10.2  | -               | -              |
|        | N | 103       | 42            | 47       | 14          | 34    | 26    | 22    | 21    | 1                | 4                | 92    | 3               | 3              |
| 2 days | % | 13.5      | 15.5          | 12.7     | 12.5        | 16.0  | 13.3  | 13.0  | 11.5  | -                | -                | 13.7  | -               | -              |
|        | N | 134       | 48            | 65       | 21          | 42    | 34    | 33    | 25    | 1                | 5                | 124   | 4               | 0              |
| 3 days | % | 13.3      | 12.3          | 13.3     | 15.5        | 12.2  | 13.3  | 12.2  | 16.1  | -                | -                | 12.7  | -               | -              |
|        | N | 132       | 38            | 68       | 26          | 32    | 34    | 31    | 35    | 2                | 5                | 115   | 6               | 2              |
| 4 days | % | 7.7       | 9.0           | 8.0      | 4.2         | 9.2   | 8.2   | 7.5   | 5.5   | -                | -                | 7.9   | -               | -              |
|        | N | 76        | 28            | 41       | 7           | 24    | 21    | 19    | 12    | 2                | 2                | 71    | 1               | 0              |
| 5 days | % | 9.1       | 7.4           | 9.7      | 10.1        | 7.3   | 9.0   | 10.2  | 10.1  | -                | -                | 9.2   | -               | -              |
|        | N | 90        | 23            | 50       | 17          | 19    | 23    | 26    | 22    | 1                | 3                | 83    | 2               | 1              |
| 6 days | % | 3.8       | 4.5           | 2.5      | 6.5         | 4.6   | 3.9   | 1.6   | 5.5   | -                | -                | 3.8   | -               | -              |
|        | N | 38        | 14            | 13       | 11          | 12    | 10    | 4     | 12    | 0                | 3                | 34    | 0               | 0              |
| 7 days | % | 17.7      | 16.5          | 17.5     | 20.2        | 17.2  | 16.4  | 18.5  | 18.3  | -                | -                | 18.1  | -               | -              |
|        | N | 175       | 51            | 90       | 34          | 45    | 42    | 47    | 40    | 3                | 2                | 163   | 4               | 2              |
| Total  | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|        | N | 991       | 310           | 513      | 168         | 262   | 256   | 254   | 218   | 15               | 34               | 902   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q80. On how many of the past seven days did you participate in physical activity for least 30 minutes that did not make you sweat or breathe hard.

| Females |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|---------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|         |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days  | % | 22.5  | 21.1        | 23.6          | 21.9     | 20.1        | 23.2  | 20.7  | 25.9  | -    | -                | 22.2             | -     | -               |                |
|         | N | 245   | 73          | 131           | 41       | 53          | 63    | 57    | 72    | 4    | 10               | 222              | 5     | 3               |                |
| 1 day   | % | 13.3  | 11.6        | 14.9          | 11.8     | 10.6        | 12.9  | 19.2  | 10.4  | -    | -                | 13.5             | -     | -               |                |
|         | N | 145   | 40          | 83            | 22       | 28          | 35    | 53    | 29    | 2    | 2                | 135              | 5     | 0               |                |
| 2 days  | % | 15.6  | 15.9        | 14.2          | 19.3     | 14.8        | 16.6  | 12.3  | 18.7  | -    | -                | 15.7             | -     | -               |                |
|         | N | 170   | 55          | 79            | 36       | 39          | 45    | 34    | 52    | 2    | 6                | 157              | 2     | 2               |                |
| 3 days  | % | 14.1  | 14.7        | 13.8          | 13.9     | 14.8        | 13.3  | 14.9  | 13.7  | -    | -                | 13.9             | -     | -               |                |
|         | N | 154   | 51          | 77            | 26       | 39          | 36    | 41    | 38    | 0    | 8                | 139              | 5     | 1               |                |
| 4 days  | % | 9.1   | 8.1         | 9.5           | 9.6      | 8.0         | 11.1  | 8.7   | 8.6   | -    | -                | 9.1              | -     | -               |                |
|         | N | 99    | 28          | 53            | 18       | 21          | 30    | 24    | 24    | 0    | 4                | 91               | 3     | 1               |                |
| 5 days  | % | 8.8   | 8.4         | 9.4           | 8.0      | 6.8         | 10.0  | 10.1  | 8.3   | -    | -                | 9.1              | -     | -               |                |
|         | N | 96    | 29          | 52            | 15       | 18          | 27    | 28    | 23    | 0    | 2                | 91               | 2     | 1               |                |
| 6 days  | % | 3.9   | 6.1         | 2.9           | 3.2      | 7.6         | 2.2   | 2.5   | 3.6   | -    | -                | 4.2              | -     | -               |                |
|         | N | 43    | 21          | 16            | 6        | 20          | 6     | 7     | 10    | 0    | 0                | 42               | 0     | 0               |                |
| 7 days  | % | 12.6  | 14.2        | 11.7          | 12.3     | 17.4        | 10.7  | 11.6  | 10.8  | -    | -                | 12.5             | -     | -               |                |
|         | N | 137   | 49          | 65            | 23       | 46          | 29    | 32    | 30    | 3    | 6                | 125              | 3     | 0               |                |
| Total   | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|         | N | 1,089 | 346         | 556           | 187      | 264         | 271   | 276   | 278   | 11   | 38               | 1,002            | 25    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q81. On how many of the past seven days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days  | % | 21.4    | 14.4          | 22.3     | 31.5        | 13.1  | 17.4  | 26.2  | 29.4  | -                | -                | 21.4  | -               | -              |
|         | N | 445     | 95            | 238      | 112         | 69    | 91    | 139   | 146   | 4                | 17               | 408   | 11              | 4              |
| 1 day   | % | 8.4     | 7.6           | 8.5      | 9.6         | 7.8   | 9.7   | 6.8   | 9.5   | -                | -                | 8.4   | -               | -              |
|         | N | 175     | 50            | 91       | 34          | 41    | 51    | 36    | 47    | 1                | 9                | 159   | 3               | 0              |
| 2 days  | % | 10.1    | 11.4          | 9.7      | 9.0         | 10.6  | 11.3  | 10.2  | 8.5   | -                | -                | 10.3  | -               | -              |
|         | N | 211     | 75            | 104      | 32          | 56    | 59    | 54    | 42    | 3                | 7                | 196   | 4               | 1              |
| 3 days  | % | 12.6    | 14.6          | 11.5     | 12.1        | 14.2  | 13.0  | 11.9  | 11.1  | -                | -                | 12.2  | -               | -              |
|         | N | 262     | 96            | 123      | 43          | 75    | 68    | 63    | 55    | 3                | 8                | 233   | 13              | 4              |
| 4 days  | % | 10.5    | 10.2          | 10.9     | 9.6         | 11.0  | 9.7   | 10.2  | 10.9  | -                | -                | 10.7  | -               | -              |
|         | N | 218     | 67            | 116      | 34          | 58    | 51    | 54    | 54    | 2                | 4                | 204   | 4               | 0              |
| 5 days  | % | 17.1    | 17.8          | 17.5     | 14.3        | 17.0  | 20.6  | 15.8  | 14.5  | -                | -                | 17.1  | -               | -              |
|         | N | 355     | 117           | 187      | 51          | 90    | 108   | 84    | 72    | 6                | 14               | 325   | 6               | 3              |
| 6 days  | % | 5.6     | 8.2           | 4.8      | 3.4         | 9.3   | 4.4   | 4.3   | 4.2   | -                | -                | 5.7   | -               | -              |
|         | N | 117     | 54            | 51       | 12          | 49    | 23    | 23    | 21    | 4                | 3                | 109   | 1               | 0              |
| 7 days  | % | 14.4    | 15.8          | 14.7     | 10.7        | 17.0  | 13.9  | 14.5  | 11.9  | -                | -                | 14.2  | -               | -              |
|         | N | 299     | 104           | 157      | 38          | 90    | 73    | 77    | 59    | 3                | 10               | 270   | 10              | 4              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 2,082   | 658           | 1,067    | 356         | 528   | 524   | 530   | 496   | 26               | 72               | 1,904 | 52              | 16             |

Note: There were 16 students who did not provide usable data for Q81.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q81. On how many of the past seven days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

| Males  |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|--------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|        |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days | % | 16.6      | 13.1          | 16.4     | 23.8        | 11.3  | 15.0  | 19.7  | 21.6  | -  | -                | 16.7            | -     | -               | -              |
|        | N | 165       | 41            | 84       | 40          | 30    | 38    | 50    | 47    | 2  | 4                | 151             | 4     | 3               | 3              |
| 1 day  | % | 7.2       | 8.3           | 6.4      | 7.1         | 9.4   | 7.9   | 4.7   | 6.4   | -  | -                | 6.6             | -     | -               | -              |
|        | N | 71        | 26            | 33       | 12          | 25    | 20    | 12    | 14    | 1  | 6                | 60              | 3     | 0               | 0              |
| 2 days | % | 9.1       | 11.2          | 7.8      | 8.9         | 10.2  | 8.7   | 9.4   | 7.8   | -  | -                | 9.2             | -     | -               | -              |
|        | N | 90        | 35            | 40       | 15          | 27    | 22    | 24    | 17    | 2  | 3                | 83              | 2     | 0               | 0              |
| 3 days | % | 12.2      | 13.8          | 11.1     | 12.5        | 13.6  | 11.4  | 11.8  | 11.9  | -  | -                | 12.4            | -     | -               | -              |
|        | N | 121       | 43            | 57       | 21          | 36    | 29    | 30    | 26    | 1  | 3                | 112             | 2     | 2               | 2              |
| 4 days | % | 11.1      | 9.3           | 12.1     | 11.3        | 10.2  | 9.8   | 11.4  | 13.3  | -  | -                | 11.5            | -     | -               | -              |
|        | N | 110       | 29            | 62       | 19          | 27    | 25    | 29    | 29    | 1  | 2                | 104             | 2     | 0               | 0              |
| 5 days | % | 21.3      | 19.9          | 23.4     | 17.3        | 18.9  | 25.6  | 21.3  | 19.3  | -  | -                | 21.5            | -     | -               | -              |
|        | N | 211       | 62            | 120      | 29          | 50    | 65    | 54    | 42    | 3  | 8                | 194             | 4     | 2               | 2              |
| 6 days | % | 5.4       | 6.7           | 5.5      | 3.0         | 7.5   | 5.1   | 5.1   | 3.2   | -  | -                | 5.4             | -     | -               | -              |
|        | N | 54        | 21            | 28       | 5           | 20    | 13    | 13    | 7     | 3  | 1                | 49              | 1     | 0               | 0              |
| 7 days | % | 17.1      | 17.6          | 17.2     | 16.1        | 18.9  | 16.5  | 16.5  | 16.5  | -  | -                | 16.6            | -     | -               | -              |
|        | N | 170       | 55            | 88       | 27          | 50    | 42    | 42    | 36    | 2  | 7                | 150             | 8     | 1               | 1              |
| Total  | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|        | N | 992       | 312           | 512      | 168         | 265   | 254   | 254   | 218   | 15 | 34               | 903             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q81. On how many of the past seven days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

| Females |   |             | Age           |          |             |  | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|--|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older |  | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days  | % | 25.8        | 15.7          | 27.7     | 38.5        |  | 14.8  | 19.6  | 32.2  | 35.6  | -                | -               | 25.7  | -               | -              |
|         | N | 280         | 54            | 154      | 72          |  | 39    | 53    | 89    | 99    | 2                | 13              | 257   | 7               | 1              |
| 1 day   | % | 9.6         | 7.0           | 10.5     | 11.8        |  | 6.1   | 11.5  | 8.7   | 11.9  | -                | -               | 9.9   | -               | -              |
|         | N | 104         | 24            | 58       | 22          |  | 16    | 31    | 24    | 33    | 0                | 3               | 99    | 0               | 0              |
| 2 days  | % | 11.1        | 11.6          | 11.5     | 9.1         |  | 11.0  | 13.7  | 10.9  | 9.0   | -                | -               | 11.3  | -               | -              |
|         | N | 121         | 40            | 64       | 17          |  | 29    | 37    | 30    | 25    | 1                | 4               | 113   | 2               | 1              |
| 3 days  | % | 12.9        | 15.4          | 11.9     | 11.2        |  | 14.8  | 14.4  | 12.0  | 10.4  | -                | -               | 12.1  | -               | -              |
|         | N | 140         | 53            | 66       | 21          |  | 39    | 39    | 33    | 29    | 2                | 5               | 121   | 10              | 2              |
| 4 days  | % | 9.8         | 11.0          | 9.7      | 8.0         |  | 11.8  | 9.6   | 9.1   | 9.0   | -                | -               | 10.0  | -               | -              |
|         | N | 107         | 38            | 54       | 15          |  | 31    | 26    | 25    | 25    | 1                | 2               | 100   | 2               | 0              |
| 5 days  | % | 13.2        | 15.7          | 12.1     | 11.8        |  | 15.2  | 15.9  | 10.9  | 10.8  | -                | -               | 13.0  | -               | -              |
|         | N | 143         | 54            | 67       | 22          |  | 40    | 43    | 30    | 30    | 3                | 6               | 130   | 2               | 1              |
| 6 days  | % | 5.8         | 9.6           | 4.1      | 3.7         |  | 11.0  | 3.7   | 3.6   | 5.0   | -                | -               | 6.0   | -               | -              |
|         | N | 63          | 33            | 23       | 7           |  | 29    | 10    | 10    | 14    | 1                | 2               | 60    | 0               | 0              |
| 7 days  | % | 11.9        | 14.2          | 12.4     | 5.9         |  | 15.2  | 11.5  | 12.7  | 8.3   | -                | -               | 12.0  | -               | -              |
|         | N | 129         | 49            | 69       | 11          |  | 40    | 31    | 35    | 23    | 1                | 3               | 120   | 2               | 3              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       |  | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 1,087       | 345           | 555      | 187         |  | 263   | 270   | 276   | 278   | 11               | 38              | 1,000 | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q82. On an average school day, how many hours do you watch TV?

| Overall                     |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                             |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| No TV on average school day | % | 6.1     | 4.0           | 7.4      | 6.5         | 4.0   | 6.1   | 6.8   | 7.7   | -                | -                | 6.0   | -               | -              |
|                             | N | 127     | 26            | 78       | 23          | 21    | 32    | 36    | 38    | 2                | 4                | 113   | 5               | 0              |
| Less than 1 hour per day    | % | 18.2    | 15.6          | 19.7     | 18.8        | 15.1  | 17.6  | 20.6  | 19.6  | -                | -                | 18.8  | -               | -              |
|                             | N | 378     | 102           | 209      | 67          | 79    | 92    | 109   | 97    | 3                | 10               | 357   | 7               | 0              |
| 1 hour per day              | % | 18.3    | 18.0          | 18.5     | 18.3        | 18.3  | 19.0  | 16.7  | 19.2  | -                | -                | 18.4  | -               | -              |
|                             | N | 380     | 118           | 196      | 65          | 96    | 99    | 88    | 95    | 4                | 18               | 349   | 3               | 5              |
| 2 hours per day             | % | 27.3    | 29.5          | 25.2     | 29.8        | 28.6  | 27.6  | 28.2  | 24.9  | -                | -                | 28.0  | -               | -              |
|                             | N | 566     | 193           | 267      | 106         | 150   | 144   | 149   | 123   | 4                | 14               | 530   | 13              | 3              |
| 3 hours per day             | % | 16.8    | 18.3          | 16.0     | 16.3        | 19.3  | 16.9  | 14.6  | 16.4  | -                | -                | 16.6  | -               | -              |
|                             | N | 348     | 120           | 170      | 58          | 101   | 88    | 77    | 81    | 7                | 11               | 314   | 10              | 4              |
| 4 hours per day             | % | 7.7     | 8.1           | 7.6      | 7.0         | 7.6   | 7.7   | 7.6   | 7.9   | -                | -                | 7.2   | -               | -              |
|                             | N | 159     | 53            | 81       | 25          | 40    | 40    | 40    | 39    | 4                | 6                | 137   | 10              | 0              |
| 5 or more hours per day     | % | 5.5     | 6.4           | 5.7      | 3.4         | 7.1   | 5.2   | 5.5   | 4.3   | -                | -                | 5.1   | -               | -              |
|                             | N | 114     | 42            | 60       | 12          | 37    | 27    | 29    | 21    | 2                | 8                | 96    | 4               | 3              |
| Total                       | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                             | N | 2,072   | 654           | 1,061    | 356         | 524   | 522   | 528   | 494   | 26               | 71               | 1,896 | 52              | 15             |

Note: There were 26 students who did not provide usable data for Q82.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q82. On an average school day, how many hours do you watch TV?

| Males                       | Age |           |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------------------|-----|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                             |     | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| No TV on average school day | %   | 4.1       | 1.6           | 5.7      | 3.6         | 1.5   | 5.9   | 3.2   | 6.0   | -                | -                | 3.5   | -               | -              |
|                             | N   | 40        | 5             | 29       | 6           | 4     | 15    | 8     | 13    | 1                | 3                | 31    | 3               | 0              |
| Less than 1 hour per day    | %   | 15.0      | 12.9          | 17.3     | 11.9        | 12.6  | 14.2  | 17.5  | 15.7  | -                | -                | 15.5  | -               | -              |
|                             | N   | 148       | 40            | 88       | 20          | 33    | 36    | 44    | 34    | 2                | 3                | 139   | 4               | 0              |
| 1 hour per day              | %   | 16.9      | 15.9          | 17.1     | 17.9        | 16.4  | 15.8  | 17.1  | 18.4  | -                | -                | 17.2  | -               | -              |
|                             | N   | 166       | 49            | 87       | 30          | 43    | 40    | 43    | 40    | 3                | 8                | 154   | 0               | 1              |
| 2 hours per day             | %   | 29.3      | 31.4          | 26.2     | 35.1        | 30.5  | 30.0  | 29.0  | 27.6  | -                | -                | 30.1  | -               | -              |
|                             | N   | 289       | 97            | 133      | 59          | 80    | 76    | 73    | 60    | 1                | 7                | 270   | 7               | 3              |
| 3 hours per day             | %   | 18.7      | 21.7          | 16.7     | 19.0        | 22.5  | 17.8  | 15.5  | 18.9  | -                | -                | 18.8  | -               | -              |
|                             | N   | 184       | 67            | 85       | 32          | 59    | 45    | 39    | 41    | 4                | 4                | 169   | 5               | 1              |
| 4 hours per day             | %   | 9.6       | 9.7           | 9.4      | 10.1        | 8.8   | 9.5   | 10.7  | 9.7   | -                | -                | 9.0   | -               | -              |
|                             | N   | 95        | 30            | 48       | 17          | 23    | 24    | 27    | 21    | 4                | 3                | 81    | 5               | 0              |
| 5 or more hours per day     | %   | 6.4       | 6.8           | 7.5      | 2.4         | 7.6   | 6.7   | 7.1   | 3.7   | -                | -                | 5.9   | -               | -              |
|                             | N   | 63        | 21            | 38       | 4           | 20    | 17    | 18    | 8     | 0                | 6                | 53    | 2               | 2              |
| Total                       | %   | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                             | N   | 985       | 309           | 508      | 168         | 262   | 253   | 252   | 217   | 15               | 34               | 897   | 26              | 7              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q82. On an average school day, how many hours do you watch TV?

| Females                     | Age |             |               |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------------------|-----|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                             |     | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| No TV on average school day | %   | 8.0         | 6.1           | 8.9      | 9.1         | 6.5   | 6.3   | 10.1  | 9.0   | -                | -                | 8.2   | -               | -              |
|                             | N   | 87          | 21            | 49       | 17          | 17    | 17    | 28    | 25    | 1                | 1                | 82    | 2               | 0              |
| Less than 1 hour per day    | %   | 21.2        | 18.0          | 21.9     | 25.1        | 17.6  | 20.8  | 23.6  | 22.7  | -                | -                | 21.8  | -               | -              |
|                             | N   | 230         | 62            | 121      | 47          | 46    | 56    | 65    | 63    | 1                | 7                | 218   | 3               | 0              |
| 1 hour per day              | %   | 19.6        | 19.8          | 19.7     | 18.7        | 20.2  | 21.9  | 16.3  | 19.9  | -                | -                | 19.4  | -               | -              |
|                             | N   | 212         | 68            | 109      | 35          | 53    | 59    | 45    | 55    | 1                | 10               | 194   | 3               | 4              |
| 2 hours per day             | %   | 25.6        | 27.9          | 24.2     | 25.1        | 26.7  | 25.3  | 27.5  | 22.7  | -                | -                | 26.1  | -               | -              |
|                             | N   | 277         | 96            | 134      | 47          | 70    | 68    | 76    | 63    | 3                | 7                | 260   | 6               | 0              |
| 3 hours per day             | %   | 15.0        | 15.4          | 15.4     | 13.4        | 16.0  | 16.0  | 13.8  | 14.4  | -                | -                | 14.5  | -               | -              |
|                             | N   | 163         | 53            | 85       | 25          | 42    | 43    | 38    | 40    | 3                | 7                | 145   | 4               | 3              |
| 4 hours per day             | %   | 5.9         | 6.7           | 6.0      | 4.3         | 6.5   | 5.9   | 4.7   | 6.5   | -                | -                | 5.6   | -               | -              |
|                             | N   | 64          | 23            | 33       | 8           | 17    | 16    | 13    | 18    | 0                | 3                | 56    | 5               | 0              |
| 5 or more hours per day     | %   | 4.7         | 6.1           | 4.0      | 4.3         | 6.5   | 3.7   | 4.0   | 4.7   | -                | -                | 4.3   | -               | -              |
|                             | N   | 51          | 21            | 22       | 8           | 17    | 10    | 11    | 13    | 2                | 2                | 43    | 2               | 1              |
| Total                       | %   | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                             | N   | 1,084       | 344           | 553      | 187         | 262   | 269   | 276   | 277   | 11               | 37               | 998   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q83. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

| Overall |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|---------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|         |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 days  | % | 55.0    | 35.2          | 62.0     | 71.3        | 29.3  | 50.0  | 70.2  | 71.9  | -                | -                | 55.3  | -               | -              |
|         | N | 1,073   | 220           | 615      | 238         | 146   | 245   | 349   | 332   | 8                | 38               | 987   | 25              | 11             |
| 1 day   | % | 0.6     | 0.2           | 0.6      | 1.5         | 0.4   | 0.2   | 1.0   | 0.9   | -                | -                | 0.6   | -               | -              |
|         | N | 12      | 1             | 6        | 5           | 2     | 1     | 5     | 4     | 0                | 0                | 11    | 0               | 1              |
| 2 days  | % | 2.5     | 4.5           | 1.8      | 0.6         | 5.6   | 3.1   | 0.6   | 0.4   | -                | -                | 2.4   | -               | -              |
|         | N | 48      | 28            | 18       | 2           | 28    | 15    | 3     | 2     | 0                | 3                | 43    | 2               | 0              |
| 3 days  | % | 3.5     | 6.4           | 2.5      | 0.6         | 7.0   | 5.9   | 0.2   | 0.4   | -                | -                | 3.4   | -               | -              |
|         | N | 68      | 40            | 25       | 2           | 35    | 29    | 1     | 2     | 1                | 3                | 60    | 2               | 0              |
| 4 days  | % | 0.8     | 1.1           | 0.5      | 0.9         | 0.8   | 1.2   | 0.4   | 0.6   | -                | -                | 0.8   | -               | -              |
|         | N | 15      | 7             | 5        | 3           | 4     | 6     | 2     | 3     | 0                | 0                | 15    | 0               | 0              |
| 5 days  | % | 37.7    | 52.6          | 32.6     | 25.1        | 56.9  | 39.6  | 27.6  | 25.8  | -                | -                | 37.5  | -               | -              |
|         | N | 736     | 329           | 323      | 84          | 284   | 194   | 137   | 119   | 15               | 24               | 669   | 19              | 4              |
| Total   | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|         | N | 1,952   | 625           | 992      | 334         | 499   | 490   | 497   | 462   | 24               | 68               | 1,785 | 48              | 16             |

Note: There were 146 students who did not provide usable data for Q83.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q83. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

| Males  |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|--------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|        |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days | % | 44.3      | 26.3          | 49.3     | 62.9        | 23.5  | 38.4  | 57.1  | 62.4  | -  | -                | 44.4            | -     | -               | -              |
|        | N | 410       | 77            | 233      | 100         | 58    | 93    | 133   | 126   | 4  | 15               | 373             | 11    | 5               | 5              |
| 1 day  | % | 1.1       | 0.3           | 1.1      | 2.5         | 0.8   | 0.4   | 1.7   | 1.5   | -  | -                | 1.1             | -     | -               | -              |
|        | N | 10        | 1             | 5        | 4           | 2     | 1     | 4     | 3     | 0  | 0                | 9               | 0     | 1               | 1              |
| 2 days | % | 2.5       | 4.4           | 1.9      | 0.6         | 6.1   | 1.7   | 1.3   | 0.5   | -  | -                | 2.3             | -     | -               | -              |
|        | N | 23        | 13            | 9        | 1           | 15    | 4     | 3     | 1     | 0  | 3                | 19              | 1     | 0               | 0              |
| 3 days | % | 4.6       | 8.2           | 3.8      | 0.6         | 8.1   | 8.7   | 0.4   | 0.5   | -  | -                | 4.8             | -     | -               | -              |
|        | N | 43        | 24            | 18       | 1           | 20    | 21    | 1     | 1     | 1  | 1                | 40              | 1     | 0               | 0              |
| 4 days | % | 0.8       | 1.0           | 0.6      | 0.6         | 0.4   | 1.2   | 0.9   | 0.5   | -  | -                | 0.8             | -     | -               | -              |
|        | N | 7         | 3             | 3        | 1           | 1     | 3     | 2     | 1     | 0  | 0                | 7               | 0     | 0               | 0              |
| 5 days | % | 46.7      | 59.7          | 43.3     | 32.7        | 61.1  | 49.6  | 38.6  | 34.7  | -  | -                | 46.7            | -     | -               | -              |
|        | N | 432       | 175           | 205      | 52          | 151   | 120   | 90    | 70    | 10 | 12               | 392             | 13    | 2               | 2              |
| Total  | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|        | N | 925       | 293           | 473      | 159         | 247   | 242   | 233   | 202   | 15 | 31               | 840             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q83. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

| Females |   |             | Age           |          |             |  | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|---------|---|-------------|---------------|----------|-------------|--|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|         |   | All females | 15 or younger | 16 or 17 | 18 or older |  | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 days  | % | 64.6        | 43.2          | 73.6     | 78.7        |  | 34.9  | 61.3  | 81.8  | 79.2  | -                | -               | 65.0  | -               | -              |
|         | N | 662         | 143           | 382      | 137         |  | 88    | 152   | 216   | 206   | 4                | 23              | 614   | 13              | 6              |
| 1 day   | % | 0.2         | 0.0           | 0.2      | 0.6         |  | 0.0   | 0.0   | 0.4   | 0.4   | -                | -               | 0.2   | -               | -              |
|         | N | 2           | 0             | 1        | 1           |  | 0     | 0     | 1     | 1     | 0                | 0               | 2     | 0               | 0              |
| 2 days  | % | 2.4         | 4.5           | 1.7      | 0.6         |  | 5.2   | 4.4   | 0.0   | 0.4   | -                | -               | 2.5   | -               | -              |
|         | N | 25          | 15            | 9        | 1           |  | 13    | 11    | 0     | 1     | 0                | 0               | 24    | 1               | 0              |
| 3 days  | % | 2.3         | 4.8           | 1.3      | 0.6         |  | 6.0   | 3.2   | 0.0   | 0.4   | -                | -               | 2.1   | -               | -              |
|         | N | 24          | 16            | 7        | 1           |  | 15    | 8     | 0     | 1     | 0                | 2               | 20    | 1               | 0              |
| 4 days  | % | 0.8         | 1.2           | 0.4      | 1.1         |  | 1.2   | 1.2   | 0.0   | 0.8   | -                | -               | 0.8   | -               | -              |
|         | N | 8           | 4             | 2        | 2           |  | 3     | 3     | 0     | 2     | 0                | 0               | 8     | 0               | 0              |
| 5 days  | % | 29.6        | 46.2          | 22.7     | 18.4        |  | 52.8  | 29.8  | 17.8  | 18.8  | -                | -               | 29.2  | -               | -              |
|         | N | 303         | 153           | 118      | 32          |  | 133   | 74    | 47    | 49    | 5                | 12              | 276   | 6               | 2              |
| Total   | % | 100.0       | 100.0         | 100.0    | 100.0       |  | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|         | N | 1,024       | 331           | 519      | 174         |  | 252   | 248   | 264   | 260   | 9                | 37              | 944   | 21              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q84. During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?

| Overall              |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|----------------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                      |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Do not take PE       | % | 55.1    | 35.2          | 62.0     | 71.8        | 29.2  | 50.0  | 70.4  | 72.2  | -                | -                | 55.4  | -               | -              |
|                      | N | 1,073   | 220           | 614      | 239         | 146   | 244   | 349   | 333   | 8                | 38               | 986   | 26              | 11             |
| Less than 10 minutes | % | 1.8     | 3.2           | 1.1      | 1.2         | 3.4   | 2.3   | 0.8   | 0.7   | -                | -                | 1.7   | -               | -              |
|                      | N | 35      | 20            | 11       | 4           | 17    | 11    | 4     | 3     | 1                | 1                | 31    | 1               | 0              |
| 10 to 20 minutes     | % | 7.0     | 10.1          | 5.6      | 5.1         | 10.4  | 10.0  | 2.4   | 4.6   | -                | -                | 6.5   | -               | -              |
|                      | N | 136     | 63            | 55       | 17          | 52    | 49    | 12    | 21    | 5                | 9                | 116   | 3               | 1              |
| 21 to 30 minutes     | % | 15.4    | 21.9          | 12.6     | 11.7        | 23.6  | 13.9  | 12.3  | 11.7  | -                | -                | 15.7  | -               | -              |
|                      | N | 301     | 137           | 125      | 39          | 118   | 68    | 61    | 54    | 7                | 7                | 279   | 5               | 1              |
| More than 30 minutes | % | 20.7    | 29.6          | 18.7     | 10.2        | 33.4  | 23.8  | 14.1  | 10.8  | -                | -                | 20.7  | -               | -              |
|                      | N | 404     | 185           | 185      | 34          | 167   | 116   | 70    | 50    | 3                | 13               | 369   | 14              | 3              |
| Total                | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                      | N | 1,949   | 625           | 990      | 333         | 500   | 488   | 496   | 461   | 24               | 68               | 1,781 | 49              | 16             |

Note: There were 149 students who did not provide usable data for Q84.

N = Number of unweighted observations.

- = Fewer than 100 cases.



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q84. During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?

| Males                |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|----------------------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                      |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| Do not take PE       | % | 44.3  | 26.3      | 49.2          | 63.3     | 23.4        | 38.3  | 57.1  | 62.7  | -    | -                | 44.4            | -     | -               |                |
|                      | N | 409   | 77        | 232           | 100      | 58          | 92    | 133   | 126   | 4    | 15               | 372             | 11    | 5               |                |
| Less than 10 minutes | % | 2.2   | 3.1       | 1.5           | 2.5      | 3.2         | 2.5   | 1.3   | 1.5   | -    | -                | 2.0             | -     | -               |                |
|                      | N | 20    | 9         | 7             | 4        | 8           | 6     | 3     | 3     | 1    | 1                | 17              | 1     | 0               |                |
| 10 to 20 minutes     | % | 7.4   | 8.9       | 7.4           | 4.4      | 8.9         | 12.9  | 2.6   | 4.5   | -    | -                | 7.3             | -     | -               |                |
|                      | N | 68    | 26        | 35            | 7        | 22          | 31    | 6     | 9     | 1    | 3                | 61              | 2     | 1               |                |
| 21 to 30 minutes     | % | 17.8  | 22.5      | 15.3          | 16.5     | 22.2        | 13.3  | 18.9  | 16.4  | -    | -                | 17.8            | -     | -               |                |
|                      | N | 164   | 66        | 72            | 26       | 55          | 32    | 44    | 33    | 7    | 3                | 149             | 3     | 1               |                |
| More than 30 minutes | % | 28.4  | 39.2      | 26.7          | 13.3     | 42.3        | 32.9  | 20.2  | 14.9  | -    | -                | 28.5            | -     | -               |                |
|                      | N | 262   | 115       | 126           | 21       | 105         | 79    | 47    | 30    | 2    | 9                | 239             | 9     | 1               |                |
| Total                | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                      | N | 923   | 293       | 472           | 158      | 248         | 240   | 233   | 201   | 15   | 31               | 838             | 26    | 8               |                |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q84. During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?

| Females              |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|                      |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Do not take PE       | % | 64.8  | 43.2        | 73.7          | 79.3     | 34.9        | 61.3  | 82.1  | 79.6  | -    | -                | 65.2             | -     | -               |                |
|                      | N | 663   | 143         | 382           | 138      | 88          | 152   | 216   | 207   | 4    | 23               | 614              | 14    | 6               |                |
| Less than 10 minutes | % | 1.5   | 3.3         | 0.8           | 0.0      | 3.6         | 2.0   | 0.4   | 0.0   | -    | -                | 1.5              | -     | -               |                |
|                      | N | 15    | 11          | 4             | 0        | 9           | 5     | 1     | 0     | 0    | 0                | 14               | 0     | 0               |                |
| 10 to 20 minutes     | % | 6.5   | 10.9        | 3.9           | 5.7      | 11.9        | 7.3   | 2.3   | 4.6   | -    | -                | 5.7              | -     | -               |                |
|                      | N | 66    | 36          | 20            | 10       | 30          | 18    | 6     | 12    | 4    | 6                | 54               | 1     | 0               |                |
| 21 to 30 minutes     | % | 13.4  | 21.5        | 10.2          | 7.5      | 25.0        | 14.5  | 6.5   | 8.1   | -    | -                | 13.8             | -     | -               |                |
|                      | N | 137   | 71          | 53            | 13       | 63          | 36    | 17    | 21    | 0    | 4                | 130              | 2     | 0               |                |
| More than 30 minutes | % | 13.9  | 21.1        | 11.4          | 7.5      | 24.6        | 14.9  | 8.7   | 7.7   | -    | -                | 13.8             | -     | -               |                |
|                      | N | 142   | 70          | 59            | 13       | 62          | 37    | 23    | 20    | 1    | 4                | 130              | 5     | 2               |                |
| Total                | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|                      | N | 1,023 | 331         | 518           | 174      | 252         | 248   | 263   | 260   | 9    | 37               | 942              | 22    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q85. During the past 12 months, on how many sports teams did you play?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 teams         | % | 32.2    | 25.1          | 34.6     | 37.9        | 22.6  | 33.4  | 34.9  | 38.2  | -                | -               | 30.9  | -               | -              |
|                 | N | 669     | 165           | 368      | 135         | 119   | 175   | 185   | 189   | 9                | 34              | 588   | 24              | 5              |
| 1 team          | % | 20.1    | 18.6          | 20.1     | 23.0        | 19.6  | 16.2  | 22.3  | 22.4  | -                | -               | 19.9  | -               | -              |
|                 | N | 418     | 122           | 214      | 82          | 103   | 85    | 118   | 111   | 4                | 12              | 379   | 15              | 6              |
| 2 teams         | % | 17.4    | 18.9          | 16.5     | 17.4        | 19.0  | 16.8  | 17.0  | 16.8  | -                | -               | 18.0  | -               | -              |
|                 | N | 362     | 124           | 176      | 62          | 100   | 88    | 90    | 83    | 4                | 9               | 342   | 4               | 2              |
| 3 or more teams | % | 30.3    | 37.4          | 28.8     | 21.6        | 38.8  | 33.6  | 25.8  | 22.6  | -                | -               | 31.1  | -               | -              |
|                 | N | 630     | 246           | 307      | 77          | 204   | 176   | 137   | 112   | 9                | 17              | 592   | 9               | 3              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|                 | N | 2,079   | 657           | 1,065    | 356         | 526   | 524   | 530   | 495   | 26               | 72              | 1,901 | 52              | 16             |

Note: There were 19 students who did not provide usable data for Q85.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q85. During the past 12 months, on how many sports teams did you play?

| Males           |   |           | Age           |          |             |       | Grade |       |       |    | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|----|------------------|-----------------|-------|-----------------|----------------|
|                 |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  |    | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 teams         | % | 26.4      | 22.5          | 27.0     | 31.5        | 19.3  | 30.7  | 26.4  | 30.0  | -  | -                | 25.7            | -     | -               | -              |
|                 | N | 261       | 70            | 138      | 53          | 51    | 78    | 67    | 65    | 5  | 11               | 232             | 8     | 2               | 2              |
| 1 team          | % | 19.0      | 18.0          | 18.6     | 22.0        | 19.7  | 14.2  | 21.3  | 21.2  | -  | -                | 18.3            | -     | -               | -              |
|                 | N | 188       | 56            | 95       | 37          | 52    | 36    | 54    | 46    | 1  | 6                | 165             | 11    | 3               | 3              |
| 2 teams         | % | 19.1      | 20.9          | 18.2     | 18.5        | 22.0  | 15.4  | 20.1  | 18.4  | -  | -                | 19.5            | -     | -               | -              |
|                 | N | 189       | 65            | 93       | 31          | 58    | 39    | 51    | 40    | 3  | 6                | 176             | 2     | 1               | 1              |
| 3 or more teams | % | 35.6      | 38.6          | 36.2     | 28.0        | 39.0  | 39.8  | 32.3  | 30.4  | -  | -                | 36.4            | -     | -               | -              |
|                 | N | 352       | 120           | 185      | 47          | 103   | 101   | 82    | 66    | 6  | 11               | 328             | 5     | 2               | 2              |
| Total           | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -  | -                | 100.0           | -     | -               | -              |
|                 | N | 990       | 311           | 511      | 168         | 264   | 254   | 254   | 217   | 15 | 34               | 901             | 26    | 8               | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q85. During the past 12 months, on how many sports teams did you play?

| Females         |   |       | Age         |               |          |             | Grade |       |       |      | Race/Ethnicity   |                 |       |                 |                |
|-----------------|---|-------|-------------|---------------|----------|-------------|-------|-------|-------|------|------------------|-----------------|-------|-----------------|----------------|
|                 |   |       | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/Latino | White | All other races | Multiple races |
| 0 teams         | % | 37.5  | 27.5        | 41.5          | 43.9     | 26.0        | 35.9  | 42.8  | 44.6  | -    | -                | 35.6            | -     | -               |                |
|                 | N | 407   | 95          | 230           | 82       | 68          | 97    | 118   | 124   | 4    | 23               | 356             | 16    | 3               |                |
| 1 team          | % | 21.1  | 19.1        | 21.5          | 23.5     | 19.5        | 18.1  | 23.2  | 23.4  | -    | -                | 21.4            | -     | -               |                |
|                 | N | 229   | 66          | 119           | 44       | 51          | 49    | 64    | 65    | 3    | 6                | 214             | 3     | 3               |                |
| 2 teams         | % | 15.9  | 17.1        | 15.0          | 16.6     | 16.0        | 18.1  | 14.1  | 15.5  | -    | -                | 16.6            | -     | -               |                |
|                 | N | 173   | 59          | 83            | 31       | 42          | 49    | 39    | 43    | 1    | 3                | 166             | 2     | 1               |                |
| 3 or more teams | % | 25.5  | 36.2        | 22.0          | 16.0     | 38.5        | 27.8  | 19.9  | 16.5  | -    | -                | 26.3            | -     | -               |                |
|                 | N | 277   | 125         | 122           | 30       | 101         | 75    | 55    | 46    | 3    | 6                | 263             | 4     | 1               |                |
| Total           | % | 100.0 | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0           | -     | -               |                |
|                 | N | 1,086 | 345         | 554           | 187      | 262         | 270   | 276   | 278   | 11   | 38               | 999             | 25    | 8               |                |

*N* = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q86. During the past 12 months, how many times were you injured while exercising, playing sports, or being physically active and had to be treated by a doctor or nurse?

| Overall         |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 56.5    | 52.5          | 58.4     | 58.0        | 51.1  | 56.8  | 58.5  | 59.5  | -                | -                | 55.1  | -               | -              |
|                 | N | 1,173   | 345           | 621      | 206         | 269   | 297   | 310   | 294   | 20               | 50               | 1,047 | 37              | 9              |
| 1 time          | % | 22.1    | 22.7          | 21.5     | 23.1        | 22.2  | 20.5  | 24.7  | 21.3  | -                | -                | 23.0  | -               | -              |
|                 | N | 460     | 149           | 229      | 82          | 117   | 107   | 131   | 105   | 3                | 10               | 437   | 5               | 4              |
| 2 times         | % | 12.5    | 14.6          | 11.6     | 11.3        | 16.0  | 12.6  | 9.6   | 11.7  | -                | -                | 12.9  | -               | -              |
|                 | N | 259     | 96            | 123      | 40          | 84    | 66    | 51    | 58    | 1                | 5                | 245   | 7               | 1              |
| 3 times         | % | 4.8     | 5.3           | 4.6      | 4.2         | 5.5   | 5.7   | 3.2   | 4.7   | -                | -                | 4.9   | -               | -              |
|                 | N | 99      | 35            | 49       | 15          | 29    | 30    | 17    | 23    | 1                | 2                | 94    | 2               | 0              |
| 4 times         | % | 1.6     | 1.7           | 1.7      | 1.1         | 1.7   | 2.1   | 1.7   | 0.8   | -                | -                | 1.7   | -               | -              |
|                 | N | 33      | 11            | 18       | 4           | 9     | 11    | 9     | 4     | 0                | 0                | 32    | 1               | 0              |
| 5 or more times | % | 2.6     | 3.2           | 2.3      | 2.3         | 3.4   | 2.3   | 2.3   | 2.0   | -                | -                | 2.4   | -               | -              |
|                 | N | 53      | 21            | 24       | 8           | 18    | 12    | 12    | 10    | 1                | 5                | 45    | 0               | 2              |
| Total           | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 2,077   | 657           | 1,064    | 355         | 526   | 523   | 530   | 494   | 26               | 72               | 1,900 | 52              | 16             |

Note: There were 21 students who did not provide usable data for Q86.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q86. During the past 12 months, how many times were you injured while exercising, playing sports, or being physically active and had to be treated by a doctor or nurse?

| Males           |   |           | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-----------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 51.9      | 51.8          | 52.4     | 50.3        | 49.2  | 55.1  | 52.8  | 50.0  | -                | -                | 50.2  | -               | -              |
|                 | N | 513       | 161           | 268      | 84          | 130   | 140   | 134   | 108   | 12               | 21               | 452   | 19              | 5              |
| 1 time          | % | 23.9      | 23.8          | 23.7     | 24.6        | 22.7  | 20.5  | 28.7  | 23.6  | -                | -                | 24.6  | -               | -              |
|                 | N | 236       | 74            | 121      | 41          | 60    | 52    | 73    | 51    | 2                | 8                | 222   | 2               | 1              |
| 2 times         | % | 14.5      | 15.8          | 13.3     | 15.6        | 18.2  | 14.6  | 9.1   | 16.2  | -                | -                | 15.2  | -               | -              |
|                 | N | 143       | 49            | 68       | 26          | 48    | 37    | 23    | 35    | 0                | 2                | 137   | 3               | 1              |
| 3 times         | % | 5.3       | 3.9           | 6.1      | 5.4         | 4.5   | 5.5   | 4.7   | 6.5   | -                | -                | 5.3   | -               | -              |
|                 | N | 52        | 12            | 31       | 9           | 12    | 14    | 12    | 14    | 1                | 1                | 48    | 2               | 0              |
| 4 times         | % | 2.0       | 1.3           | 2.3      | 2.4         | 1.1   | 2.4   | 2.8   | 1.9   | -                | -                | 2.2   | -               | -              |
|                 | N | 20        | 4             | 12       | 4           | 3     | 6     | 7     | 4     | 0                | 0                | 20    | 0               | 0              |
| 5 or more times | % | 2.5       | 3.5           | 2.2      | 1.8         | 4.2   | 2.0   | 2.0   | 1.9   | -                | -                | 2.4   | -               | -              |
|                 | N | 25        | 11            | 11       | 3           | 11    | 5     | 5     | 4     | 0                | 2                | 22    | 0               | 1              |
| Total           | % | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 989       | 311           | 511      | 167         | 264   | 254   | 254   | 216   | 15               | 34               | 901   | 26              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q86. During the past 12 months, how many times were you injured while exercising, playing sports, or being physically active and had to be treated by a doctor or nurse?

| Females         |   |             | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                  |       |                 |                |
|-----------------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|
|                 |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |
| 0 times         | % | 60.6        | 53.3          | 63.8     | 64.7        | 53.1  | 58.4  | 63.8  | 66.9  | -                | -                | 59.6  | -               | -              |
|                 | N | 658         | 184           | 353      | 121         | 139   | 157   | 176   | 186   | 8                | 29               | 595   | 17              | 4              |
| 1 time          | % | 20.6        | 21.7          | 19.5     | 21.9        | 21.8  | 20.4  | 21.0  | 19.4  | -                | -                | 21.5  | -               | -              |
|                 | N | 224         | 75            | 108      | 41          | 57    | 55    | 58    | 54    | 1                | 2                | 215   | 3               | 3              |
| 2 times         | % | 10.7        | 13.6          | 9.9      | 7.5         | 13.7  | 10.8  | 10.1  | 8.3   | -                | -                | 10.8  | -               | -              |
|                 | N | 116         | 47            | 55       | 14          | 36    | 29    | 28    | 23    | 1                | 3                | 108   | 4               | 0              |
| 3 times         | % | 4.3         | 6.7           | 3.3      | 3.2         | 6.5   | 5.9   | 1.8   | 3.2   | -                | -                | 4.6   | -               | -              |
|                 | N | 47          | 23            | 18       | 6           | 17    | 16    | 5     | 9     | 0                | 1                | 46    | 0               | 0              |
| 4 times         | % | 1.2         | 2.0           | 1.1      | 0.0         | 2.3   | 1.9   | 0.7   | 0.0   | -                | -                | 1.2   | -               | -              |
|                 | N | 13          | 7             | 6        | 0           | 6     | 5     | 2     | 0     | 0                | 0                | 12    | 1               | 0              |
| 5 or more times | % | 2.5         | 2.6           | 2.4      | 2.7         | 2.7   | 2.6   | 2.5   | 2.2   | -                | -                | 2.2   | -               | -              |
|                 | N | 27          | 9             | 13       | 5           | 7     | 7     | 7     | 6     | 1                | 3                | 22    | 0               | 1              |
| Total           | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |
|                 | N | 1,085       | 345           | 553      | 187         | 262   | 269   | 276   | 278   | 11               | 38               | 998   | 25              | 8              |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*



# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q87. Have you ever been taught about AIDS or HIV infection in school?

| Overall  |   |         | Age           |          |             | Grade |       |       |       | Race/Ethnicity   |                 |       |                 |                |
|----------|---|---------|---------------|----------|-------------|-------|-------|-------|-------|------------------|-----------------|-------|-----------------|----------------|
|          |   | Overall | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/Latino | White | All other races | Multiple races |
| Yes      | % | 84.9    | 85.0          | 85.0     | 84.8        | 84.6  | 86.5  | 83.7  | 84.8  | -                | -               | 85.1  | -               | -              |
|          | N | 1,766   | 559           | 905      | 301         | 446   | 454   | 443   | 419   | 25               | 58              | 1,618 | 39              | 15             |
| No       | % | 7.4     | 6.4           | 8.3      | 6.5         | 7.0   | 6.7   | 7.8   | 8.1   | -                | -               | 7.2   | -               | -              |
|          | N | 153     | 42            | 88       | 23          | 37    | 35    | 41    | 40    | 0                | 10              | 136   | 7               | 0              |
| Not sure | % | 7.7     | 8.7           | 6.8      | 8.7         | 8.3   | 6.9   | 8.5   | 7.1   | -                | -               | 7.8   | -               | -              |
|          | N | 160     | 57            | 72       | 31          | 44    | 36    | 45    | 35    | 1                | 4               | 148   | 6               | 1              |
| Total    | % | 100.0   | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -               | 100.0 | -               | -              |
|          | N | 2,079   | 658           | 1,065    | 355         | 527   | 525   | 529   | 494   | 26               | 72              | 1,902 | 52              | 16             |

Note: There were 19 students who did not provide usable data for Q87.

N = Number of unweighted observations.

- = Fewer than 100 cases.

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q87. Have you ever been taught about AIDS or HIV infection in school?

| Males    |   |       | Age       |               |          |             | Grade |       |       |      | Race/Ethnicity   |                  |       |                 |                |
|----------|---|-------|-----------|---------------|----------|-------------|-------|-------|-------|------|------------------|------------------|-------|-----------------|----------------|
|          |   |       | All males | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th | African American | Hispanic/ Latino | White | All other races | Multiple races |
| Yes      | % | 85.6  | 85.9      | 84.9          | 86.8     | 84.5        | 86.6  | 85.0  | 86.1  | -    | -                | 85.6             | -     | -               |                |
|          | N | 847   | 268       | 434           | 145      | 224         | 220   | 216   | 186   | 14   | 30               | 772              | 18    | 8               |                |
| No       | % | 6.9   | 6.4       | 7.6           | 5.4      | 7.5         | 6.3   | 6.3   | 7.4   | -    | -                | 6.7              | -     | -               |                |
|          | N | 68    | 20        | 39            | 9        | 20          | 16    | 16    | 16    | 0    | 3                | 60               | 5     | 0               |                |
| Not sure | % | 7.6   | 7.7       | 7.4           | 7.8      | 7.9         | 7.1   | 8.7   | 6.5   | -    | -                | 7.8              | -     | -               |                |
|          | N | 75    | 24        | 38            | 13       | 21          | 18    | 22    | 14    | 1    | 1                | 70               | 3     | 0               |                |
| Total    | % | 100.0 | 100.0     | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | -    | -                | 100.0            | -     | -               |                |
|          | N | 990   | 312       | 511           | 167      | 265         | 254   | 254   | 216   | 15   | 34               | 902              | 26    | 8               |                |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*

# 1999 Youth Risk Behavior Survey Results

## Nebraska High School Survey

### Detail Table - Unweighted Data

Q87. Have you ever been taught about AIDS or HIV infection in school?

| Females  |   |             | Age           |          |             |       | Grade |       |       |                  | Race/Ethnicity   |       |                 |                |  |
|----------|---|-------------|---------------|----------|-------------|-------|-------|-------|-------|------------------|------------------|-------|-----------------|----------------|--|
|          |   | All females | 15 or younger | 16 or 17 | 18 or older | 9th   | 10th  | 11th  | 12th  | African American | Hispanic/ Latino | White | All other races | Multiple races |  |
| Yes      | % | 84.3        | 84.1          | 85.0     | 82.9        | 84.7  | 86.3  | 82.5  | 83.8  | -                | -                | 84.6  | -               | -              |  |
|          | N | 916         | 290           | 471      | 155         | 222   | 234   | 227   | 233   | 11               | 28               | 845   | 20              | 7              |  |
| No       | % | 7.8         | 6.4           | 8.8      | 7.5         | 6.5   | 7.0   | 9.1   | 8.6   | -                | -                | 7.6   | -               | -              |  |
|          | N | 85          | 22            | 49       | 14          | 17    | 19    | 25    | 24    | 0                | 7                | 76    | 2               | 0              |  |
| Not sure | % | 7.8         | 9.6           | 6.1      | 9.6         | 8.8   | 6.6   | 8.4   | 7.6   | -                | -                | 7.8   | -               | -              |  |
|          | N | 85          | 33            | 34       | 18          | 23    | 18    | 23    | 21    | 0                | 3                | 78    | 3               | 1              |  |
| Total    | % | 100.0       | 100.0         | 100.0    | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | -                | -                | 100.0 | -               | -              |  |
|          | N | 1,086       | 345           | 554      | 187         | 262   | 271   | 275   | 278   | 11               | 38               | 999   | 25              | 8              |  |

*N = Number of unweighted observations.*

*- = Fewer than 100 cases.*