

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 1-3 | SITE | Site Code | | |
| 4-13 | SCHOOL | School Codes | | |
| 14-16 | CLASS | Class Codes | | |
| 17-17 | Q1 | How old are you? | | |
| | | 1 12 years old or younger | 2 | 0.1 |
| | | 2 13 years old | 4 | 0.2 |
| | | 3 14 years old | 179 | 7.5 |
| | | 4 15 years old | 690 | 25.6 |
| | | 5 16 years old | 813 | 24.4 |
| | | 6 17 years old | 763 | 25.4 |
| | | 7 18 years old or older | 481 | 16.9 |
| | | Missing | 1 | |
| 18-18 | Q2 | What is your sex? | | |
| | | 1 Female | 1,465 | 48.6 |
| | | 2 Male | 1,466 | 51.4 |
| | | Missing | 2 | |
| 19-19 | Q3 | In what grade are you? | | |
| | | 1 9th grade | 642 | 26.7 |
| | | 2 10th grade | 854 | 24.9 |
| | | 3 11th grade | 732 | 24.3 |
| | | 4 12th grade | 696 | 24.1 |
| | | 5 Ungraded or other grade | 1 | 0.1 |
| | | Missing | 8 | |
| 20-21 | Q4 | How do you describe yourself? | | |
| | | 1 American Indian or Alaska Native | 55 | 0.7 |
| | | 2 Asian | 52 | 0.7 |
| | | 3 Black or African American | 52 | 6.1 |
| | | 4 Hispanic or Latino | 121 | 6.4 |
| | | 5 Native Hawaiian or Other Pacific Islander | 14 | 0.2 |
| | | 6 White | 2,522 | 84.7 |
| | | 7 Multiple - Hispanic | 33 | 0.4 |
| | | 8 Multiple - Non-hispanic | 75 | 0.9 |
| | | Missing | 9 | |
| 22-25 | Q5 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 26-31 | Q6 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 32-32 | Q7 | During the past 12 months, how would you describe your grades in school? | | |
| | | 1 Mostly A's | 1,014 | 34.3 |
| | | 2 Mostly B's | 1,052 | 35.4 |
| | | 3 Mostly C's | 560 | 20.9 |
| | | 4 Mostly D's | 125 | 4.4 |
| | | 5 Mostly F's | 26 | 1.0 |
| | | 6 None of these grades | 18 | 0.5 |
| | | 7 Not sure | 104 | 3.5 |
| | | Missing | 34 | |
| 33-33 | Q8 | When you rode a bicycle during the past 12 months, how often did you wear a helmet? | | |
| | | 1 I did not ride a bicycle during the past 12 months | 1,151 | 38.3 |
| | | 2 Never wore a helmet | 1,563 | 53.3 |
| | | 3 Rarely wore a helmet | 80 | 3.0 |
| | | 4 Sometimes wore a helmet | 55 | 2.2 |
| | | 5 Most of the time wore a helmet | 33 | 1.4 |
| | | 6 Always wore a helmet | 50 | 1.9 |
| | | Missing | 1 | |
| 34-34 | Q9 | How often do you wear a seat belt when riding in a car driven by someone else? | | |
| | | 1 Never | 237 | 7.5 |
| | | 2 Rarely | 423 | 14.4 |
| | | 3 Sometimes | 648 | 21.5 |
| | | 4 Most of the time | 801 | 26.2 |
| | | 5 Always | 818 | 30.4 |
| | | Missing | 6 | |
| 35-35 | Q10 | During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol? | | |
| | | 1 0 times | 1,783 | 61.5 |
| | | 2 1 time | 371 | 12.6 |
| | | 3 2 or 3 times | 413 | 14.2 |
| | | 4 4 or 5 times | 143 | 5.0 |
| | | 5 6 or more times | 213 | 6.7 |
| | | Missing | 10 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 36-36 | Q11 | During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? | | |
| | | 1 0 times | 2,263 | 79.1 |
| | | 2 1 time | 240 | 8.2 |
| | | 3 2 or 3 times | 226 | 7.7 |
| | | 4 4 or 5 times | 55 | 1.8 |
| | | 5 6 or more times | 101 | 3.2 |
| | | Missing | 48 | |
| 37-37 | Q12 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? | | |
| | | 1 0 days | 2,383 | 84.0 |
| | | 2 1 day | 87 | 3.0 |
| | | 3 2 or 3 days | 111 | 3.8 |
| | | 4 4 or 5 days | 51 | 1.8 |
| | | 5 6 or more days | 234 | 7.5 |
| | | Missing | 67 | |
| 38-38 | Q13 | During the past 30 days, on how many days did you carry a gun? | | |
| | | 1 0 days | 2,635 | 92.2 |
| | | 2 1 day | 77 | 2.5 |
| | | 3 2 or 3 days | 66 | 1.9 |
| | | 4 4 or 5 days | 16 | 0.6 |
| | | 5 6 or more days | 81 | 2.8 |
| | | Missing | 58 | |
| 39-39 | Q14 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 days | 2,765 | 95.0 |
| | | 2 1 day | 32 | 1.3 |
| | | 3 2 or 3 days | 25 | 0.8 |
| | | 4 4 or 5 days | 5 | 0.1 |
| | | 5 6 or more days | 85 | 2.8 |
| | | Missing | 21 | |
| 40-40 | Q15 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 2,826 | 96.9 |
| | | 2 1 day | 51 | 1.6 |
| | | 3 2 or 3 days | 20 | 0.7 |
| | | 4 4 or 5 days | 6 | 0.1 |
| | | 5 6 or more days | 19 | 0.7 |
| | | Missing | 11 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 41-41 | Q16 | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 times | 2,684 | 91.2 |
| | | 2 1 time | 100 | 3.6 |
| | | 3 2 or 3 times | 59 | 2.3 |
| | | 4 4 or 5 times | 14 | 0.5 |
| | | 5 6 or 7 times | 14 | 0.7 |
| | | 6 8 or 9 times | 11 | 0.5 |
| | | 7 10 or 11 times | 5 | 0.1 |
| | | 8 12 or more times | 33 | 1.1 |
| | Missing | 13 | | |
| 42-42 | Q17 | During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property? | | |
| | | 1 0 times | 1,993 | 67.8 |
| | | 2 1 time | 469 | 15.8 |
| | | 3 2 or 3 times | 316 | 10.8 |
| | | 4 4 or 5 times | 81 | 2.7 |
| | | 5 6 or 7 times | 20 | 0.8 |
| | | 6 8 or 9 times | 13 | 0.4 |
| | | 7 10 or 11 times | 6 | 0.3 |
| | | 8 12 or more times | 35 | 1.3 |
| 43-43 | Q18 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 0 times | 2,052 | 70.4 |
| | | 2 1 time | 376 | 13.0 |
| | | 3 2 or 3 times | 266 | 9.7 |
| | | 4 4 or 5 times | 54 | 2.1 |
| | | 5 6 or 7 times | 43 | 1.3 |
| | | 6 8 or 9 times | 12 | 0.6 |
| | | 7 10 or 11 times | 11 | 0.4 |
| | | 8 12 or more times | 65 | 2.4 |
| | Missing | 54 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 44-44 | Q19 | During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse? | | |
| | | 1 0 times | 2,820 | 97.3 |
| | | 2 1 time | 57 | 2.2 |
| | | 3 2 or 3 times | 5 | 0.1 |
| | | 4 4 or 5 times | 2 | 0.0 |
| | | 5 6 or more times | 9 | 0.4 |
| | | Missing | 40 | |
| 45-45 | Q20 | During the past 12 months, how many times were you in a physical fight on school property? | | |
| | | 1 0 times | 2,616 | 89.4 |
| | | 2 1 time | 183 | 6.8 |
| | | 3 2 or 3 times | 65 | 2.6 |
| | | 4 4 or 5 times | 12 | 0.6 |
| | | 5 6 or 7 times | 5 | 0.2 |
| | | 6 8 or 9 times | 3 | 0.1 |
| | | 7 10 or 11 times | 2 | 0.0 |
| | | 8 12 or more times | 13 | 0.4 |
| | | Missing | 34 | |
| 46-46 | Q21 | During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? | | |
| | | 1 Yes | 334 | 11.5 |
| | | 2 No | 2,579 | 88.5 |
| | | Missing | 20 | |
| 47-47 | Q22 | Have you ever been physically forced to have sexual intercourse when you did not want to? | | |
| | | 1 Yes | 282 | 9.9 |
| | | 2 No | 2,632 | 90.1 |
| | | Missing | 19 | |
| 48-48 | Q23 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 717 | 25.3 |
| | | 2 No | 2,210 | 74.7 |
| | | Missing | 6 | |
| 49-49 | Q24 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 513 | 17.9 |
| | | 2 No | 2,406 | 82.1 |
| | | Missing | 14 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 50-50 | Q25 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 Yes | 514 | 17.2 |
| | | 2 No | 2,393 | 82.8 |
| | | Missing | 26 | |
| 51-51 | Q26 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 2,317 | 91.2 |
| | | 2 1 time | 108 | 4.1 |
| | | 3 2 or 3 times | 66 | 3.0 |
| | | 4 4 or 5 times | 14 | 0.6 |
| | | 5 6 or more times | 25 | 1.1 |
| Missing | 403 | | | |
| 52-52 | Q27 | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? | | |
| | | 1 I did not attempt suicide during the past 12 months | 2,311 | 91.2 |
| | | 2 Yes | 79 | 3.4 |
| | | 3 No | 132 | 5.3 |
| Missing | 411 | | | |
| 53-53 | Q28 | Have you ever tried cigarette smoking, even one or two puffs? | | |
| | | 1 Yes | 1,654 | 60.2 |
| | | 2 No | 1,069 | 39.8 |
| Missing | 210 | | | |
| 54-54 | Q29 | How old were you when you smoked a whole cigarette for the first time? | | |
| | | 1 I have never smoked a whole cigarette | 1,364 | 50.6 |
| | | 2 8 years old or younger | 135 | 5.1 |
| | | 3 9 or 10 years old | 144 | 5.2 |
| | | 4 11 or 12 years old | 277 | 10.4 |
| | | 5 13 or 14 years old | 407 | 14.9 |
| | | 6 15 or 16 years old | 318 | 11.1 |
| | | 7 17 years old or older | 69 | 2.7 |
| Missing | 219 | | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 55-55 | Q30 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 0 days | 1,993 | 75.9 |
| | | 2 1 or 2 days | 142 | 5.4 |
| | | 3 3 to 5 days | 76 | 2.8 |
| | | 4 6 to 9 days | 60 | 2.3 |
| | | 5 10 to 19 days | 71 | 2.5 |
| | | 6 20 to 29 days | 79 | 2.9 |
| | | 7 All 30 days | 220 | 8.3 |
| | Missing | 292 | | |
| 56-56 | Q31 | During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 1,970 | 76.0 |
| | | 2 Less than 1 cigarette per day | 128 | 5.1 |
| | | 3 1 cigarette per day | 97 | 3.5 |
| | | 4 2 to 5 cigarettes per day | 251 | 9.3 |
| | | 5 6 to 10 cigarettes per day | 106 | 3.9 |
| | | 6 11 to 20 cigarettes per day | 39 | 1.5 |
| | | 7 More than 20 cigarettes per day | 17 | 0.8 |
| | Missing | 325 | | |
| 57-57 | Q32 | During the past 30 days, how did you usually get your own cigarettes? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 1,998 | 76.0 |
| | | 2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station | 125 | 4.6 |
| | | 3 I bought them from a vending machine | 6 | 0.2 |
| | | 4 I gave someone else money to buy them for me | 234 | 8.5 |
| | | 5 I borrowed (or bummed) them from someone else | 180 | 6.7 |
| | | 6 A person 18 years old or older gave them to me | 45 | 1.6 |
| | | 7 I took them from a store or family member | 20 | 0.7 |
| | | 8 I got them some other way | 36 | 1.7 |
| | Missing | 289 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 58-58 | Q33 | During the past 30 days, on how many days did you smoke cigarettes on school property? | | |
| | | 1 0 days | 2,581 | 92.6 |
| | | 2 1 or 2 days | 76 | 2.5 |
| | | 3 3 to 5 days | 31 | 1.2 |
| | | 4 6 to 9 days | 27 | 1.1 |
| | | 5 10 to 19 days | 19 | 0.6 |
| | | 6 20 to 29 days | 17 | 0.7 |
| | | 7 All 30 days | 32 | 1.3 |
| | Missing | 150 | | |
| 59-59 | Q34 | Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days? | | |
| | | 1 Yes | 464 | 16.7 |
| | | 2 No | 2,263 | 83.3 |
| | | | Missing | 206 |
| 60-60 | Q35 | During the past 12 months, did you ever try to quit smoking cigarettes? | | |
| | | 1 I did not smoke during the past 12 months | 1,854 | 70.7 |
| | | 2 Yes | 488 | 17.9 |
| | | 3 No | 310 | 11.4 |
| | | | Missing | 281 |
| 61-61 | Q36 | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? | | |
| | | 1 0 days | 2,573 | 89.9 |
| | | 2 1 or 2 days | 104 | 3.5 |
| | | 3 3 to 5 days | 34 | 1.1 |
| | | 4 6 to 9 days | 24 | 0.7 |
| | | 5 10 to 19 days | 35 | 1.1 |
| | | 6 20 to 29 days | 27 | 0.9 |
| | | 7 All 30 days | 95 | 2.8 |
| | Missing | 41 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 62-62 | Q37 | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property? | | |
| | | 1 0 days | 2,729 | 94.9 |
| | | 2 1 or 2 days | 43 | 1.3 |
| | | 3 3 to 5 days | 22 | 0.7 |
| | | 4 6 to 9 days | 21 | 0.7 |
| | | 5 10 to 19 days | 14 | 0.5 |
| | | 6 20 to 29 days | 13 | 0.4 |
| | | 7 All 30 days | 47 | 1.5 |
| | Missing | 44 | | |
| 63-63 | Q38 | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? | | |
| | | 1 0 days | 2,415 | 81.8 |
| | | 2 1 or 2 days | 253 | 8.5 |
| | | 3 3 to 5 days | 107 | 4.0 |
| | | 4 6 to 9 days | 49 | 1.7 |
| | | 5 10 to 19 days | 31 | 1.4 |
| | | 6 20 to 29 days | 29 | 1.0 |
| | | 7 All 30 days | 44 | 1.6 |
| | Missing | 5 | | |
| 64-64 | Q39 | During your life, on how many days have you had at least one drink of alcohol? | | |
| | | 1 0 days | 528 | 21.6 |
| | | 2 1 or 2 days | 248 | 9.7 |
| | | 3 3 to 9 days | 426 | 17.1 |
| | | 4 10 to 19 days | 304 | 11.6 |
| | | 5 20 to 39 days | 312 | 12.3 |
| | | 6 40 to 99 days | 335 | 13.0 |
| | | 7 100 or more days | 391 | 14.8 |
| | Missing | 389 | | |
| 65-65 | Q40 | How old were you when you had your first drink of alcohol other than a few sips? | | |
| | | 1 I have never had a drink of alcohol other than a few sips | 557 | 22.5 |
| | | 2 8 years old or younger | 216 | 8.7 |
| | | 3 9 or 10 years old | 155 | 5.5 |
| | | 4 11 or 12 years old | 315 | 12.4 |
| | | 5 13 or 14 years old | 724 | 27.4 |
| | | 6 15 or 16 years old | 545 | 20.5 |
| | | 7 17 years old or older | 78 | 3.0 |
| | Missing | 343 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 66-66 | Q41 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | |
| | | 1 0 days | 1,450 | 53.5 |
| | | 2 1 or 2 days | 481 | 17.0 |
| | | 3 3 to 5 days | 341 | 12.1 |
| | | 4 6 to 9 days | 260 | 9.4 |
| | | 5 10 to 19 days | 158 | 5.4 |
| | | 6 20 to 29 days | 42 | 1.4 |
| | | 7 All 30 days | 33 | 1.2 |
| | Missing | 168 | | |
| 67-67 | Q42 | During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? | | |
| | | 1 0 days | 1,926 | 67.8 |
| | | 2 1 day | 253 | 8.2 |
| | | 3 2 days | 203 | 7.0 |
| | | 4 3 to 5 days | 255 | 8.8 |
| | | 5 6 to 9 days | 141 | 4.8 |
| | | 6 10 to 19 days | 70 | 2.3 |
| | | 7 20 or more days | 31 | 1.1 |
| | Missing | 54 | | |
| 68-68 | Q43 | During the past 30 days, on how many days did you have at least one drink of alcohol on school property? | | |
| | | 1 0 days | 2,714 | 95.4 |
| | | 2 1 or 2 days | 82 | 2.5 |
| | | 3 3 to 5 days | 32 | 1.1 |
| | | 4 6 to 9 days | 10 | 0.3 |
| | | 5 10 to 19 days | 3 | 0.1 |
| | | 6 20 to 29 days | 2 | 0.1 |
| | | 7 All 30 days | 12 | 0.6 |
| | Missing | 78 | | |
| 69-69 | Q44 | During your life, how many times have you used marijuana? | | |
| | | 1 0 times | 1,912 | 65.4 |
| | | 2 1 or 2 times | 206 | 7.1 |
| | | 3 3 to 9 times | 190 | 7.0 |
| | | 4 10 to 19 times | 103 | 3.7 |
| | | 5 20 to 39 times | 110 | 4.7 |
| | | 6 40 to 99 times | 97 | 3.6 |
| | | 7 100 or more times | 211 | 8.5 |
| | Missing | 104 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 70-70 | Q45 | How old were you when you tried marijuana for the first time? | | |
| | | 1 I have never tried marijuana | 1,946 | 65.9 |
| | | 2 8 years old or younger | 37 | 1.4 |
| | | 3 9 or 10 years old | 39 | 1.8 |
| | | 4 11 or 12 years old | 116 | 4.4 |
| | | 5 13 or 14 years old | 315 | 11.9 |
| | | 6 15 or 16 years old | 362 | 12.7 |
| | | 7 17 years old or older | 48 | 1.8 |
| | | Missing | 70 | |
| 71-71 | Q46 | During the past 30 days, how many times did you use marijuana? | | |
| | | 1 0 times | 2,400 | 81.7 |
| | | 2 1 or 2 times | 171 | 6.4 |
| | | 3 3 to 9 times | 118 | 4.6 |
| | | 4 10 to 19 times | 59 | 2.3 |
| | | 5 20 to 39 times | 48 | 1.9 |
| | | 6 40 or more times | 77 | 3.1 |
| | | Missing | 60 | |
| 72-72 | Q47 | During the past 30 days, how many times did you use marijuana on school property? | | |
| | | 1 0 times | 2,802 | 96.1 |
| | | 2 1 or 2 times | 45 | 1.9 |
| | | 3 3 to 9 times | 18 | 0.7 |
| | | 4 10 to 19 times | 9 | 0.5 |
| | | 5 20 to 39 times | 7 | 0.3 |
| | | 6 40 or more times | 13 | 0.5 |
| | | Missing | 39 | |
| 73-73 | Q48 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 2,666 | 93.1 |
| | | 2 1 or 2 times | 93 | 3.3 |
| | | 3 3 to 9 times | 36 | 1.3 |
| | | 4 10 to 19 times | 15 | 0.6 |
| | | 5 20 to 39 times | 18 | 0.8 |
| | | 6 40 or more times | 25 | 0.9 |
| | | Missing | 80 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 74-74 | Q49 | During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 2,798 | 97.1 |
| | | 2 1 or 2 times | 39 | 1.5 |
| | | 3 3 to 9 times | 16 | 0.6 |
| | | 4 10 to 19 times | 4 | 0.2 |
| | | 6 40 or more times | 16 | 0.6 |
| | | Missing | 60 | |
| 75-75 | Q50 | During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high? | | |
| | | 1 0 times | 2,528 | 88.3 |
| | | 2 1 or 2 times | 192 | 6.8 |
| | | 3 3 to 9 times | 73 | 2.5 |
| | | 4 10 to 19 times | 30 | 1.0 |
| | | 5 20 to 39 times | 14 | 0.6 |
| | | 6 40 or more times | 33 | 0.9 |
| Missing | 63 | | | |
| 76-76 | Q51 | During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high? | | |
| | | 1 0 times | 2,790 | 96.1 |
| | | 2 1 or 2 times | 69 | 2.4 |
| | | 3 3 to 9 times | 20 | 0.7 |
| | | 4 10 to 19 times | 8 | 0.2 |
| | | 5 20 to 39 times | 3 | 0.1 |
| | | 6 40 or more times | 15 | 0.5 |
| Missing | 28 | | | |
| 77-77 | Q52 | During your life, how many times have you used heroin (also called smack, junk, or China White)? | | |
| | | 1 0 times | 2,792 | 97.3 |
| | | 2 1 or 2 times | 25 | 0.9 |
| | | 3 3 to 9 times | 16 | 0.5 |
| | | 4 10 to 19 times | 10 | 0.5 |
| | | 5 20 to 39 times | 2 | 0.1 |
| | | 6 40 or more times | 19 | 0.6 |
| Missing | 69 | | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 78-78 | Q53 | During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)? | | |
| | | 1 0 times | 2,713 | 93.7 |
| | | 2 1 or 2 times | 76 | 2.7 |
| | | 3 3 to 9 times | 37 | 1.4 |
| | | 4 10 to 19 times | 12 | 0.4 |
| | | 5 20 to 39 times | 11 | 0.5 |
| | | 6 40 or more times | 39 | 1.4 |
| | Missing | 45 | | |
| 79-79 | Q54 | During your life, how many times have you used ecstasy (also called MDMA)? | | |
| | | 1 0 times | 2,752 | 95.0 |
| | | 2 1 or 2 times | 66 | 2.5 |
| | | 3 3 to 9 times | 24 | 0.8 |
| | | 4 10 to 19 times | 18 | 0.8 |
| | | 5 20 to 39 times | 7 | 0.2 |
| | | 6 40 or more times | 18 | 0.6 |
| | Missing | 48 | | |
| 80-80 | Q55 | During your life, how many times have you taken steroid pills or shots without a doctor's prescription? | | |
| | | 1 0 times | 2,808 | 96.4 |
| | | 2 1 or 2 times | 39 | 1.2 |
| | | 3 3 to 9 times | 20 | 0.8 |
| | | 4 10 to 19 times | 12 | 0.4 |
| | | 5 20 to 39 times | 12 | 0.5 |
| | | 6 40 or more times | 19 | 0.6 |
| | Missing | 23 | | |
| 81-81 | Q56 | During your life, how many times have you used a needle to inject any illegal drug into your body? | | |
| | | 1 0 times | 2,863 | 98.0 |
| | | 2 1 time | 25 | 0.9 |
| | | 3 2 or more times | 30 | 1.0 |
| | Missing | 15 | | |
| 82-82 | Q57 | During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property? | | |
| | | 1 Yes | 605 | 23.3 |
| | | 2 No | 2,202 | 76.7 |
| | Missing | 126 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 83-83 | Q58 | Have you ever had sexual intercourse? | | |
| | | 1 Yes | 1,107 | 42.8 |
| | | 2 No | 1,473 | 57.2 |
| | | Missing | 353 | |
| 84-84 | Q59 | How old were you when you had sexual intercourse for the first time? | | |
| | | 1 I have never had sexual intercourse | 1,476 | 56.8 |
| | | 2 11 years old or younger | 70 | 3.3 |
| | | 3 12 years old | 43 | 1.8 |
| | | 4 13 years old | 90 | 3.5 |
| | | 5 14 years old | 216 | 8.6 |
| | | 6 15 years old | 310 | 12.0 |
| | | 7 16 years old | 272 | 9.6 |
| | | 8 17 years old or older | 123 | 4.3 |
| | | Missing | 333 | |
| 85-85 | Q60 | During your life, with how many people have you had sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 1,475 | 56.9 |
| | | 2 1 person | 465 | 17.0 |
| | | 3 2 people | 224 | 8.4 |
| | | 4 3 people | 136 | 5.7 |
| | | 5 4 people | 67 | 2.7 |
| | | 6 5 people | 53 | 2.2 |
| | | 7 6 or more people | 173 | 7.1 |
| | | Missing | 340 | |
| 86-86 | Q61 | During the past 3 months, with how many people did you have sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 1,463 | 57.0 |
| | | 2 I have had sexual intercourse, but not during the past 3 months | 294 | 11.5 |
| | | 3 1 person | 611 | 23.3 |
| | | 4 2 people | 108 | 4.4 |
| | | 5 3 people | 42 | 1.5 |
| | | 6 4 people | 18 | 0.8 |
| | | 7 5 people | 6 | 0.2 |
| | | 8 6 or more people | 29 | 1.3 |
| | | Missing | 362 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 87-87 | Q62 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | |
| | | 1 I have never had sexual intercourse | 1,477 | 57.2 |
| | | 2 Yes | 336 | 13.3 |
| | | 3 No | 775 | 29.4 |
| | | Missing | 345 | |
| 88-88 | Q63 | The last time you had sexual intercourse, did you or your partner use a condom? | | |
| | | 1 I have never had sexual intercourse | 1,476 | 57.3 |
| | | 2 Yes | 718 | 27.6 |
| | | 3 No | 389 | 15.1 |
| | | Missing | 350 | |
| 89-89 | Q64 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 1,473 | 57.4 |
| | | 2 No method was used to prevent pregnancy | 133 | 5.5 |
| | | 3 Birth control pills | 202 | 7.9 |
| | | 4 Condoms | 585 | 22.5 |
| | | 5 Depo-Provera (injectable birth control) | 41 | 1.6 |
| | | 6 Withdrawal | 101 | 3.8 |
| | | 7 Some other method | 17 | 0.5 |
| | | 8 Not sure | 22 | 0.8 |
| | | Missing | 359 | |
| 90-90 | Q65 | How many times have you been pregnant or gotten someone pregnant? | | |
| | | 1 0 times | 2,649 | 95.5 |
| | | 2 1 time | 62 | 2.3 |
| | | 3 2 or more times | 27 | 1.1 |
| | | 4 Not sure | 28 | 1.0 |
| | | Missing | 167 | |
| 91-91 | Q66 | How do you describe your weight? | | |
| | | 1 Very underweight | 82 | 2.9 |
| | | 2 Slightly underweight | 437 | 15.1 |
| | | 3 About the right weight | 1,422 | 49.3 |
| | | 4 Slightly overweight | 854 | 28.6 |
| | | 5 Very overweight | 118 | 4.1 |
| | | Missing | 20 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 92-92 | Q67 | Which of the following are you trying to do about your weight? | | |
| | | 1 Lose weight | 1,345 | 45.2 |
| | | 2 Gain weight | 506 | 18.5 |
| | | 3 Stay the same weight | 494 | 17.6 |
| | | 4 I am not trying to do anything about my weight | 558 | 18.7 |
| | | Missing | 30 | |
| 93-93 | Q68 | During the past 30 days, did you exercise to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 1,787 | 61.2 |
| | | 2 No | 1,093 | 38.8 |
| | | Missing | 53 | |
| 94-94 | Q69 | During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 1,254 | 43.0 |
| | | 2 No | 1,588 | 57.0 |
| | | Missing | 91 | |
| 95-95 | Q70 | During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 387 | 13.0 |
| | | 2 No | 2,436 | 87.0 |
| | | Missing | 110 | |
| 96-96 | Q71 | During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 261 | 9.1 |
| | | 2 No | 2,578 | 90.9 |
| | | Missing | 94 | |
| 97-97 | Q72 | During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 186 | 7.2 |
| | | 2 No | 2,635 | 92.8 |
| | | Missing | 112 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 98-98 | Q73 | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? | | |
| | | 1 I did not drink 100% fruit juice during the past 7 days | 526 | 18.9 |
| | | 2 1 to 3 times during the past 7 days | 1,076 | 37.4 |
| | | 3 4 to 6 times during the past 7 days | 535 | 19.4 |
| | | 4 1 time per day | 271 | 9.6 |
| | | 5 2 times per day | 244 | 8.8 |
| | | 6 3 times per day | 100 | 3.3 |
| | | 7 4 or more times per day | 72 | 2.7 |
| | Missing | 109 | | |
| 99-99 | Q74 | During the past 7 days, how many times did you eat fruit? | | |
| | | 1 I did not eat fruit during the past 7 days | 356 | 12.9 |
| | | 2 1 to 3 times during the past 7 days | 1,231 | 40.6 |
| | | 3 4 to 6 times during the past 7 days | 589 | 21.0 |
| | | 4 1 time per day | 317 | 10.9 |
| | | 5 2 times per day | 304 | 11.2 |
| | | 6 3 times per day | 76 | 2.6 |
| | | 7 4 or more times per day | 37 | 1.0 |
| | Missing | 23 | | |
| 100-100 | Q75 | During the past 7 days, how many times did you eat green salad? | | |
| | | 1 I did not eat green salad during the past 7 days | 836 | 31.3 |
| | | 2 1 to 3 times during the past 7 days | 1,311 | 44.2 |
| | | 3 4 to 6 times during the past 7 days | 427 | 14.3 |
| | | 4 1 time per day | 178 | 5.9 |
| | | 5 2 times per day | 57 | 2.1 |
| | | 6 3 times per day | 34 | 1.2 |
| | | 7 4 or more times per day | 30 | 0.9 |
| | Missing | 60 | | |
| 101-101 | Q76 | During the past 7 days, how many times did you eat potatoes? | | |
| | | 1 I did not eat potatoes during the past 7 days | 619 | 22.6 |
| | | 2 1 to 3 times during the past 7 days | 1,549 | 53.2 |
| | | 3 4 to 6 times during the past 7 days | 468 | 15.8 |
| | | 4 1 time per day | 134 | 4.9 |
| | | 5 2 times per day | 63 | 2.2 |
| | | 6 3 times per day | 18 | 0.5 |
| | | 7 4 or more times per day | 22 | 0.7 |
| | Missing | 60 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 102-102 | Q77 | During the past 7 days, how many times did you eat carrots? | | |
| | | 1 I did not eat carrots during the past 7 days | 1,293 | 45.3 |
| | | 2 1 to 3 times during the past 7 days | 1,205 | 40.9 |
| | | 3 4 to 6 times during the past 7 days | 201 | 6.9 |
| | | 4 1 time per day | 87 | 3.0 |
| | | 5 2 times per day | 41 | 1.3 |
| | | 6 3 times per day | 37 | 1.6 |
| | | 7 4 or more times per day | 28 | 0.9 |
| | Missing | 41 | | |
| 103-103 | Q78 | During the past 7 days, how many times did you eat other vegetables? | | |
| | | 1 I did not eat other vegetables during the past 7 days | 369 | 13.3 |
| | | 2 1 to 3 times during the past 7 days | 1,256 | 43.5 |
| | | 3 4 to 6 times during the past 7 days | 692 | 23.3 |
| | | 4 1 time per day | 327 | 11.5 |
| | | 5 2 times per day | 170 | 5.5 |
| | | 6 3 times per day | 39 | 1.4 |
| | | 7 4 or more times per day | 45 | 1.5 |
| | Missing | 35 | | |
| 104-104 | Q79 | During the past 7 days, how many glasses of milk did you drink? | | |
| | | 1 I did not drink milk during the past 7 days | 401 | 14.7 |
| | | 2 1 to 3 glasses during the past 7 days | 516 | 18.6 |
| | | 3 4 to 6 glasses during the past 7 days | 471 | 16.4 |
| | | 4 1 glass per day | 440 | 15.3 |
| | | 5 2 glasses per day | 500 | 16.6 |
| | | 6 3 glasses per day | 307 | 9.9 |
| | | 7 4 or more glasses per day | 253 | 8.5 |
| | Missing | 45 | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 105-105 | Q80 | On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities? | | |
| | | 1 0 days | 465 | 17.5 |
| | | 2 1 day | 247 | 8.2 |
| | | 3 2 days | 294 | 9.6 |
| | | 4 3 days | 338 | 11.1 |
| | | 5 4 days | 242 | 8.6 |
| | | 6 5 days | 420 | 13.9 |
| | | 7 6 days | 256 | 9.1 |
| | | 8 7 days | 620 | 21.9 |
| | | Missing | 51 | |
| 106-106 | Q81 | On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors? | | |
| | | 1 0 days | 701 | 25.3 |
| | | 2 1 day | 445 | 15.8 |
| | | 3 2 days | 420 | 14.1 |
| | | 4 3 days | 307 | 10.6 |
| | | 5 4 days | 222 | 7.5 |
| | | 6 5 days | 217 | 7.1 |
| | | 7 6 days | 111 | 4.0 |
| | | 8 7 days | 456 | 15.7 |
| | | Missing | 54 | |
| 107-107 | Q82 | On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting? | | |
| | | 1 0 days | 680 | 23.4 |
| | | 2 1 day | 342 | 12.1 |
| | | 3 2 days | 301 | 10.9 |
| | | 4 3 days | 337 | 11.2 |
| | | 5 4 days | 282 | 10.3 |
| | | 6 5 days | 439 | 15.6 |
| | | 7 6 days | 129 | 4.1 |
| | | 8 7 days | 386 | 12.4 |
| | | Missing | 37 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 108-108 | Q83 | On an average school day, how many hours do you watch TV? | | |
| | | 1 I do not watch TV on an average school day | 308 | 11.0 |
| | | 2 Less than 1 hour per day | 572 | 19.4 |
| | | 3 1 hour per day | 542 | 18.9 |
| | | 4 2 hours per day | 677 | 22.8 |
| | | 5 3 hours per day | 438 | 14.3 |
| | | 6 4 hours per day | 185 | 7.1 |
| | | 7 5 or more hours per day | 169 | 6.6 |
| | | Missing | 42 | |
| 109-109 | Q84 | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | |
| | | 1 0 days | 1,312 | 50.9 |
| | | 2 1 day | 48 | 2.2 |
| | | 3 2 days | 64 | 3.0 |
| | | 4 3 days | 169 | 6.2 |
| | | 5 4 days | 37 | 1.3 |
| | | 6 5 days | 930 | 36.4 |
| | | Missing | 373 | |
| 110-110 | Q85 | During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports? | | |
| | | 1 I do not take PE | 1,306 | 50.7 |
| | | 2 Less than 10 minutes | 59 | 2.4 |
| | | 3 10 to 20 minutes | 110 | 3.8 |
| | | 4 21 to 30 minutes | 245 | 9.0 |
| | | 5 31 to 40 minutes | 368 | 14.7 |
| | | 6 41 to 50 minutes | 294 | 11.6 |
| | | 7 51 to 60 minutes | 79 | 3.2 |
| | | 8 More than 60 minutes | 103 | 4.5 |
| | | Missing | 369 | |
| 111-111 | Q86 | During the past 12 months, on how many sports teams did you play? | | |
| | | 1 0 teams | 1,026 | 38.0 |
| | | 2 1 team | 564 | 20.2 |
| | | 3 2 teams | 519 | 18.8 |
| | | 4 3 or more teams | 642 | 23.1 |
| | | Missing | 182 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 112-112 | Q87 | Have you ever been taught about AIDS or HIV infection in school? | | |
| | | 1 Yes | 2,340 | 85.0 |
| | | 2 No | 241 | 8.8 |
| | | 3 Not sure | 172 | 6.2 |
| | | Missing | 180 | |
| 113-113 | Q88 | During the past 7 days, when you drank milk or had milk on cereal, how often was it 1% fat or less, nonfat, fat free, or skim milk? | | |
| | | 1 I did not drink milk during the past 7 days | 292 | 10.4 |
| | | 2 Always | 952 | 33.8 |
| | | 3 Often | 333 | 12.4 |
| | | 4 Sometimes | 412 | 14.1 |
| | | 5 Never | 674 | 22.6 |
| | | 6 I don't know the percent fat in the milk I usually drink | 187 | 6.7 |
| Missing | 83 | | | |
| 114-114 | Q89 | During the past 7 days, how many times did you drink soda or pop? | | |
| | | 1 I did not drink soda or pop during the past 7 days | 374 | 14.0 |
| | | 2 1 to 3 times during the past 7 days | 661 | 23.3 |
| | | 3 4 to 6 times during the past 7 days | 566 | 20.2 |
| | | 4 1 time per day | 398 | 13.6 |
| | | 5 2 times per day | 391 | 13.7 |
| | | 6 3 times per day | 221 | 8.3 |
| | | 7 4 or more times per day | 196 | 6.7 |
| Missing | 126 | | | |
| 115-115 | Q90 | During the past 7 days, what was the average amount of soda or pop you drank each time you drank soda or pop? | | |
| | | 1 I did not drink soda or pop during the past 7 days | 308 | 12.5 |
| | | 2 Less than 12 ounces (less than 1 can or medium glass) | 314 | 12.4 |
| | | 3 12 ounces (1 can or medium glass) | 950 | 36.5 |
| | | 4 20 ounces (1 bottle or large glass) | 716 | 26.8 |
| | | 5 32 ounces (1 liter or extra-large glass) | 182 | 7.0 |
| | | 6 More than 32 ounces (more than 1 liter or extra-large glass) | 138 | 4.8 |
| Missing | 325 | | | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 116-116 | Q91 | During the past 7 days, on the days you drank soda or pop, how often was it diet? | | |
| | | 1 I did not drink soda or pop during the past 7 days | 318 | 12.5 |
| | | 2 Always | 232 | 8.8 |
| | | 3 Often | 206 | 7.4 |
| | | 4 Sometimes | 432 | 15.9 |
| | | 5 Never | 1,497 | 55.5 |
| | | Missing | 248 | |
| 117-117 | Q92 | On an average school day how many hours do you spend playing video games? | | |
| | | 1 I do not play video games on an average school day | 1,690 | 60.0 |
| | | 2 Less than 1 hour per day | 498 | 19.0 |
| | | 3 1 hour per day | 234 | 9.3 |
| | | 4 2 hours per day | 135 | 5.5 |
| | | 5 3 hours per day | 72 | 2.6 |
| | | 6 4 hours per day | 32 | 1.1 |
| | | 7 5 or more hours per day | 66 | 2.5 |
| | | Missing | 206 | |
| 118-118 | Q93 | On an average school day, not counting school work, how many hours do you use the computer? | | |
| | | 1 I do not use the computer for something that is not school work on an average school day | 447 | 17.4 |
| | | 2 Less than 1 hour per day | 791 | 28.2 |
| | | 3 1 hour per day | 626 | 23.4 |
| | | 4 2 hours per day | 433 | 15.5 |
| | | 5 3 hours per day | 244 | 8.8 |
| | | 6 4 hours per day | 89 | 3.1 |
| | | 7 5 or more hours per day | 103 | 3.5 |
| | | Missing | 200 | |
| 119-119 | Q94 | Have you ever talked about AIDS or HIV with your parents or other adults in your family? | | |
| | | 1 Yes | 1,168 | 43.9 |
| | | 2 No | 1,326 | 47.4 |
| | | 3 Not sure | 222 | 8.6 |
| | | Missing | 217 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 120-120 | Q95 | Has a doctor or nurse ever told you that you have asthma? | | |
| | | 1 Yes | 503 | 19.4 |
| | | 2 No | 2,157 | 78.1 |
| | | 3 Not sure Missing | 68 205 | 2.4 |
| 121-121 | Q96 | During the past 12 months have you had an episode of asthma or an asthma attack? | | |
| | | 1 I do not have asthma | 2,112 | 77.2 |
| | | 2 No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months | 320 | 12.7 |
| | | 3 Yes, I have had an episode of asthma or an asthma attack during the past 12 months | 179 | 6.8 |
| | | 4 Not sure Missing | 93 229 | 3.3 |
| 122-122 | QN7 | Percentage of students who received grades of mostly D's and F's during the past 12 months | | |
| | | 1 Yes | 151 | 5.3 |
| | | 2 No Missing | 2,748 34 | 94.7 |
| 123-123 | QN8 | Of students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet | | |
| | | 1 Yes | 1,643 | 91.2 |
| | | 2 No Missing | 138 1,152 | 8.8 |
| 124-124 | QN9 | Percentage of students who never or rarely wear a seat belt when riding in a car driven by someone else | | |
| | | 1 Yes | 660 | 21.9 |
| | | 2 No Missing | 2,267 6 | 78.1 |
| 125-125 | QN10 | Percentage of students who, during the past 30 days, rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol | | |
| | | 1 Yes | 1,140 | 38.5 |
| | | 2 No Missing | 1,783 10 | 61.5 |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 126-126 | QN11 | Percentage of students who, during the past 30 days, drove a car or other vehicle one or more times when they had been drinking alcohol | | |
| | | 1 Yes | 622 | 20.9 |
| | | 2 No | 2,263 | 79.1 |
| | | Missing | 48 | |
| 127-127 | QN12 | Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days | | |
| | | 1 Yes | 483 | 16.0 |
| | | 2 No | 2,383 | 84.0 |
| | | Missing | 67 | |
| 128-128 | QN13 | Percentage of students who carried a gun on one or more of the past 30 days | | |
| | | 1 Yes | 240 | 7.8 |
| | | 2 No | 2,635 | 92.2 |
| | | Missing | 58 | |
| 129-129 | QN14 | Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days | | |
| | | 1 Yes | 147 | 5.0 |
| | | 2 No | 2,765 | 95.0 |
| | | Missing | 21 | |
| 130-130 | QN15 | Percentage of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school | | |
| | | 1 Yes | 96 | 3.1 |
| | | 2 No | 2,826 | 96.9 |
| | | Missing | 11 | |
| 131-131 | QN16 | Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months | | |
| | | 1 Yes | 236 | 8.8 |
| | | 2 No | 2,684 | 91.2 |
| | | Missing | 13 | |
| 132-132 | QN17 | Percentage of students who have had property, such as their car, clothing, or books stolen or damaged on school property during the past 12 months | | |
| | | 1 Yes | 940 | 32.2 |
| | | 2 No | 1,993 | 67.8 |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 133-133 | QN18 | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 Yes | 827 | 29.6 |
| | | 2 No | 2,052 | 70.4 |
| | | Missing | 54 | |
| 134-134 | QN19 | Percentage of students who were injured in a physical fight one or more times during the past 12 months and had to be treated by a doctor or nurse | | |
| | | 1 Yes | 73 | 2.7 |
| | | 2 No | 2,820 | 97.3 |
| | | Missing | 40 | |
| 135-135 | QN20 | Percentage of students who were in a physical fight on school property one or more times during the past 12 months | | |
| | | 1 Yes | 283 | 10.6 |
| | | 2 No | 2,616 | 89.4 |
| | | Missing | 34 | |
| 136-136 | QN21 | Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months | | |
| | | 1 Yes | 334 | 11.5 |
| | | 2 No | 2,579 | 88.5 |
| | | Missing | 20 | |
| 137-137 | QN22 | Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to | | |
| | | 1 Yes | 282 | 9.9 |
| | | 2 No | 2,632 | 90.1 |
| | | Missing | 19 | |
| 138-138 | QN23 | Percentage of students who, during the past 12 months, ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities | | |
| | | 1 Yes | 717 | 25.3 |
| | | 2 No | 2,210 | 74.7 |
| | | Missing | 6 | |
| 139-139 | QN24 | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 Yes | 513 | 17.9 |
| | | 2 No | 2,406 | 82.1 |
| | | Missing | 14 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 140-140 | QN25 | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 Yes | 514 | 17.2 |
| | | 2 No | 2,393 | 82.8 |
| | | Missing | 26 | |
| 141-141 | QN26 | Percentage of students who actually attempted suicide one or more times during the past 12 months | | |
| | | 1 Yes | 213 | 8.8 |
| | | 2 No | 2,317 | 91.2 |
| | | Missing | 403 | |
| 142-142 | QN27 | Percentage of students whose attempted suicide during the past 12 months resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse | | |
| | | 1 Yes | 79 | 3.4 |
| | | 2 No | 2,443 | 96.6 |
| | | Missing | 411 | |
| 143-143 | QN28 | Percentage of students who ever tried cigarette smoking, even one or two puffs | | |
| | | 1 Yes | 1,654 | 60.2 |
| | | 2 No | 1,069 | 39.8 |
| | | Missing | 210 | |
| 144-144 | QN29 | Percentage of students who smoked a whole cigarette for the first time before age 13 | | |
| | | 1 Yes | 556 | 20.7 |
| | | 2 No | 2,158 | 79.3 |
| | | Missing | 219 | |
| 145-145 | QN30 | Percentage of students who smoked cigarettes on one or more of the past 30 days | | |
| | | 1 Yes | 648 | 24.1 |
| | | 2 No | 1,993 | 75.9 |
| | | Missing | 292 | |
| 146-146 | QN31 | Percentage of students who smoked two or more cigarettes per day on the days they smoked during the past 30 days | | |
| | | 1 Yes | 413 | 15.4 |
| | | 2 No | 2,195 | 84.6 |
| | | Missing | 325 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 147-147 | QN32 | Percentage of students who usually got their own cigarettes by buying them in a store or gas station during the past 30 days | | |
| | | 1 Yes | 125 | 4.6 |
| | | 2 No | 2,519 | 95.4 |
| | | Missing | 289 | |
| 148-148 | QN33 | Percentage of students who smoked cigarettes on school property on one or more of the past 30 days | | |
| | | 1 Yes | 202 | 7.4 |
| | | 2 No | 2,581 | 92.6 |
| | | Missing | 150 | |
| 149-149 | QN34 | Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days | | |
| | | 1 Yes | 464 | 16.7 |
| | | 2 No | 2,263 | 83.3 |
| | | Missing | 206 | |
| 150-150 | QN35 | Of students who are current smokers, the percentage who tried to quit smoking during the past 12 months | | |
| | | 1 Yes | 379 | 59.6 |
| | | 2 No | 257 | 40.4 |
| | | Missing | 2,297 | |
| 151-151 | QN36 | Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days | | |
| | | 1 Yes | 319 | 10.1 |
| | | 2 No | 2,573 | 89.9 |
| | | Missing | 41 | |
| 152-152 | QN37 | Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days | | |
| | | 1 Yes | 160 | 5.1 |
| | | 2 No | 2,729 | 94.9 |
| | | Missing | 44 | |
| 153-153 | QN38 | Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days | | |
| | | 1 Yes | 513 | 18.2 |
| | | 2 No | 2,415 | 81.8 |
| | | Missing | 5 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 154-154 | QN39 | Percentage of students who had at least one drink of alcohol on one or more days during their life | | |
| | | 1 Yes | 2,016 | 78.4 |
| | | 2 No | 528 | 21.6 |
| | | Missing | 389 | |
| 155-155 | QN40 | Percentage of students who had their first drink of alcohol other than a few sips before age 13 | | |
| | | 1 Yes | 686 | 26.6 |
| | | 2 No | 1,904 | 73.4 |
| | | Missing | 343 | |
| 156-156 | QN41 | Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | | |
| | | 1 Yes | 1,315 | 46.5 |
| | | 2 No | 1,450 | 53.5 |
| | | Missing | 168 | |
| 157-157 | QN42 | Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days | | |
| | | 1 Yes | 953 | 32.2 |
| | | 2 No | 1,926 | 67.8 |
| | | Missing | 54 | |
| 158-158 | QN43 | Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days | | |
| | | 1 Yes | 141 | 4.6 |
| | | 2 No | 2,714 | 95.4 |
| | | Missing | 78 | |
| 159-159 | QN44 | Percentage of students who used marijuana one or more times during their life | | |
| | | 1 Yes | 917 | 34.6 |
| | | 2 No | 1,912 | 65.4 |
| | | Missing | 104 | |
| 160-160 | QN45 | Percentage of students who tried marijuana for the first time before age 13 | | |
| | | 1 Yes | 192 | 7.7 |
| | | 2 No | 2,671 | 92.3 |
| | | Missing | 70 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 161-161 | QN46 | Percentage of students who used marijuana one or more times during the past 30 days | | |
| | | 1 Yes | 473 | 18.3 |
| | | 2 No | 2,400 | 81.7 |
| | | Missing | 60 | |
| 162-162 | QN47 | Percentage of students who used marijuana on school property one or more times during the past 30 days | | |
| | | 1 Yes | 92 | 3.9 |
| | | 2 No | 2,802 | 96.1 |
| | | Missing | 39 | |
| 163-163 | QN48 | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life | | |
| | | 1 Yes | 187 | 6.9 |
| | | 2 No | 2,666 | 93.1 |
| | | Missing | 80 | |
| 164-164 | QN49 | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days | | |
| | | 1 Yes | 75 | 2.9 |
| | | 2 No | 2,798 | 97.1 |
| | | Missing | 60 | |
| 165-165 | QN50 | Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life | | |
| | | 1 Yes | 342 | 11.7 |
| | | 2 No | 2,528 | 88.3 |
| | | Missing | 63 | |
| 166-166 | QN51 | Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during the past 30 days | | |
| | | 1 Yes | 115 | 3.9 |
| | | 2 No | 2,790 | 96.1 |
| | | Missing | 28 | |
| 167-167 | QN52 | Percentage of students who used heroin one or more times during their life | | |
| | | 1 Yes | 72 | 2.7 |
| | | 2 No | 2,792 | 97.3 |
| | | Missing | 69 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 168-168 | QN53 | Percentage of students who used methamphetamines one or more times during their life | | |
| | | 1 Yes | 175 | 6.3 |
| | | 2 No | 2,713 | 93.7 |
| | | Missing | 45 | |
| 169-169 | QN54 | Percentage of students who used ecstasy one or more times during their life | | |
| | | 1 Yes | 133 | 5.0 |
| | | 2 No | 2,752 | 95.0 |
| | | Missing | 48 | |
| 170-170 | QN55 | Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life | | |
| | | 1 Yes | 102 | 3.6 |
| | | 2 No | 2,808 | 96.4 |
| | | Missing | 23 | |
| 171-171 | QN56 | Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life | | |
| | | 1 Yes | 55 | 2.0 |
| | | 2 No | 2,863 | 98.0 |
| | | Missing | 15 | |
| 172-172 | QN57 | Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months | | |
| | | 1 Yes | 605 | 23.3 |
| | | 2 No | 2,202 | 76.7 |
| | | Missing | 126 | |
| 173-173 | QN58 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 1,107 | 42.8 |
| | | 2 No | 1,473 | 57.2 |
| | | Missing | 353 | |
| 174-174 | QN59 | Percentage of students who had sexual intercourse for the first time before age 13 | | |
| | | 1 Yes | 113 | 5.1 |
| | | 2 No | 2,487 | 94.9 |
| | | Missing | 333 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 175-175 | QN60 | Percentage of students who had sexual intercourse with four or more people during their life | | |
| | | 1 Yes | 293 | 12.0 |
| | | 2 No | 2,300 | 88.0 |
| | | Missing | 340 | |
| 176-176 | QN61 | Percentage of students who had sexual intercourse with one or more people during the past three months | | |
| | | 1 Yes | 814 | 31.5 |
| | | 2 No | 1,757 | 68.5 |
| | | Missing | 362 | |
| 177-177 | QN62 | Of students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse | | |
| | | 1 Yes | 240 | 30.5 |
| | | 2 No | 571 | 69.5 |
| | | Missing | 2,122 | |
| 178-178 | QN63 | Of students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse | | |
| | | 1 Yes | 488 | 60.2 |
| | | 2 No | 316 | 39.8 |
| | | Missing | 2,129 | |
| 179-179 | QN64 | Of students who had sexual intercourse during the past three months, the percentage who used birth control pills during last sexual intercourse | | |
| | | 1 Yes | 172 | 21.9 |
| | | 2 No | 626 | 78.1 |
| | | Missing | 2,135 | |
| 180-180 | QN65 | Percentage of students who had been pregnant or gotten someone pregnant one or more times | | |
| | | 1 Yes | 89 | 3.4 |
| | | 2 No | 2,677 | 96.6 |
| | | Missing | 167 | |
| 181-181 | QN66 | Percentage of students who described themselves as slightly or very overweight | | |
| | | 1 Yes | 972 | 32.7 |
| | | 2 No | 1,941 | 67.3 |
| | | Missing | 20 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 182-182 | QN67 | Percentage of students who were trying to lose weight | | |
| | | 1 Yes | 1,345 | 45.2 |
| | | 2 No | 1,558 | 54.8 |
| | | Missing | 30 | |
| 183-183 | QN68 | Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 1,787 | 61.2 |
| | | 2 No | 1,093 | 38.8 |
| | | Missing | 53 | |
| 184-184 | QN69 | Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 1,254 | 43.0 |
| | | 2 No | 1,588 | 57.0 |
| | | Missing | 91 | |
| 185-185 | QN70 | Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 387 | 13.0 |
| | | 2 No | 2,436 | 87.0 |
| | | Missing | 110 | |
| 186-186 | QN71 | Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 261 | 9.1 |
| | | 2 No | 2,578 | 90.9 |
| | | Missing | 94 | |
| 187-187 | QN72 | Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 186 | 7.2 |
| | | 2 No | 2,635 | 92.8 |
| | | Missing | 112 | |
| 188-188 | QN73 | Percentage of students who drank 100% fruit juices one or more times during the past seven days | | |
| | | 1 Yes | 2,298 | 81.1 |
| | | 2 No | 526 | 18.9 |
| | | Missing | 109 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 189-189 | QN74 | Percentage of students who ate fruit one or more times during the past seven days | | |
| | | 1 Yes | 2,554 | 87.1 |
| | | 2 No | 356 | 12.9 |
| | | Missing | 23 | |
| 190-190 | QN75 | Percentage of students who ate green salad one or more times during the past seven days | | |
| | | 1 Yes | 2,037 | 68.7 |
| | | 2 No | 836 | 31.3 |
| | | Missing | 60 | |
| 191-191 | QN76 | Percentage of students who ate potatoes one or more times during the past seven days | | |
| | | 1 Yes | 2,254 | 77.4 |
| | | 2 No | 619 | 22.6 |
| | | Missing | 60 | |
| 192-192 | QN77 | Percentage of students who ate carrots one or more times during the past seven days | | |
| | | 1 Yes | 1,599 | 54.7 |
| | | 2 No | 1,293 | 45.3 |
| | | Missing | 41 | |
| 193-193 | QN78 | Percentage of students who ate other vegetables one or more times during the past seven days | | |
| | | 1 Yes | 2,529 | 86.7 |
| | | 2 No | 369 | 13.3 |
| | | Missing | 35 | |
| 194-194 | QN79 | Percentage of students who drank three or more glasses of milk per day during the past seven days | | |
| | | 1 Yes | 560 | 18.4 |
| | | 2 No | 2,328 | 81.6 |
| | | Missing | 45 | |
| 195-195 | QN80 | Percentage of students who exercised or participated in physical activities for at least 20 minutes that made them sweat and breathe hard on three or more of the past seven days | | |
| | | 1 Yes | 1,876 | 64.7 |
| | | 2 No | 1,006 | 35.3 |
| | | Missing | 51 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 196-196 | QN81 | Percentage of students who participated in physical activities that did not make them sweat or breathe hard for at least 30 minutes on five or more of the past seven days | | |
| | | 1 Yes | 784 | 26.7 |
| | | 2 No | 2,095 | 73.3 |
| | | Missing | 54 | |
| 197-197 | QN82 | Percentage of students who did exercises to strengthen or tone their muscles on three or more of the past seven days | | |
| | | 1 Yes | 1,573 | 53.6 |
| | | 2 No | 1,323 | 46.4 |
| | | Missing | 37 | |
| 198-198 | QN83 | Percentage of students who watched three or more hours of TV per day on an average school day | | |
| | | 1 Yes | 792 | 28.0 |
| | | 2 No | 2,099 | 72.0 |
| | | Missing | 42 | |
| 199-199 | QN84 | Percentage of students who attended physical education (PE) class one or more days during an average school week | | |
| | | 1 Yes | 1,248 | 49.1 |
| | | 2 No | 1,312 | 50.9 |
| | | Missing | 373 | |
| 200-200 | QN85 | Of students enrolled in physical education (PE) class, the percentage who exercised or played sports more than 20 minutes during an average physical education class | | |
| | | 1 Yes | 1,089 | 87.3 |
| | | 2 No | 169 | 12.7 |
| | | Missing | 1,675 | |
| 201-201 | QN86 | Percentage of students who played on one or more sports teams during the past 12 months | | |
| | | 1 Yes | 1,725 | 62.0 |
| | | 2 No | 1,026 | 38.0 |
| | | Missing | 182 | |
| 202-202 | QN87 | Percentage of students who had ever been taught about AIDS or HIV infection in school | | |
| | | 1 Yes | 2,340 | 85.0 |
| | | 2 No | 413 | 15.0 |
| | | Missing | 180 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 203-203 | QN88 | Percentage of students who, when they drank milk or had milk on cereal during the past seven days, often or always had 1% fat or less, nonfat, fat free, or skim milk | | |
| | | 1 Yes | 1,285 | 46.2 |
| | | 2 No | 1,565 | 53.8 |
| | | Missing | 83 | |
| 204-204 | QN89 | Percentage of students who, during the past seven days, drank soda or pop one or more times per day | | |
| | | 1 Yes | 1,206 | 42.4 |
| | | 2 No | 1,601 | 57.6 |
| | | Missing | 126 | |
| 205-205 | QN90 | Percentage of students who, each time they drank soda or pop during the past seven days, drank an average amount of 20 ounces (one bottle or large glass) or more | | |
| | | 1 Yes | 1,036 | 38.7 |
| | | 2 No | 1,572 | 61.3 |
| | | Missing | 325 | |
| 206-206 | QN91 | Percentage of students who, on the days they drank soda or pop during the past seven days, often or always drank diet | | |
| | | 1 Yes | 438 | 16.2 |
| | | 2 No | 2,247 | 83.8 |
| | | Missing | 248 | |
| 207-207 | QN92 | Percentage of students who, on an average school day, spend three or more hours per day playing video games | | |
| | | 1 Yes | 170 | 6.3 |
| | | 2 No | 2,557 | 93.7 |
| | | Missing | 206 | |
| 208-208 | QN93 | Percentage of students who, on an average school day, use the computer three or more hours per day, not counting school work | | |
| | | 1 Yes | 436 | 15.4 |
| | | 2 No | 2,297 | 84.6 |
| | | Missing | 200 | |
| 209-209 | QN94 | Percentage of students who have ever talked about AIDS or HIV with their parents or other adults in their family | | |
| | | 1 Yes | 1,168 | 43.9 |
| | | 2 No | 1,548 | 56.1 |
| | | Missing | 217 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|--|----------------------|------------------|
| 210-210 | QN95 | Percentage of students who have ever been told by a doctor or nurse that they have asthma | | |
| | | 1 Yes | 503 | 19.4 |
| | | 2 No | 2,225 | 80.6 |
| | | Missing | 205 | |
| 211-211 | QN96 | Percentage of students who, during the past 12 months, have had an episode of asthma or an asthma attack | | |
| | | 1 Yes | 179 | 6.8 |
| | | 2 No | 2,525 | 93.2 |
| | | Missing | 229 | |
| 212-212 | QNFRCIG | Percentage of students who smoked cigarettes on 20 or more of the past 30 days | | |
| | | 1 Yes | 299 | 11.2 |
| | | 2 No | 2,342 | 88.8 |
| | | Missing | 292 | |
| 213-213 | QNSTORE | Percentage of students less than 18 years of age who were current smokers and purchased cigarettes at a store or gas station during the past 30 days | | |
| | | 1 Yes | 35 | 7.4 |
| | | 2 No | 485 | 92.6 |
| | | Missing | 2,413 | |
| 214-214 | QNABSTSX | Percentage of students who have ever had sexual intercourse but have not had sexual intercourse during the past three months | | |
| | | 1 Yes | 294 | 26.7 |
| | | 2 No | 814 | 73.3 |
| | | Missing | 1,825 | |
| 215-215 | QNRESPTSX | Percentage of students who have never had sex, haven't had sex in the last three months, or used a condom the last time they had sex | | |
| | | 1 Yes | 2,245 | 87.6 |
| | | 2 No | 316 | 12.4 |
| | | Missing | 372 | |
| 216-216 | QNFVRVG | Percentage of students who ate five or more servings of fruits and vegetables per day during the past seven days | | |
| | | 1 Yes | 447 | 16.3 |
| | | 2 No | 2,303 | 83.7 |
| | | Missing | 183 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|---|----------------------|------------------|
| 217-217 | QNDLYPE | Percentage of students who attended physical education (PE) class daily | | |
| | | 1 Yes | 930 | 36.4 |
| | | 2 No | 1,630 | 63.6 |
| | | Missing | 373 | |
| 218-218 | QNROVWGT | Percentage of students who are at risk for becoming overweight | | |
| | | 1 Yes | 405 | 14.7 |
| | | 2 No | 2,437 | 85.3 |
| | | Missing | 91 | |
| 219-219 | QNOVWGT | Percentage of students who are overweight | | |
| | | 1 Yes | 278 | 10.4 |
| | | 2 No | 2,564 | 89.6 |
| | | Missing | 91 | |
| 220-220 | QNTENCIG | Percentage of students who smoked more than 10 cigarettes per day on the days that they smoked during the past 30 days | | |
| | | 1 Yes | 56 | 2.3 |
| | | 2 No | 2,552 | 97.7 |
| | | Missing | 325 | |
| 221-221 | QNANYTOB | Percentage of students who used any tobacco during the past 30 days | | |
| | | 1 Yes | 829 | 30.8 |
| | | 2 No | 1,791 | 69.2 |
| | | Missing | 313 | |
| 222-222 | QNMNPA | Percentage of students who did not participate in at least 20 minutes of vigorous physical activity on three or more of the past seven days and did not do at least 30 minutes of moderate physical activity on five or more of the past seven days | | |
| | | 1 Yes | 904 | 32.0 |
| | | 2 No | 1,955 | 68.0 |
| | | Missing | 74 | |
| 223-223 | QNNOPA | Percentage of students who participated in no vigorous or moderate physical activity during the past seven days | | |
| | | 1 Yes | 229 | 8.8 |
| | | 2 No | 2,630 | 91.2 |
| | | Missing | 74 | |

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|---------------|----------------------------|----------------------|------------------|
| 350-357 | Q4ORIG | Race as originally scanned | | |
| | | H | 2 | 0.0 |
| | | G | 1 | 0.0 |
| | | F | 2,521 | 84.6 |
| | | FG | 1 | 0.0 |
| | | E | 14 | 0.2 |
| | | EF | 2 | 0.0 |
| | | D | 120 | 6.4 |
| | | D H | 1 | 0.0 |
| | | D F | 17 | 0.2 |
| | | C | 52 | 6.1 |
| | | C F | 11 | 0.2 |
| | | C E | 2 | 0.0 |
| | | CD F | 2 | 0.0 |
| | | B | 51 | 0.7 |
| | | B H | 1 | 0.0 |
| | | B F | 22 | 0.3 |
| | | B D | 2 | 0.0 |
| | | B D F | 1 | 0.0 |
| | | BC | 3 | 0.0 |
| | | BC F | 1 | 0.0 |
| | | A | 54 | 0.7 |
| | | A H | 1 | 0.0 |
| | | A F | 32 | 0.4 |
| | | A D | 4 | 0.0 |
| | | A D F | 6 | 0.1 |
| | | A C E H | 1 | 0.0 |
| | | A CD F | 1 | 0.0 |
| | | AB F | 1 | 0.0 |
| | | Missing | 6 | |
| 358-369 | Weight | Weight | | |
| 370-374 | PSU | Primary Sampling Unit | | |
| 375-378 | Stratum | Stratum | | |